

Chemical Safety Data Sheet MSDS / SDS

Dimethylaminopropionitrile

Revision Date:2023-09-09 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Dimethylaminopropionitrile
CBnumber : CB3396522
CAS : 1738-25-6
EINECS Number : 217-090-4
Synonyms : Dmapn,3-(dimethylamino)propanenitrile

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 400-158-6606

SECTION 2: Hazards identification

Classification of the substance or mixture

Acute toxicity - Category 4, Oral
Acute toxicity - Category 4, Dermal
Specific target organ toxicity – repeated exposure, Category 2

Label elements**Pictogram(s)**

□

Signal word : Warning

Hazard statement(s)

H227 Combustible liquid
H303 May be harmful if swallowed
H312 Harmful in contact with skin
H315 Causes skin irritation
H319 Causes serious eye irritation
H335 May cause respiratory irritation

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to.....

Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Response

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P317 Get medical help.

P321 Specific treatment (see ... on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P319 Get medical help if you feel unwell.

Storage

none

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

Product name	: Dimethylaminopropionitrile
Synonyms	: Dmapn,3-(dimethylamino)propanenitrile
CAS	: 1738-25-6
EC number	: 217-090-4
MF	: C5H10N2
MW	: 98.15

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

Exposure Routes: inhalation, skin absorption, ingestion, skin and/or eye contact Symptoms: Irritation eyes, skin; urinary disturbance; neurological disorders; pins & needles in hands & feet; muscle weakness, lassitude (weakness, exhaustion), nausea, vomiting; decreased nerve conduction in lower legs Target Organs: Eyes, skin, central nervous system, urinary tract (NIOSH, 2016)

Indication of any immediate medical attention and special treatment needed

Basic treatment: Establish a patent airway. Suction if necessary. Watch for signs of respiratory insufficiency & assist ventilation if necessary. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Administer amyl nitrite ampules as per protocol & physician order . Monitor for shock & treat if necessary . Monitor for pulmonary edema & treat if necessary . Anticipate seizures & treat if necessary . For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with normal saline during transport . Do not use emetics. For ingestion, rinse mouth & administer 5 ml/kg up to 200 ml of water for dilution if the patient can swallow, has a strong gag reflex, & does not drool . Cyanide and related compounds

SECTION 5: Firefighting measures

Extinguishing media

To fight fire, use foam, carbon dioxide, dry chemical.


Specific Hazards Arising from the Chemical

no data available

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

NFPA 704





HEALTH

Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely

FIRE 2 divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, [sulfur](#))

REACT 1 Normally stable, but can become unstable at elevated temperatures and pressures (e.g. [propene](#))

SPEC.

HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

Component	3-dimethylaminopropionitrile
-----------	------------------------------

CAS No.	1738-25-6
	Exposures should be limited to as few workers as possible, while minimizing workplace exposure concentrations with effective work practices and engineering controls. Exposed workers should be carefully monitored for potential disorders of the nervous and genitourinary system. Although substitution is a possible control measure, alternatives to NIAX Catalyst ESN or its components should be evaluated with regard to possible adverse health effects.

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flammable resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state	Liquid
Colour	Clear colorless to yellow
Odour	no data available
Melting point/freezing point	-44.2 °C.
Boiling point or initial boiling point and boiling range	173 °C. Atm. press.:1 013 hPa.
Flammability	Class IIIA Combustible Liquid: Fl.P. at or above 140°F and below 200°F.
Lower and upper explosion limit/flammability limit	1.6-11.4%(V)
Flash point	64 °C. Atm. press.:1 013.25 hPa.
Auto-ignition temperature	290 °C. Atm. press.:1 013 hPa.
Decomposition temperature	no data available
pH	10.8 (100g/l, H ₂ O, 20°C)
Kinematic viscosity	dynamic viscosity (in mPa s) = 1.4. Temperature:20°C.
Solubility	Miscible (NIOSH, 2016)
Partition coefficient n-octanol/water	log Pow = -0.45. Temperature:25 °C.

Vapour pressure	1.2 hPa. Temperature:20 °C.
Density and/or relative density	0.86 g/cm ³ . Temperature:24.7 °C.
Relative vapour density	2.4 (Air= 1)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

No rapid reaction with air No rapid reaction with water

Chemical stability

no data available

Possibility of hazardous reactions

Flammable liquid when exposed to heat, flame, or oxidizers.DIMETHYLAMINOPROPIONITRILE is combustible but non-flammable (flash point > 140°F), reacts with oxidizing agents (Hazardous Chemicals Desk Reference, p. 426 (1987)). Reacts violently with LiAlH₄, a strong reducing agent. Emits toxic oxides of nitrogen and cyanide fumes when heated to decomposition.

Conditions to avoid

no data available

Incompatible materials

Oxidizers [Note: Emits toxic oxides of nitrogen and cyanide fumes when heated to decomposition].

Hazardous decomposition products

When heated to decomposition it emits highly toxic fumes of NO_x and CN-/nitrogen oxides and cyanides/.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 - rat - ca. 1 290 mg/kg bw. Remarks:Original value: 1500 µl/kg, calculated with a density of 0.86 g/mL.
- Inhalation: IHT (inhalation hazard test) - rat (male/female).
- Dermal: LD50 - rabbit (male) - 1 213 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50 - *Leuciscus idus* - 681.2 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - > 500 mg/L - 48 h.

Toxicity to algae: EC50 - *Desmodesmus subspicatus* (previous name: *Scenedesmus subspicatus*) - > 500 mg/L - 72 h.

Toxicity to microorganisms: EC10 - *Pseudomonas putida* - 3 432 mg/L - 17 h.

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

PICCS

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC

Listed.

Korea Existing Chemicals List (KECL)

Not Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.