

Please note that the certificates of analysis are also conveniently available online and around the clock at www.worldaccount.basf.com

Fax No 008675785780299

Guangdong Delian Group Co., Ltd.

XinCheng Development Zone

528222 Foshan
Nanhai District
China

2018-11-14

E-EMD/QC

Quality-Control

Quality-Control-E-EMD@basf.com

Certificate No 5067

Certificate of Analysis according to DIN 55350-18-4.1.2

Golpanol® ALS

250KG Plastic drums

Purchase Order/Customer Product#

GDDL-181011-HPU-1

00000000050015908

Material

50015908

Order

6006825704 000010

Delivery

3191016466 000010

Lot

37473868E0

Lot/Qty

3000.000 KG

Total

3000.000 KG

Transport

CSLU1267458

Manufacturing Location: DE, 67056 Ludwigshafen, Carl-Bosch-Str. 38

Pruefmerkmal Specified charac.	Pruefmethode Test method	Pruefergebnis Test result	Spezifikation Specification
Golpanol ALS Concentration	Golpanol ALS Gehalt Bromid/Bromat	25.0 %	24.5 - 25.5
Dichte Density	Digitale Dichtemessung bei 23°C	1.21 g/cm3	1.19 - 1.23
pH-Wert pH value	pH in original Konzentration bei 23°C	10.6	10.5 - 11.5

Bitte Produktspezifikation beachten für weitere Details
please see product specification for more details

Released by C. Grote, E-EMD

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.

Please note that the certificates of analysis are also conveniently available online and around the clock at www.worldaccount.basf.com

Fax No 008675785780299

Guangdong Delian Group Co., Ltd.

XinCheng Development Zone

528222 Foshan
Nanhai District
China

2018-11-14

E-EMD/QC

Quality-Control

Quality-Control-E-EMD@basf.com

Certificate No 5066

Certificate of Analysis according to DIN 55350-18-4.1.2

Golpanol® ALS

250KG Plastic drums

Purchase Order/Customer Product#

GDDL-181011-HPU-1

00000000050015908

Material

50015908

Order

6006825704 000010

Delivery

3191016461 000010

Lot

37473868E0

Lot/Qty

1000.000 KG

Total

1000.000 KG

Transport

CSLU1267458

Manufacturing Location: DE, 67056 Ludwigshafen, Carl-Bosch-Str. 38

Pruefmerkmal Specified charac.	Pruefmethode Test method	Pruefergebnis Test result	Spezifikation Specification
Golpanol ALS Concentration	Golpanol ALS Gehalt Bromid/Bromat	25.0 %	24.5 - 25.5
Dichte Density	Digitale Dichtemessung bei 23°C	1.21 g/cm3	1.19 - 1.23
pH-Wert pH value	pH in original Konzentration bei 23°C	10.6	10.5 - 11.5

Bitte Produktspezifikation beachten für weitere Details
please see product specification for more details

Released by C. Grote, E-EMD

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.

Please note that the certificates of analysis are also conveniently available online and around the clock at www.worldaccount.basf.com

Fax No 008675785780299

Guangdong Delian Group Co., Ltd.

XinCheng Development Zone

528222 Foshan
Nanhai District
China

2018-11-14

E-EMD/QC

Quality-Control

Quality-Control-E-EMD@basf.com

Certificate No 4781

Certificate of Analysis according to DIN 55350-18-4.1.2

Golpanol® ALS

250KG Plastic drums

Purchase Order/Customer Product#

GDDL-181011-HPU-1

00000000050015908

Material

50015908

Order

6006825704 000010

Delivery

3191016454 000010

Lot

37473868E0

Lot/Qty

16000.000 KG

Total

16000.000 KG

Transport

CSLU1267458

Manufacturing Location: DE, 67056 Ludwigshafen, Carl-Bosch-Str. 38

Pruefmerkmal Specified charac.	Pruefmethode Test method	Pruefergebnis Test result	Spezifikation Specification
Golpanol ALS Concentration	Golpanol ALS Gehalt Bromid/Bromat	25.0 %	24.5 - 25.5
Dichte Density	Digitale Dichtemessung bei 23°C	1.21 g/cm3	1.19 - 1.23
pH-Wert pH value	pH in original Konzentration bei 23°C	10.6	10.5 - 11.5

Bitte Produktspezifikation beachten für weitere Details
please see product specification for more details

Released by C. Grote, E-EMD

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.