

## Chemical Safety Data Sheet MSDS / SDS

**1,1,2,2-Tetrachloroethane**

Revision Date:2025-03-01 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : 1,1,2,2-Tetrachloroethane  
CBnumber : CB9384693  
CAS : 79-34-5  
EINECS Number : 201-197-8  
Synonyms : 1,1,2,2-Tetrachloroethane,1,1,2,2-TCE

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P405 Store locked up.  
P320 Specific treatment is urgent (see ... on this label).  
P310 Immediately call a POISON CENTER or doctor/physician.  
P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.  
P302+P350 IF ON SKIN: Gently wash with plenty of soap and water.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P284 Wear respiratory protection.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P273 Avoid release to the environment.  
P262 Do not get in eyes, on skin, or on clothing.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

#### **Hazard statements**

H412 Harmful to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

H370 Causes damage to organs

H351 Suspected of causing cancer

H341 Suspected of causing genetic defects

H330 Fatal if inhaled

H310 Fatal in contact with skin

H225 Highly Flammable liquid and vapour

#### **Disposal**

WARNING.Cancer - <https://oehha.ca.gov/proposition-65/chemicals/1122-tetrachloroethane>

---

## SECTION 3: Composition/information on ingredients

### **Substance**

|              |   |
|--------------|---|
| Product name | : 1,1,2,2-Tetrachloroethane                     |
| Synonyms     | : 1,1,2,2-Tetrachloroethane,1,1,2,2-TCE         |
| CAS          | : 79-34-5                                       |
| EC number    | : 201-197-8                                     |
| MF           | : C <sub>2</sub> H <sub>2</sub> Cl <sub>4</sub> |
| MW           | : 167.85  |

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **In case of skin contact**

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### **In case of eye contact**

Flush eyes with water as a precaution.

#### **If swallowed**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **Indication of any immediate medical attention and special treatment needed**

No data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas Combustible.


#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### Further information

No data available

#### NFPA 704



**HEALTH 3** Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

**FIRE 1** Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

**REACT 1** Normally stable, but can become unstable at elevated temperatures and pressures (e.g. [propene](#))

**SPEC.**

**HAZ.**

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

## Reference to other sections

For disposal see section 13.

---

# SECTION 7: Handling and storage

## Precautions for safe handling

### Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

### Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

For precautions see section 2.2.

## Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

# SECTION 8: Exposure controls/personal protection

## control parameter

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

## Exposure controls

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested: Vitoject? (KCL 890 / Aldrich Z677698, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 30 min

Material tested: Camatril? (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Exposure limits

Potential occupational carcinogen. NIOSH REL: TWA 1 ppm (7 mg/m<sup>3</sup>), IDLH 100 ppm; OSHA PEL: TWA 5 ppm (35 mg/m<sup>3</sup>); ACGIH TLV: TWA 1 ppm (adopted).

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

|  |   |
|--|---|
| Appearance                                   | liquid, clear   |
| Odour  | No data available   |
| Odour Threshold                              | No data available   |
| pH   | No data available   |
| Melting point/freezing point                 | point/range: -43 °C - lit.                                |
| Initial boiling point and boiling range      | 147 °C - lit.   |
| Flash point                                  | 142-146°C   |
| Evaporation rate                             | No data available   |
| Flammability (solid, gas)                    | No data available   |
| Upper/lower flammability or explosive limits | No data available   |
| Vapour pressure                              | 10,7 hPa at 20,0 °C                                       |
| Vapour density                               | 5.8 (vs air)  |
| Relative density                             | 1,586 g/cm <sup>3</sup> at 25 °C - lit. No data available |
| Water solubility                             | 2830g/l   |

|  |   |
|--|---|
| Partition coefficient: n-octanol/water | log Pow: 5  |
| Autoignition temperature               | No data available   |
| Decomposition temperature              | No data available   |
| Viscosity                              | Viscosity, kinematic: No data available Viscosity, dynamic: No data available |
| Explosive properties                   | No data available   |
| Oxidizing properties                   | No data available   |
| Henry's Law Constant                   | 6.22 at 30 °C (headspace-GC, Sanz et al., 1997)                               |

### Other safety information

No data available

## SECTION 10: Stability and reactivity

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

No data available

### Conditions to avoid

No data available

### Incompatible materials

Strong oxidizing agents, Sodium/sodium oxides, Strong bases, Potassium, Nitrates, 2,4- dinitrophenyl disulfide

### Hazardous decomposition products

In the event of fire: see section 5

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 200,0 mg/kg

LC50 Inhalation - Mouse - 2 h - 4.500 mg/m3 Inhalation: No data available

LD50 Dermal - 5 mg/kg

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available

#### Respiratory or skin sensitization

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**Toxicity**

LD50 orally in rats: 0.20 ml/kg (Smyth)

---

## SECTION 12: Ecological information

### Toxicity

#### Toxicity to fish

LC50 - Pimephales promelas (fathead minnow) - 20 mg/l - 96,0 h

#### Toxicity to daphnia and other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 23 mg/l - 48 h

### Persistence and degradability

No data available

### Bioaccumulative potential

Bioaccumulation Lepomis macrochirus (Bluegill) - 14 d

- 0,00962 mg/l(1,1,2,2-tetrachloroethane)

Bioconcentration factor (BCF): 8

### Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Toxics Screening Level

The Initial Risk Screening Level (IRSL) for 1,1,2,2-tetrachloroethane is 0.02 µg/m<sup>3</sup> based on an annual averaging time.

### Other adverse effects

Toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### Incompatibilities

Violent reaction with chemically active metals; strong caustics; strong acids; especially fuming sulfuric acid. Degrades slowly when exposed to air. Attacks plastic and rubber.

#### Waste Disposal

Generators of waste containing this contaminant ( $\geq 100$  kg/mo) must conform with regulations governing storage, transportation, treatment, and waste disposal. Incineration, preferably after mixing with another combustible fuel. Care must be exercised to assure complete combustion to prevent the formation of phosgene. An acid scrubber is necessary to remove the halo acids produced.

#### Contaminated packaging

Dispose of as unused product.

---

## SECTION 14: Transport information

### UN number

ADR/RID: 1702 IMDG: 1702 IATA: 1702

### UN proper shipping name

|  |   |           |
|--|---|-----------|
| ADR/RID: 1,1,2,2-TETRACHLOROETHANE IMDG: 1,1,2,2-TETRACHLOROETHANE |   |           |
| IATA: 1,1,2,2-Tetrachloroethane                                    |   |           |
| 14.3   | Transport hazard class(es)              |           |
|  | ADR/RID: 6.1 IMDG: 6.1                  | IATA: 6.1 |
| 14.4   | Packaging group                         |           |
|  | ADR/RID: II IMDG: II                    | IATA: II  |
| 14.5   | Environmental hazards                   |           |
|  | ADR/RID: yes IMDG Marine pollutant: yes | IATA: no  |
| 14.6   | Special precautions for user            |           |
|  | No data available                       |           |

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture



## Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015: Listed. website: <https://www.mem.gov.cn/>

## Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory: Listed. website: <https://chemicaldata.gov.vn/>

United States Toxic Substances Control Act (TSCA) Inventory: Listed. website: <https://www.epa.gov/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed. website: <https://emb.gov.ph/>

New Zealand Inventory of Chemicals (NZIoC): Listed. website: <https://www.epa.govt.nz/>

Korea Existing Chemicals List (KECL): Listed. website: <http://ncis.nier.go.kr>

European Inventory of Existing Commercial Chemical Substances (EINECS): Listed. website: <https://echa.europa.eu/>

EC Inventory: Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC): Listed. website: <https://www.mee.gov.cn/>

---

## SECTION 16: Other information

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

### References

【1】CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

【2】ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

【3】ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

【4】eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

【5】ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

【6】Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

【7】HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

【8】IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

【9】IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

【10】Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### Other Information

The odour warning when the exposure limit value is exceeded is insufficient. Do NOT use in the vicinity of a fire or a hot surface, or during welding.

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.