# Chemical Safety Data Sheet MSDS / SDS

# 1-Ethyl-2-pyrrolidone

Revision Date:2025-05-03 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

: 1-Ethyl-2-pyrrolidone				
: CB8666318				
: 2687-91-4				
: 220-250-6				
: N-ETHYL-2-PYRROLIDONE,N-Ethylpyrrolidone				
Relevant identified uses of the substance or mixture and uses advised against				
: For R&D use only. Not for medicinal, household or other use.				
: none				
: Chemicalbook				
: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing				
: 010-86108875				

## SECTION 2: Hazards identification

#### GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word

Danger

Precautionary statements

P501 Dispose of contents/container to.....

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P370+P378 In case of fire: Use ... for extinction.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P270 Do not eat, drink or smoke when using this product.

P264 Wash skin thouroughly after handling.

P264 Wash hands thoroughly after handling.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

1

P202 Do not handle until all safety precautions have been read and understood.

P201 Obtain special instructions before use.

#### Hazard statements

H360 May damage fertility or the unborn child

H318 Causes serious eye damage

H302 Harmful if swallowed

H227 Combustible liquid

### SECTION 3: Composition/information on ingredients

#### Substance

Product name	: 1-Ethyl-2-pyrrolidone
Synonyms	: N-ETHYL-2-PYRROLIDONE,N-Ethylpyrrolidone
CAS	: 2687-91-4
EC number	: 220-250-6
MF	: C6H11NO
MW	: 113.16
MF	: C6H11NO

### SECTION 4: First aid measures

#### Description of first aid measures

#### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### lf inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Unsuitable extinguishing media

Do NOT use water jet.

#### Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx)


#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

Use water spray to cool unopened containers.

#### **NFPA 704**



### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

#### Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in

container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

#### **Reference to other sections**

For disposal see section 13.

### SECTION 7: Handling and storage

#### Precautions for safe handling

#### Advice on safe handling

Avoid exposure - obtain special instructions before use. Advice on safe handling Avoid inhalation of vapor or mist.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

#### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### Exposure controls

#### Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory

practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Full contact Material: butyl-rubber Minimum layer thickness: 0,3 mm Break through time: > 480 min Material tested:Butoject? (KCL 897 / Aldrich Z677647, Size M) Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0,6 mm Break through time: 52 min

Material tested:Lapren? (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection** 

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### SECTION 9: Physical and chemical properties

#### Information on basic physicochemical properties

Odouramine-likeOdour ThresholdNo data availablepH8 - 9 at 100 g/l at 20 °CMelting point/freezing pointMelting point/freezing point:< -75 °C - OECD Test Guideline 102Initial boiling point and boiling range97 °C at 27 hPa - lit.Flash point91 °C - Pensky-Martens closed cupEvaporation rateNo data availableIpper/lower flammability or explosiveUpper explosion limit: 7,7 %(V) Lower explosion limit: 1,3 %(V)limitsVapour pressureVapour density3,90Relative density0,992 g/mL at 25 °C - lit. 0,9974 at 20 °C - Regulation (EC) No. 440/2008, Annex, A.3	Appearance	colorless, to, yellow liquid
pH8 - 9 at 100 g/l at 20 °CMelting point/freezing pointMelting point/freezing point:< -75 °C - OECD Test Guideline 102	Odour	amine-like
Melting point/freezing pointMelting point/freezing point:< -75 °C - OECD Test Guideline 102Initial boiling point and boiling range97 °C at 27 hPa - lit.Flash point91 °C - Pensky-Martens closed cupEvaporation rateNo data availableFlammability (solid, gas)No data availableUpper/lower flammability or explosiveUpper explosion limit: 7,7 %(V) Lower explosion limit: 1,3 %(V)limitsVapour pressure0,18 hPa at 20 °C - Regulation (EC) No. 440/2008, Annex, A.4Vapour density3,90	Odour Threshold	No data available
Initial boiling point and boiling range97 °C at 27 hPa - lit.Flash point91 °C - Pensky-Martens closed cupEvaporation rateNo data availableFlammability (solid, gas)No data availableUpper/lower flammability or explosiveUpper explosion limit: 7,7 %(V) Lower explosion limit: 1,3 %(V)limitsVapour pressure0,18 hPa at 20 °C - Regulation (EC) No. 440/2008, Annex, A.4Vapour density3,90	рН	8 - 9 at 100 g/l at 20 °C
Flash point91 °C - Pensky-Martens closed cupEvaporation rateNo data availableFlammability (solid, gas)No data availableUpper/lower flammability or explosiveUpper explosion limit: 7,7 %(V) Lower explosion limit: 1,3 %(V)limitsVapour pressure0,18 hPa at 20 °C - Regulation (EC) No. 440/2008, Annex, A.4Vapour density3,90	Melting point/freezing point	Melting point/freezing point:< -75 °C - OECD Test Guideline 102
Evaporation rateNo data availableFlammability (solid, gas)No data availableUpper/lower flammability or explosiveUpper explosion limit: 7,7 %(V) Lower explosion limit: 1,3 %(V)limitsVapour pressureVapour pressure0,18 hPa at 20 °C - Regulation (EC) No. 440/2008, Annex, A.4Vapour density3,90	Initial boiling point and boiling range	97 °C at 27 hPa - lit.
Flammability (solid, gas)   No data available     Upper/lower flammability or explosive   Upper explosion limit: 7,7 %(V) Lower explosion limit: 1,3 %(V)     limits   Vapour pressure   0,18 hPa at 20 °C - Regulation (EC) No. 440/2008, Annex, A.4     Vapour density   3,90	Flash point	91 °C - Pensky-Martens closed cup
Upper/lower flammability or explosive Upper explosion limit: 7,7 %(V) Lower explosion limit: 1,3 %(V)   limits Vapour pressure 0,18 hPa at 20 °C - Regulation (EC) No. 440/2008, Annex, A.4   Vapour density 3,90	Evaporation rate	No data available
limits 0,18 hPa at 20 °C - Regulation (EC) No. 440/2008, Annex, A.4   Vapour density 3,90	Flammability (solid, gas)	No data available
Vapour pressure0,18 hPa at 20 °C - Regulation (EC) No. 440/2008, Annex, A.4Vapour density3,90	Upper/lower flammability or explosive	Upper explosion limit: 7,7 %(V) Lower explosion limit: 1,3 %(V)
Vapour density 3,90	limits	
	Vapour pressure	0,18 hPa at 20 °C - Regulation (EC) No. 440/2008, Annex, A.4
Relative density     0,992 g/mL at 25 °C - lit. 0,9974 at 20 °C - Regulation (EC) No. 440/2008, Annex, A.3	Vapour density	3,90
	Relative density	0,992 g/mL at 25 °C - lit. 0,9974 at 20 °C - Regulation (EC) No. 440/2008, Annex, A.3
Water solubility1.000 g/l at 23 °C - OECD Test Guideline 105- completely	Water solubility	1.000 g/l at 23 °C - OECD Test Guideline 105- completely

Partition coefficient: n-octanol/water	miscible log Pow: -0,2 at 23 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.
Autoignition temperature	The substance or mixture is not classified as pyrophoric.
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: 2,1 mm2/s at 20 °C - OECD Test Guideline 114 Viscosity, dynamic: No data
	available
Explosive properties	No data available
Oxidizing properties	No data available
Oxidizing properties	No data available

#### Other safety information

Surface tension 69 mN/m at 1g/l at 20 °C

- OECD Test Guideline 115

Relative vapor density

3,90

### SECTION 10: Stability and reactivity

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

No data available

#### Conditions to avoid

Heat, flames and sparks.

#### Incompatible materials

Strong bases, Acid chlorides, Strong oxidizing agents

#### Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

#### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 3.200 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 5,1 mg/l (OECD Test Guideline 403)

Symptoms: Cough, Possible damages:, mucosal irritations

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit
Result: No skin irritation - 4 h (OECD Test Guideline 404)
Serious eye damage/eye irritation
Eyes - Rabbit
Result: Irreversible effects on the eye (OECD Test Guideline 405)
Lacrimal irritation due to vapours.
Respiratory or skin sensitization
(OECD Test Guideline 429)
Germ cell mutagenicity
Test Type: Ames test
Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline
471
Result: negative
Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476
Result: negative
Test Type: In vivo micronucleus test Species: Mouse
Cell type: Bone marrow Application Route: Oral
Method: OECD Test Guideline 474 Result: negative
Test Type: Chromosome aberration test Species: Mouse
Cell type: Bone marrow Application Route: Oral
Method: OECD Test Guideline 475 Result: negative
Carcinogenicity
No data available
Reproductive toxicity
May damage the unborn child.
Specific target organ toxicity - single exposure
No data available
Specific target organ toxicity - repeated exposure
No data available
Aspiration hazard
No data available

# SECTION 12: Ecological information

#### Toxicity

### Toxicity to fish static test LC50 - Danio rerio (zebra fish) - > 464 - 999 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - > 104 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae

static test ErC50 - Desmodesmus subspicatus (green algae) - > 101 mg/l - 72 h

(OECD Test Guideline 201)

#### Toxicity to bacteria

static test EC20 - activated sludge - > 1.000 mg/l - 30 min (OECD Test Guideline 209)

#### Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 90 - 100 % - Readily biodegradable. (OECD Test Guideline 301A) Chemical Oxygen Demand (COD) 2.110 mg/g Remarks: (External MSDS)

#### **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **Toxics Screening Level**

The initial threshold screening level (ITSL) for 1-ethyl-2-pyrrolidone (CAS # 2687-91-4) is 4.9 µg/m3 based on an annual averaging time.

#### Other adverse effects

Additional ecological information Bactericidal effect.

Discharge into the environment must be avoided.

### SECTION 13: Disposal considerations

#### Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

#### **UN number**

ADR/RID: - IMDG: - IATA: -

#### UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

#### Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

#### **Packaging group**

ADR/RID: - IMDG: - IATA: -

#### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### Special precautions for user

No data available

### SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

New Zealand Inventory of Chemicals (NZloC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

# SECTION 16: Other information

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

- EC50: Effective Concentration 50%
- IATA: International Air Transportation Association
- IMDG: International Maritime Dangerous Goods
- LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

#### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

**Disclaimer:** 

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.