

## Chemical Safety Data Sheet MSDS / SDS

**1-OCTENE**

Revision Date:2026-01-17 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name	: 1-OCTENE
CBnumber	: CB6708177
CAS	: 111-66-0
EINECS Number	: 203-893-7
Synonyms	: 1-Octene,Oct-1-ene

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.
Uses advised against	: none

**Company Identification**

Company	: Chemicalbook
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone	: 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)	

Signal word	Danger
-------------	--------

**Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P243 Take precautionary measures against static discharge.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P501 Dispose of contents/container to.....

P331 Do NOT induce vomiting.

P315 Get immediate medical advice/attention.

**Hazard statements**

H411 Toxic to aquatic life with long lasting effects

H410 Very toxic to aquatic life with long lasting effects

H401 Toxic to aquatic life

H315 Causes skin irritation

H304 May be fatal if swallowed and enters airways

H225 Highly Flammable liquid and vapour

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: 1-OCTENE
Synonyms	: 1-Octene,Oct-1-ene
CAS	: 111-66-0
EC number	: 203-893-7
MF	: C8H16
MW	: 112.21

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### **If swallowed**

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **Indication of any immediate medical attention and special treatment needed**

No data available

---

## SECTION 5: Firefighting measures

### **Extinguishing media**

#### **Suitable extinguishing media**

Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

#### **Special hazards arising from the substance or mixture**

Nature of decomposition products not known. Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

#### **Advice for firefighters**

In the event of fire, wear self-contained breathing apparatus.

#### **Further information**

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **NFPA 704**

3

1            0

█ **HEALTH** 1 Exposure would cause irritation with only minor residual injury (e.g. [acetone](#), sodium bromate, potassium chloride)

Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature

█ **FIRE** 3 conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, [acetone](#))

█ **REACT** 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N<sub>2</sub>](#))

█ **SPEC.**

█ **HAZ.**

## **SECTION 6: Accidental release measures**

#### **Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### **Environmental precautions**

Do not let product enter drains. Risk of explosion.

## **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g.

Chemizorb?). Dispose of properly. Clean up affected area.

## **Reference to other sections**

For disposal see section 13.

---

# **SECTION 7: Handling and storage**

## **Precautions for safe handling**

### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

## **Conditions for safe storage, including any incompatibilities**

### **Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

### **Storage class**

Storage class (TRGS 510): 3: Flammable liquids

### **Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

# **SECTION 8: Exposure controls/personal protection**

## **control parameter**

### **Hazard composition and occupational exposure limits**

Does not contain substances with occupational exposure limits.

## **Exposure controls**

### **Personal protective equipment**

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). Safety glasses

## **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

### **Full contact**

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 480 min

Material tested:Camatril? (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 30 min

Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Flame retardant antistatic protective clothing.

## **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

## **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

---

## **SECTION 9: Physical and chemical properties**

### **Information on basic physicochemical properties**

Appearance	liquid
Odour	No data available
Odour Threshold	0.001ppm
pH	No data available
Melting point/freezing point	Melting point/range: -101 °C - lit.
Initial boiling point and boiling range	122 - 123 °C - lit.
Flash point	10 °C - closed cup
Evaporation rate	1,3
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Upper explosion limit: 6,7 %(V) Lower explosion limit: 0,8 %(V)

## limits

Vapour pressure	1,7 hPa at 20 °C
Vapour density	3,9 - (Air = 1.0)
Relative density	0.714
Water solubility	4,1 g/l at 25 °C
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 0,492 cP at 20 °C
Explosive properties	No data available
Oxidizing properties	No data available
Henry's Law Constant	0.952 at 25 °C (Hine and Mookerjee, 1975)

## Other safety information

### Relative vapor density

3,9 - (Air = 1.0)

---

## SECTION 10: Stability and reactivity

### Reactivity

Vapors may form explosive mixture with air.

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

No data available

### Conditions to avoid

Warming.

### Incompatible materials

Acids, Oxidizing agents, Humid air, Bromine, Chlorine

### Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - > 5.000 mg/kg Remarks: (IUCLID)

LC50 Inhalation - Rat - 4 h - 37,6 mg/l Remarks: (IUCLID)

LD50 Dermal - Rabbit - > 2.000 mg/kg Remarks: (IUCLID)

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

#### **Respiratory or skin sensitization**

Patch test: - Guinea pig Result: Not a skin sensitizer. (OECD Test Guideline 406)

#### **Germ cell mutagenicity**

Test Type: Ames test

Test system: *S. typhimurium*

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: negative

Test Type: In vivo micronucleus test Species: Mouse

Cell type: Bone marrow

Application Route: inhalation (vapor)

Method: OECD Test Guideline 474 Result: negative

#### **Carcinogenicity**

No data available

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure**

No data available

#### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

#### **Toxicity**

LD50 orally in Rabbit: > 5000 mg/kg LD50 dermal Rabbit > 2000 mg/kg

---

## SECTION 12: Ecological information

#### **Toxicity**

##### **Toxicity to fish**

semi-static test LC50 - *Oncorhynchus mykiss* (rainbow trout) - 0,87 mg/l - 96 h

(OECD Test Guideline 203)

##### **Toxicity to daphnia and other aquatic invertebrates**

EC50 - *Daphnia magna* (Water flea) - 0,56 - 1 mg/l - 48 h (OECD Test Guideline 202)

##### **Toxicity to algae**

static test ErC50 - *Pseudokirchneriella subcapitata* - 1 - 1,8 mg/l - 72 h

(OECD Test Guideline 201)

## Toxicity to bacteria

static test NOEC - Sewage sludge - 2 mg/l - 28 d (OECD Test Guideline 301D)

## Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: > 91 - < 96 % - Readily biodegradable. (OECD Test Guideline 301C)

## Bioaccumulative potential

No data available

## Mobility in soil

No data available

## Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### Waste treatment methods

### Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### UN number

ADR/RID: 3295 IMDG: 3295 IATA: 3295

### UN proper shipping name

ADR/RID: HYDROCARBONS, LIQUID, N.O.S. (Oct-1-ene) IMDG: HYDROCARBONS, LIQUID, N.O.S.  
(Oct-1-ene)

IATA: Hydrocarbons, liquid,

n.o.s.

14.3	Transport hazard class(es)	
	ADR/RID: 3 IMDG: 3	IATA: 3
14.4	Packaging group	
	ADR/RID: II IMDG: II	IATA: II
14.5	Environmental hazards	IATA:



- 【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- 【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- 【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- 【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

## Other Information

Check for peroxides prior to distillation; eliminate if found.

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.