# Chemical Safety Data Sheet MSDS / SDS

# 2-AMINO-1-BUTANOL

Revision Date: 2025-09-27 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : 2-AMINO-1-BUTANOL

 CBnumber
 : CB5706631

 CAS
 : 96-20-8

 EINECS Number
 : 202-488-2

Synonyms : AB,2-Amino-1-butanol

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

### **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

### Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thouroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P309 IF exposed or if you feel unwell:

P310 Immediately call a POISON CENTER or doctor/physician.

P370+P378 In case of fire: Use ... for extinction.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to.....

#### **Hazard statements**

H227 Combustible liquid

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H400 Very toxic to aquatic life

# SECTION 3: Composition/information on ingredients

#### **Substance**

Product name : 2-AMINO-1-BUTANOL
Synonyms : AB,2-Amino-1-butanol

CAS : 96-20-8
EC number : 202-488-2
MF : C4H11NO
MW : 89.14

# SECTION 4: First aid measures

### Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Unsuitable extinguishing media

Do NOT use water jet.

# Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx) Combustible.


# Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

Use water spray to cool unopened containers.

#### **NFPA 704**



# SECTION 6: Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

# **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

#### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm

Break through time: 480 min

Material tested: Camatril? (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,2 mm Break through time: 30 min Material tested:Dermatril? P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Body Protection** 

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Odour Threshold No data available pH No data available Melting point/freezing point Melting point/range: -2 °C Initial boiling point and boiling range 176 - 178 °C Flash point 87 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9  Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive Initials  Vapour pressure 0,581 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4  Vapour density No data available Relative density 0,943 g/mL at 25 °C - Water solubility miscible in all proportions  Partition coefficient: n-octanol/water Pow: 0,352; log Pow: -0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.  Autoignition temperature No data available	Appearance	yellow liquid
Melting point/freezing point Melting point/range: -2 °C Initial boiling point and boiling range 176 - 178 °C Flash point 87 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9 Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive Ilimits Vapour pressure 0,581 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4 Vapour density No data available Relative density 0,943 g/mL at 25 °C - Water solubility Partition coefficient: n-octanol/water Pow: 0,352; log Pow: -0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature No data available No data available	Odour	amine-like
Melting point/freezing point Melting point/range: -2 °C Initial boiling point and boiling range 176 - 178 °C Flash point 87 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9  Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive Ilimits Vapour pressure 0,581 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4  Vapour density No data available Relative density 0,943 g/mL at 25 °C - Water solubility miscible in all proportions Partition coefficient: n-octanol/water Pow. 0,352; log Pow0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected. Autoignition temperature No data available	Odour Threshold	No data available
Initial boiling point and boiling range  176 - 178 °C  Flash point  87 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9  Evaporation rate  No data available  Flammability (solid, gas)  No data available  Upper/lower flammability or explosive  limits  Vapour pressure  0,581 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4  Vapour density  No data available  Relative density  0,943 g/mL at 25 °C -  Water solubility  miscible in all proportions  Partition coefficient: n-octanol/water  Autoignition temperature  379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature  No data available	рН	No data available
Flash point 87 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9  Evaporation rate No data available  Flammability (solid, gas) No data available  Upper/lower flammability or explosive No data available  limits  Vapour pressure 0,581 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4  Vapour density No data available  Relative density 0,943 g/mL at 25 °C -  Water solubility miscible in all proportions  Partition coefficient: n-octanol/water Pow. 0,352; log Pow0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.  Autoignition temperature 379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature No data available	Melting point/freezing point	Melting point/range: -2 °C
Evaporation rate  No data available  Flammability (solid, gas)  No data available  Upper/lower flammability or explosive  Upper/lower flammability or explosive  No data available  Vapour pressure  O,581 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4  Vapour density  No data available  Relative density  O,943 g/mL at 25 °C -  Water solubility  miscible in all proportions  Partition coefficient: n-octanol/water  Pow: 0,352; log Pow0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.  Autoignition temperature  379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature  No data available	Initial boiling point and boiling range	176 - 178 °C
Flammability (solid, gas)  No data available  Upper/lower flammability or explosive Ilimits  Vapour pressure  0,581 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4  Vapour density  No data available  Relative density  0,943 g/mL at 25 °C -  Water solubility  miscible in all proportions  Partition coefficient: n-octanol/water  Pow: 0,352; log Pow: -0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.  Autoignition temperature  379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature  No data available	Flash point	87 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9
Upper/lower flammability or explosive limits  Vapour pressure 0,581 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4  Vapour density No data available  Relative density 0,943 g/mL at 25 °C -  Water solubility miscible in all proportions  Partition coefficient: n-octanol/water Pow. 0,352; log Pow0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.  Autoignition temperature 379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature No data available	Evaporation rate	No data available
Vapour pressure 0,581 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4  Vapour density No data available  Relative density 0,943 g/mL at 25 °C -  Water solubility miscible in all proportions  Partition coefficient: n-octanol/water Pow: 0,352; log Pow: -0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.  Autoignition temperature 379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature No data available	Flammability (solid, gas)	No data available
Vapour pressure 0,581 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4  Vapour density No data available  Relative density 0,943 g/mL at 25 °C -  Water solubility miscible in all proportions  Partition coefficient: n-octanol/water Pow: 0,352; log Pow: -0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.  Autoignition temperature 379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature No data available	Upper/lower flammability or explosive	No data available
Vapour density  No data available  Relative density  0,943 g/mL at 25 °C -  Water solubility  miscible in all proportions  Partition coefficient: n-octanol/water  Pow: 0,352; log Pow: -0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.  Autoignition temperature  379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature  No data available	limits	
Relative density  0,943 g/mL at 25 °C -  Water solubility  miscible in all proportions  Partition coefficient: n-octanol/water  Pow: 0,352; log Pow: -0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.  Autoignition temperature  379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature  No data available	Vapour pressure	0,581 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4
Water solubility miscible in all proportions  Partition coefficient: n-octanol/water Pow: 0,352; log Pow: -0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.  Autoignition temperature 379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature No data available	Vapour density	No data available
Partition coefficient: n-octanol/water Pow: 0,352; log Pow: -0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.  Autoignition temperature 379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature No data available	Relative density	0,943 g/mL at 25 °C -
Autoignition temperature 379 - 389 °C at 1.003,8 - 1.021,1 hPa  Decomposition temperature No data available	Water solubility	miscible in all proportions
Decomposition temperature No data available	Partition coefficient: n-octanol/water	Pow. 0,352; log Pow0,45 at 20 °C - OECD Test Guideline 107 - Bioaccumulation is not expected.
	Autoignition temperature	379 - 389 °C at 1.003,8 - 1.021,1 hPa
No data and labe	Decomposition temperature	No data available
viscosity No data available	Viscosity	No data available

Explosive properties	No data available
Oxidizing properties	No data available

# Other safety information

Surface tension 72,1 mN/m at 1,08g/l at 21,5 °C

- OECD Test Guideline 115 Dissociation constant 9,6 at 25 °C

# SECTION 10: Stability and reactivity

# Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

No data available

#### Conditions to avoid

Heat, flames and sparks.

### Incompatible materials

Strong oxidizing agents, Acids, Aluminum, Copper, Brass

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available In the event of fire: see section 5

# SECTION 11: Toxicological information

# Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male and female - 1.800 mg/kg (OECD Test Guideline 401)

#### Skin corrosion/irritation

Causes skin burns. (ECHA)

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation Germ cell mutagenicity

Ames test

Escherichia coli/Salmonella typhimurium Result: negative

**OECD Test Guideline 474** 

Mouse - male and female - Bone marrow Result: negative

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

No data available

Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard

#### **Additional Information**

RTECS: EK9625000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

#### **Toxicity**

#### Toxicity to fish

static test LC50 - Leuciscus idus (Golden orfe) - 270 mg/l - 96 h (OECD Test Guideline 203)

#### Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 115 mg/l - 48 h (OECD Test Guideline 202)

#### Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 0,91 mg/l - 72 h

(OECD Test Guideline 201)

static test NOEC - Pseudokirchneriella subcapitata (green algae) - 0,05 mg/l - 72 h

(OECD Test Guideline 201)

# Toxicity to bacteria

static test EC50 - activated sludge - 329,2 mg/l - 3 h

(OECD Test Guideline 209)

# Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 93 % - Readily biodegradable. (OECD Test Guideline 301F)

# Bioaccumulative potential

#### Mobility in soil

#### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Other adverse effects

Very toxic to aquatic life. No data available

# SECTION 13: Disposal considerations

### Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material

must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

### **UN** number

ADR/RID: 2735 IMDG: 2735 IATA: 2735

# **UN proper shipping name**

ADR/RID: AMINES, LIQUID, CORROSIVE, N.O.S. (2-Amino-1-butanol) IMDG: AMINES, LIQUID, CORROSIVE, N.O.S. (2-Amino-1-butanol)

IATA: Amines, liquid, corrosive, n.o.s. (2-Amino-1-butanol)

#### Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

# **Packaging group**

ADR/RID: III IMDG: III IATA: III

### **Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

#### Special precautions for user

No data available

# SECTION 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

# Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

New Zealand Inventory of Chemicals (NZloC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/ Chemical Book

# **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

#### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- 【10】 Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.