

Chemical Safety Data Sheet MSDS / SDS

2,4-Pentanedione peroxide

Revision Date:2026-09-12 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name : 2,4-Pentanedione peroxide
CBnumber : CB3499320
CAS : 37187-22-7
EINECS Number : 253-384-9
Synonyms : 2,4-Pentanedione peroxide,Acetylacetoneperoxide

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continuerinsing.
P370+P378 In case of fire: Use ... for extinction.

Hazard statements

H242 Heating may cause a fire
H314 Causes severe skin burns and eye damage
H335 May cause respiratory irritation

SECTION 3: Composition/information on ingredients

Substance

Product name	: 2,4-Pentanedione peroxide
Synonyms	: 2,4-Pentanedione peroxide, Acetylacetoneperoxide
CAS	: 37187-22-7
EC number	: 253-384-9
MF	: C10H14O6
MW	: 230.22

SECTION 4: First aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products

Carbon oxides Nitrogen oxides (NO_x)

Specific extinguishing methods

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material. Dispose of properly. Clean up affected area.

SECTION 7: Handling and storage

Handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Avoidance of contact

Zinc Strong bases Oxidizing agents Powdered metals Strong oxidizing agents Metals Iron Copper Amines Strong acids Reducing agents Heavy metals Organic materials Alcohols Peroxides permanganates, for example potassium permanganate Nickel Brass Iron and iron salts. Strong reducing agents Soluble carbonates and phosphates Hydroxides

Storage

Further information on storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Separately or together with other organic peroxides only and away from sources of ignition and heat.

Storage class

5.2, Organic peroxides and self-reacting hazardous materials

Recommended storage temperature

2 - 8 °C

Packaging material

Suitable material: Poly Drum, HR-HDPE Bottle/Jar

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Biological occupational exposure limits exposure ceases)

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection

protective clothing

Hand protection

Remarks

required

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

liquid

Color

Colorless to light yellow liquid

Odor

sharp smell

Odor Threshold

No data available

pH

No data available

Melting point/ range

No data available

Boiling point/boiling range

68 °C

Flash point

101.11 °C

Method: closed cup

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Relative density

1.068 g/mL at 25 °C

Density

1.068 g/cm³ (25 °C)

Water solubility

No data available

Partition coefficient: n-octanol/water

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

Not classified as explosive.

Oxidizing properties

none

Molecular weight

230.21 g/mol

Particle characteristics Particle size

No data available

SECTION 10: Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

No data available

Conditions to avoid

Strong heating.

Incompatible materials

Zinc Strong bases Oxidizing agents Powdered metals Strong oxidizing agents Metals Iron Copper Amines Strong acids Reducing agents Heavy metals Organic materials Alcohols Peroxides permanganates, for example potassium permanganate Nickel Brass Iron and iron salts. Strong reducing agents Soluble carbonates and phosphates Hydroxides

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture Acute toxicity

Oral: No data available

Acute toxicity estimate Oral - 2,862 mg/kg (Calculation method)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute toxicity estimate Inhalation - 4 h - > 40 mg/l - vapor(Calculation method)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute toxicity estimate Dermal - > 5,000 mg/kg (Calculation method)

Skin corrosion/irritation

Remarks: Mixture causes burns.

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

Germ cell mutagenicity

Classified based on available data. For more details, see section 2

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

May harm the unborn child.

May impair fertility.

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

Dizziness, Cough, chest pain, Difficulty in breathing, Convulsions, Incoordination.,

Abdominal pain, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., burning sensation

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

Components 2,4-Pentanedione, peroxide

Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

Germ cell mutagenicity

Classified based on available data. For more details, see section 2

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

2-Methyl-2-pentanol-4-one

Acute toxicity

LD50 Oral - Rat - male and female - 3,002 mg/kg (OECD Test Guideline 401)

Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

Symptoms: mucosal irritations

LD50 Dermal - Rabbit - 13,630 mg/kg

Remarks: (IUCLID)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h (OECD Test Guideline 404)

Remarks: (IUCLID)

Remarks: Drying-out effect resulting in rough and chapped skin.

Remarks: Dermatitis

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes.

(OECD Test Guideline 405)

Remarks: (IUCLID)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster lung cells

Result: negative

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Suspected of damaging the unborn child.

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory Tract

Acute oral toxicity - Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

Acute inhalation toxicity - mucosal irritations

Specific target organ toxicity - repeated exposure Aspiration hazard

Classified based on available data. For more details, see section 2

N-methyl-2-pyrrolidone Acute toxicity

LD50 Oral - Rat - male and female - 4,150 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 5.1 mg/l - aerosol (OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 5,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 24 h (OECD Test Guideline 404)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation (OECD Test Guideline 405)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow

Result: negative

Method: OECD Test Guideline 475

Species: Chinese hamster - male and female - Bone marrow

Result: negative

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory system

Specific target organ toxicity - repeated exposure Aspiration hazard

Classified based on available data. For more details, see section 2

diethylene glycol Acute toxicity

Acute toxicity estimate Oral - 500.1 mg/kg (Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Inhalation: No data available

LD50 Dermal - Rabbit - 11,890 mg/kg

Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Remarks: (IUCLID)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (IUCLID)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative (Regulation (EC) No. 440/2008, Annex, B.6)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male - Bone marrow

Result: negative

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure Aspiration hazard

Classified based on available data. For more details, see section 2

Acetylacetone Acute toxicity

LD50 Oral - Rat - female - 570 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - 5.0305 mg/l - vapor (OECD Test Guideline 403)

Symptoms: mucosal irritations, Cough

LD50 Dermal - Rabbit - female - 790 mg/kg

Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: slight irritation

Remarks: (ECHA)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative (OECD Test Guideline 429)

Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Result: positive

Test Type: sister chromatid exchange assay

Test system: Chinese hamster ovary cells

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Method: US-EPA

Species: Mouse - male and female - Bone marrow

Result: negative

Species: Rat - male - Liver cells

Result: negative

Remarks: (ECHA)

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Ingestion of excessive amounts by pregnant animals resulted in maternal and fetal toxicity.

No data available

Specific target organ toxicity - single exposure

Acute inhalation toxicity - mucosal irritations, Cough

Specific target organ toxicity - repeated exposure Aspiration hazard

Classified based on available data. For more details, see section 2

acetic acid Acute toxicity

LD50 Oral - Rat - 3,310 mg/kg

Remarks: (RTECS)

LC50 Inhalation - Mouse - 4 h - 2,819 mg/l - vapor

Remarks: (RTECS)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h (OECD Test Guideline 404)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns. - 4 h (OECD Test Guideline 405)

Remarks: (IUCLID)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster ovary cells

Result: negative

Method: Mutagenicity (micronucleus test)

Species: Rat - male and female - Bone marrow

Result: negative

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

Hydrogen Peroxide Acute toxicity

LD50 Oral - Rat - female - 693.7 mg/kg (OECD Test Guideline 401)

Acute toxicity estimate Inhalation - 4 h - 11.1 mg/l - vapor (Expert judgment)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg (US-EPA)

Skin corrosion/irritation

Remarks: Causes severe burns.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

Germ cell mutagenicity

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow

Result: negative

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Specific target organ toxicity - repeated exposure Aspiration hazard

Classified based on available data. For more details, see section 2

SECTION 12: Ecological information

Ecotoxicity

Components:

2,4-Pentanedione, peroxide:

Toxicity to fish

Remarks: No data available

2-Methyl-2-pentanol-4-one:

Toxicity to fish

LC50 (*Oryzias latipes* (Orange-red killifish)): > 100 mg/l End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes

Toxicity to daphnia and other aquatic invertebrates

EC50 (*Daphnia magna* (Water flea)): > 1,000 mg/l End point: Immobilization Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes NOEC (*Daphnia magna* (Water flea)): > 1,000 mg/l End point: Immobilization Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes

Toxicity to algae/aquatic plants

ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 1,000 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes NOEC (*Pseudokirchneriella subcapitata* (green algae)): >= 1,000 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

LC50 (*Daphnia magna* (Water flea)): > 100 mg/l End point: mortality Exposure time: 21 d Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 211 GLP: yes

Toxicity to microorganisms

EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209 GLP: yes

N-methyl-2-pyrrolidone:

Toxicity to fish

LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 500 mg/l End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates

EC50 (*Daphnia magna* (Water flea)): ca. 4,897 mg/l Exposure time: 48 h Remarks: (IUCRID)

Toxicity to algae/aquatic plants

EC50 (*Desmodesmus subspicatus* (green algae)): 672.8 mg/l Exposure time: 72 h Test Type: static test Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC (*Daphnia magna* (Water flea)): 12.5 mg/l End point: reproduction rate Exposure time: 21 d Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 211 GLP: yes

diethylene glycol:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 75,222 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 62,630 mg/l End point: mortality Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Toxicity to algae/aquatic plants

NOEC (Pseudokirchneriella subcapitata): > 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes

Toxicity to fish (Chronic toxicity)

LC50 (Menidia peninsulæ): > 1,500 mg/l End point: mortality Exposure time: 28 d Test Type: flow-through test Analytical monitoring: yes Remarks: (ECHA) NOEC (Menidia peninsulæ): > 40 mg/l End point: mortality Exposure time: 28 d Test Type: flow-through test Analytical monitoring: yes Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

LC50 (Mysidopsis bahia (opossum shrimp)): > 1,000 mg/l End point: mortality Exposure time: 23 d Test Type: flow-through test Analytical monitoring: yes Remarks: (ECHA) NOEC (Mysidopsis bahia (opossum shrimp)): >= 1,000 mg/l End point: mortality Exposure time: 23 d Test Type: flow-through test Analytical monitoring: yes Remarks: (ECHA)

Toxicity to microorganisms

EC20 (activated sludge): > 1,995 mg/l Exposure time: 30 min Test Type: static test Method: ISO 8192

Acetylacetone:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 104 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 25.9 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes

Toxicity to algae/aquatic plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 83.22 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes

Toxicity to fish (Chronic toxicity)

NOEC (Pimephales promelas (fathead minnow)): 10 mg/l Exposure time: 34 d Test Type: flow-through test Analytical monitoring: yes Method: OECD Test Guideline 210 GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 18 mg/l End point: reproduction rate Exposure time: 21 d Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 211 GLP: yes

Toxicity to microorganisms

EC50 (activated sludge): 107.6 mg/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209 GLP: yes

acetic acid:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l End point: mortality Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes

Toxicity to algae/aquatic plants

EC50 (Skeletonema costatum): > 1,000 mg/l Exposure time: 72 h Test Type: static test Method: ISO 10253 GLP: yes

Toxicity to microorganisms

EC5 (Pseudomonas putida): 2,850 mg/l Exposure time: 16 h Remarks: neutral (maximum permissible toxic concentration) (Lit.) EC50

(Photobacterium phosphoreum): 11 mg/l Exposure time: 15 min Test Type: microtox test Remarks: (IUCLID)

Hydrogen Peroxide:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 16.4 mg/l End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Method: US-EPA

Toxicity to daphnia and other aquatic invertebrates

LC50 (Daphnia pulex (Water flea)): 2.4 mg/l End point: mortality Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes Method: US-EPA

Toxicity to algae/aquatic plants

ErC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes GLP: yes Remarks: (ECHA) NOEC (Skeletonema costatum (marine diatom)): 0.63 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes GLP: yes Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 0.63 mg/l End point: reproduction rate Exposure time: 21 d Test Type: flow-through test GLP: yes Remarks: (ECHA)

Toxicity to microorganisms

EC50 (activated sludge): 466 mg/l Exposure time: 30 min Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 209 GLP: yes EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 209 GLP: yes

Persistence and degradability

Components:

2,4-Pentanedione, peroxide:

Biodegradability

Remarks: No data available

2-Methyl-2-pentanol-4-one:

Biodegradability

aerobic Inoculum: Sewage sludge Concentration: 57.5 mg/l Result: Readily biodegradable. Biodegradation: 98.51 % Exposure time: 28 d Method: OECD Test Guideline 301A

N-methyl-2-pyrrolidone:

Biodegradability

aerobic Inoculum: activated sludge Concentration: 100 mg/l Result: Readily biodegradable. Biodegradation: 73 % Exposure time: 28 d Method: OECD Test Guideline 301C

Biochemical Oxygen Demand (BOD)

1.100 mg/g Incubation time: 5 d Remarks: (Lit.)

Chemical Oxygen Demand (COD)

1.600 mg/g Remarks: (Lit.)

Stability in water

Degradation half life: ca. 15 yr

diethylene glycol:

Biodegradability

aerobic Inoculum: activated sludge Concentration: 53 mg/l Result: Readily biodegradable. Biodegradation: 90 % Exposure time: 10 d Method: OECD Test Guideline 301A GLP: yes

ThOD

1,510 mg/g Remarks: (Lit.)

BOD/ThOD

1.3 - 10 % Remarks: (Lit.)

Acetylacetone:

Biodegradability

aerobic Inoculum: activated sludge Concentration: 100 mg/l Result: Readily biodegradable. Biodegradation: 83 - 100 % Exposure time: 28 d Method: OECD Test Guideline 301C

BOD/ThOD

5.6 % Remarks: (Lit.)

acetic acid:

Biodegradability

Result: Readily biodegradable. Biodegradation: 99 % Exposure time: 30 d Method: OECD Test Guideline 301D Remarks: (HSDB) Result: Readily eliminated from water Biodegradation: 95 % Exposure time: 5 d Method: OECD Test Guideline 302B

Biochemical Oxygen Demand (BOD)

880 mg/g Incubation time: 5 d Remarks: (Lit.)

BOD/ThOD

76 % Remarks: (IUCLID)

Hydrogen Peroxide:

Biodegradability

aerobic Inoculum: activated sludge Result: Readily biodegradable. Biodegradation: > 99 % Exposure time: 0.5 h GLP: yes Remarks: (ECHA)

Bioaccumulative potential

Components:

2,4-Pentanedione, peroxide:

Bioaccumulation

Remarks: No data available

N-methyl-2-pyrrolidone:

Partition coefficient: noctanol/water

log Pow: -0.46 (25 °C) Method: OECD Test Guideline 107 Remarks: Bioaccumulation is not expected.

diethylene glycol:

Partition coefficient: noctanol/water

log Pow: -1.98 (25 °C) Method: (experimental) Remarks: Bioaccumulation is not expected. (IUCLID)

Acetylacetone:**Partition coefficient: noctanol/water**

log Pow: ca. 0.68 (40 °C) pH: 7 Method: OECD Test Guideline 117 Remarks: Bioaccumulation is not expected.

acetic acid:**Partition coefficient: noctanol/water**

log Pow: -0.17 (25 °C) pH: 7 Method: (experimental) Remarks: Bioaccumulation is not expected. (ECHA)

Hydrogen Peroxide:**Bioaccumulation**

Remarks: No data available

Mobility in soil**Components:****2,4-Pentanedione, peroxide:****Stability in soil**

Remarks: No data available

Other adverse effects**Components:****2,4-Pentanedione, peroxide:****Additional ecological information**

No data available

diethylene glycol:**Results of PBT and vPvB assessment**

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Acetylacetone:**Additional ecological information**

Discharge into the environment must be avoided.

acetic acid:**Results of PBT and vPvB assessment**

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Hydrogen Peroxide:**Results of PBT and vPvB assessment**

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Additional ecological information

No interference with wastewater treatment plants are to be expected when used properly. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : UN 3105

Proper shipping name : Organic peroxide type D, liquid (Acetyl acetone peroxide)

Class : 5.2

Packing group : Not assigned by regulation

Labels : Division 5.2 - Organic peroxides, Handling Label Keep Away From Heat

Packing instruction (cargo aircraft) : 570

Packing instruction (passenger aircraft) : 570

IMDG-Code

UN number : UN 3105

Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID (ACETYL ACETONE PEROXIDE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2

EmS Code : F-J, S-R

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National regulation

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

Listed

No. / Code Chemical name / Category Threshold quantity

W7.2 Organic peroxides 50 t

Hazardous Chemicals for Priority Management

Listed under SAWS

Regulations on Occupational Labor Protection in the at workplaces where

Toxic Substances Are Used

Catalogue of Highly Toxic Chemicals

Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals

Not listed

SECTION 16: Other information

Full text of other abbreviations

ACGIH

USA. ACGIH Threshold Limit Values (TLV)

ACGIH BEI

ACGIH - Biological Exposure Indices (BEI)

GBZ 2.1-2007

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA

8-hour, time-weighted average

ACGIH / STEL

Short-term exposure limit

GBZ 2.1-2007 / PC-TWA

Permissible concentration - time weighted average

GBZ 2.1-2007 / PC-STEL AIC - Australian Invent Transport by Land of Bra bw - Body weight; CMR Standard of the German List (Canada); ECx - Conc associated with x%respo Chemical Substances (Jap response; ERG - Emerge GLP - Good Laboratory P cer; IATA - International Construction and Equipm Half maximal inhibitory c tion; IECSC - Inventory o tional Maritime Dangerou Industrial Safety and H Standardization; KECI - K tration to 50 % of a test (Median Lethal Dose); MA lution from Ships; n.o.s. No Observed (Adverse) E fect Level; NOELR - No Norm; NTP - National Toxi icals; OECD - Organizatio fice of Chemical Safety a and Toxic substance; PIC stances; (Q)SAR - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi Chemical Substance Inve Thailand Existing Chemicala States); UN - United Nat Transport of Dangerous WHMIS - Workplace Hazar

Permissible concentration - short term exposure limit ry of Industrial Chemicals

ANTT - National Agency for il

ASTM - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

DIN nstitute for Standardisation

DSL - Domestic Substances ntration associated with x% response

ELx - Loading rate se

EmS - Emergency Schedule

ENCS - Existing and New n)

ErCx - Concentration associated with x% growth rate cy Response Guide

GHS - Globally Harmonized System

actice

IARC - International Agency for Research on Canir Transport Association

IBC - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk

IC50 ncentration

ICAO - International Civil Aviation Organiza- Existing Chemical Substances in China

IMDG - Interna- Goods

IMO - International Maritime Organization

ISHL alth Law (Japan)

ISO - International Organisation for rea Existing Chemicals Inventory

LC50 - Lethal Concenopulation

LD50 - Lethal Dose to 50% of a test population POL - International Convention for the Prevention of Pol- Not Otherwise Specified

Nch - Chilean Norm

NO(A)EC fect Concentration

NO(A)EL - No Observed (Adverse) Efbserveable Effect Loading Rate

NOM - Official Mexican ology Program

NZIoC - New Zealand Inventory of Chemfor Economic Co-operation and Development

OPPTS - Ofd Pollution Prevention

PBT - Persistent, Bioaccumulative S - Philippines Inventory of Chemicals and Chemical Sub- tative) Structure Activity Relationship

REACH - Regulation European Parliament and of the Council concerning the uthorisation and Restriction of Chemicals

SADT - Selfn Temperature

SDS - Safety Data Sheet

TCSI - Taiwan tory

TDG - Transportation of Dangerous Goods

TECI s Inventory

TSCA - Toxic Substances Control Act (United ons

UNRTDG - United Nations Recommendations on the oods

vPvB - Very Persistent and Very Bioaccumulative

ous Materials Information System

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.