

Chemical Safety Data Sheet MSDS / SDS

3,5-DINITROANILINE

Revision Date:2026-03-21 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name : 3,5-DINITROANILINE
CBnumber : CB6133122
CAS : 618-87-1
EINECS Number : 210-567-8
Synonyms : 3,5-dinitro-anilin ;TIMTEC-BB SBB003728

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

Precautionary statements

P262 Do not get in eyes, on skin, or on clothing.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Hazard statements

H373 May cause damage to organs through prolonged or repeated exposure
H411 Toxic to aquatic life with long lasting effects

SECTION 3: Composition/information on ingredients**Substance**

Product name	: 3,5-DINITROANILINE
Synonyms	: 3,5-dinitro-anilin ;TIMTEC-BB SBB003728
CAS	: 618-87-1
EC number	: 210-567-8
MF	: C6H5N3O4
MW	: 183.12

SECTION 4: First aid measures

General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given. For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products

Carbon oxides Nitrogen oxides (NOx)


Specific extinguishing methods

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

NFPA 704



HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N2](#))

SPEC.
 HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precau-

Do not let product enter drains. tions

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: Handling and storage

Handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Avoidance of contact

Strong acids Acid chlorides Acid anhydrides Reacts violently with: Chlorine Strong oxidizing agents hydrochloric acid

Storage

Further information on storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Storage class

6.1A, Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

Recommended storage temperature

Recommended storage temperature see product label.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection

protective clothing

Hand protection

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Full contact

Manufacturer

(KCL 740 / Aldrich Z677272, Size M)

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Splash contact

Manufacturer

(KCL 740 / Aldrich Z677272, Size M)

Manufacturer

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

Remarks

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

solid

Color

yellow

Odor

No data available

Odor Threshold

No data available

pH

No data available

Melting point/ range

160 - 162 °C

Method: lit.

Boiling point/boiling range

316.77°C (rough estimate)

Flash point

Not applicable

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Relative density

1.6010

Density

1.6010

Water solubility

Practically insoluble in water

Partition coefficient: n-octanol/water

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

No data available

Oxidizing properties

none

Molecular weight

183.12 g/mol

Particle characteristics Particle size

No data available

Physical state

Powder

SECTION 10: Stability and reactivity**Reactivity**

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

No data available

Conditions to avoid

no information available

Incompatible materials

Strong acids Acid chlorides Acid anhydrides Reacts violently with: Chlorine Strong oxidizing agents hydrochloric acid

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 5.1 mg/kg (Expert judgement)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: 2,4-dinitroaniline

Acute toxicity estimate Inhalation - 4 h - 0.0051 mg/l - dust/mist (Expert judgement)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: 2,4-dinitroaniline

Acute toxicity estimate Dermal - 5.1 mg/kg (Expert judgement)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: 2,4-dinitroaniline

LD50 Dermal - 300 mg/kg

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

Germ cell mutagenicity

Classified based on available data. For more details, see section 2

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

RTECS: BX9200100

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer.,

Nausea, Dizziness, Headache

SECTION 12: Ecological information

Ecotoxicity

Components:

3,5-Dinitroaniline:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.99 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.76 mg/l Exposure time: 48 h

Persistence and degradability

Components:

3,5-Dinitroaniline:

Biodegradability

Remarks: No data available

Bioaccumulative potential

Components:

3,5-Dinitroaniline:

Bioaccumulation

Remarks: No data available

Mobility in soil

Components:

3,5-Dinitroaniline:

Stability in soil

Remarks: No data available

Other adverse effects

Components:

3,5-Dinitroaniline:

Additional ecological information

No data available

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : UN 1596

Proper shipping name : Dinitroanilines

Class : 6.1

Packing group : II

Labels : Division 6.1 - Toxic substances

Packing instruction (cargo aircraft) : 676

Packing instruction (passenger aircraft) : 669

IMDG-Code

UN number : UN 1596

Proper shipping name : DINITROANILINES

Class : 6.1

Packing group : II

Labels : 6.1

EmS Code : F-A, S-A

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : UN 1596

Proper shipping name : DINITROANILINES

Class : 6.1

Packing group : II

Labels : 6.1

Environmentally hazardous : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Registration/Notification number : Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code Chemical name / Category Threshold quantity

J2 Acute toxic 50 t

Hazardous Chemicals for Priority Management

Not applicable under SAWS

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not applicable

Measures on the Environmental Administration of New Chemical Substances Registration

SECTION 16: Other information

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals

ANTT - National Agency for Transport by Land of Brazil

ASTM - American Society for the Testing of Materials

bw - Body weight

CMR - Carcinogen, Mutagen or Reproductive Toxicant
 DIN - Standard of the German Institute for Standardisation
 DSL - Domestic Substances List (Canada)
 EC_x - Concentration associated with x% response
 EL_x - Loading rate associated with x% response
 EmS - Emergency Schedule
 ENCS - Existing and New Chemical Substances (Japan)
 ErC_x - Concentration associated with x% growth rate response
 ERG - Emergency Response Guide
 GHS - Globally Harmonised System
 GLP - Good Laboratory Practice
 IARC - International Agency for Research on Cancer
 IATA - International Air Transport Association
 IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC₅₀ - Half maximal inhibitory concentration
 ICAO - International Civil Aviation Organization
 IECSC - Inventory of Existing Chemical Substances in China
 IMDG - International Maritime Dangerous Goods
 IMO - International Maritime Organisation
 ISHL - Industrial Safety and Health Law (Japan)
 ISO - International Organisation for Standardisation
 KECI - Korea Existing Chemicals Inventory
 LC₅₀ - Lethal Concentration to 50 % of a test population
 LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose)
 MARPOL - International Convention for the Prevention of Pollution from Ships
 MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods
 n.o.s. - Not Otherwise Specified
 Nch - Chilean Norm
 NO(A)EC - No Observed (Adverse) Effect Concentration
 NO(A)EL - No Observed (Adverse) Effect Level
 NOELR - No Observable Effect Loading Rate
 NOM - Official Mexican Norm
 NTP - National Toxicology Program
 NZIoC - New Zealand Inventory of Chemicals
 OECD - Organisation for Economic Co-operation and Development
 OPPTS - Office of Chemical Safety and Pollution Prevention
 PBT - Persistent, Bioaccumulative and Toxic substance
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 (Q)SAR - (Quantitative) Structure Activity Relationship
 REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
 SADT - Self-Accelerating Decomposition Temperature
 SDS - Safety Data Sheet

TCSI - Taiwan Chemical Substance Inventory

TDG - Transportation of Dangerous Goods

TECI - Thailand Existing Chemicals Inventory

TSCA - Toxic Substances Control Act (United States)

UN - United Nations

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

vPvB - Very Persistent and Very Bioaccumulative

WHMIS - Workplace Hazardous Materials Information System

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.