# Chemical Safety Data Sheet MSDS / SDS

# 4,4'-Oxydianiline

Revision Date: 2025-10-25 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

 Product name
 : 4,4'-Oxydianiline

 CBnumber
 : CB1689134

 CAS
 : 101-80-4

 EINECS Number
 : 202-977-0

Synonyms : ODA,4,4'-oxydianiline

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

# **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

# Precautionary statements

P501 Dispose of contents/container to.....

P405 Store locked up.

P391 Collect spillage. Hazardous to the aquatic environment

P311 Call a POISON CENTER or doctor/physician.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.

P264 Wash skin thouroughly after handling.

P264 Wash hands thoroughly after handling.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P202 Do not handle until all safety precautions have been read and understood.

P201 Obtain special instructions before use.

#### **Hazard statements**

H411 Toxic to aquatic life with long lasting effects

H410 Very toxic to aquatic life with long lasting effects

H373 May cause damage to organs through prolonged or repeated exposure

H361 Suspected of damaging fertility or the unborn child

H351 Suspected of causing cancer

H350 May cause cancer

H340 May cause genetic defects

H331 Toxic if inhaled

H317 May cause an allergic skin reaction

H311 Toxic in contact with skin

H302 Harmful if swallowed

H301 Toxic if swalloed

## Disposal

WARNING.Cancer - https://oehha.ca.gov/proposition-65/chemicals/44-diaminodiphenyl-ether-44-oxydianiline

# SECTION 3: Composition/information on ingredients

# Substance

Product name : 4,4'-Oxydianiline

Synonyms : ODA,4,4'-oxydianiline

CAS : 101-80-4

EC number : 202-977-0

MF : C12H12N2O

MW : 200.24

# SECTION 4: First aid measures

# Description of first aid measures

# General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

# In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

## If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

## Advice for firefighters


Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# **Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **NFPA 704**

■ FIRE



Short exposure could cause serious temporary or moderate residual injury (e.g. <u>liquid hydrogen, sulfuric acid, calcium</u>
HEALTH 3

hypochlorite, hexafluorosilicic acid)

Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete,

0 stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5

	REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)
	SPEC.		
	HAZ.		
	•		

# SECTION 6: Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## **Environmental precautions**

Do not let product enter drains.

# Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture.

# Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

# Conditions for safe storage, including any incompatibilities

# Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

# Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

#### control parameter

## Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

# **Exposure controls**

#### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril? L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril? L

**Body Protection** 

protective clothing

Respiratory protection

Recommended Filter type: Filter A-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance	light gray solid
Odour	odorless
Odour Threshold	Not applicable
рН	No data available

Melting point/freezing point	Melting point/range: 188 - 192 °C - lit.
Initial boiling point and boiling range	396,8 °C at 975 hPa - OECD Test Guideline 103
Flash point	219 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	The product is not flammable Flammability (solids)
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	90 hPa at 20 °C - OECD Test Guideline 104
Vapour density	No data available
Relative density	1,315 g/cm3 at 20 °C - OECD Test Guideline 109 1,315 at 20 °C
Water solubility	0,048 g/l at 20 °C - OECD Test Guideline 105
Partition coefficient: n-octanol/water	log Pow: 0,72 - OECD Test Guideline 117 - Bioaccumulation is not expected.
Autoignition temperature	>192 °C - NF T 20-036does not ignite
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

# Other safety information

No data available

# SECTION 10: Stability and reactivity

# Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

# **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

# Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines! Violent reactions possible with:

Strong oxidizing agents

# **Conditions to avoid**

Strong heating.

# Incompatible materials

No data available

# Hazardous decomposition products

# **SECTION 11: Toxicological information**

# Information on toxicological effects

#### **Acute toxicity**

Acute toxicity estimate Oral - 100,1 mg/kg (Expert judgment)

Acute toxicity estimate Inhalation - 4 h - 0,6 mg/l (Expert judgment)

Acute toxicity estimate Dermal - 300,1 mg/kg (Expert judgment)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitization

Remarks: (ECHA)

Germ cell mutagenicity

Test system: Salmonella typhimurium Metabolic activation: Metabolic activation Method: OECD Test Guideline 471 Result: positive

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 479

Result: positive

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473

Result: positive

Test Type: Mutagenicity (mammal cell test): micronucleus. Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: positive

Carcinogenicity

No data available

Reproductive toxicity

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

**Toxicity** 

LD50 orl-rat: 725 mg/kg HYSAAV 33,137,68

# SECTION 12: Ecological information

# **Toxicity**

## Toxicity to fish

semi-static test LC50 - Pimephales promelas (fathead minnow) - 22 mg/l - 96 h

(US-EPA)

Remarks: (in analogy to similar products)

## Toxicity to daphnia and other aquatic invertebrates

static test LC50 - Daphnia magna (Water flea) - 0,92 mg/l - 48 h (US-EPA)

# Toxicity to algae

static test EC50 - Selenastrum capricornutum (green algae) - 21,7 mg/l - 72 h

(OECD Test Guideline 201)

#### Toxicity to bacteria

static test EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)

# Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 7,6 % - Not biodegradable. (OECD Test Guideline 301D)

#### Bioaccumulative potential

No data available

# Mobility in soil

No data available

#### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Other adverse effects

No data available

# SECTION 13: Disposal considerations

# Waste treatment methods

#### Incompatibilities

Incompatible with oxidizers (chlorates, nitrates, peroxides, permanganates, perchlorates, chlorine, bromine, fluorine, etc.). Keep away from alkaline materials, strong bases, strong acids, oxoacids, and epoxides. Slowly hydrolyzes in water, releasing ammonia, and forming acetate salts. Decomposes at 265C releasing toxic oxides of nitrogen, sulfur, and carbon. Decomposed by strong ultraviolet light.

## **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **Waste Disposal**

Incineration with provision for nitrogen oxides removal from flue gases.

# **SECTION 14: Transport information**

# **UN** number

ADR/RID: 2811 IMDG: 2811 IATA: 2811

#### **UN proper shipping name**

ADR/RID: TOXIC SOLID, ORGANIC, N.O.S. (4,4'-diaminodiphenylether; 4,4'-oxydianiline (ODA))

IMDG: TOXIC SOLID, ORGANIC, N.O.S. (4,4'-diaminodiphenylether; 4,4'-oxydianiline (ODA))

IATA: Toxic solid, organic, n.o.s. (4,4'-diaminodiphenylether; 4,4'-oxydianiline (ODA))

# Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

## **Packaging group**

ADR/RID: III IMDG: III IATA: III

#### **Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

# Special precautions for user

No data available

# SECTION 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

# Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

# Measures for Environmental Management of New Chemical Substances

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

EC Inventory:Listed.

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

# **SECTION 16: Other information**

## Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

# References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

# Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.