

Chemical Safety Data Sheet MSDS / SDS

4-Chlorotoluene

Revision Date:2024-01-27 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : 4-Chlorotoluene
CBnumber : CB9852675
CAS : 106-43-4
EINECS Number : 203-397-0
Synonyms : 4-chlorotoluene,1-chloro-4-methylbenzene

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 400-158-6606

SECTION 2: Hazards identification

Classification of the substance or mixture

Acute toxicity - Category 4, Inhalation
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

Label elements**Pictogram(s)**

□□□□

Signal word : Danger

Hazard statement(s)

H225 Highly Flammable liquid and vapour
H226 Flammable liquid and vapour
H303 May be harmful if swallowed
H304 May be fatal if swallowed and enters airways
H317 May cause an allergic skin reaction
H332 Harmful if inhaled
H361 Suspected of damaging fertility or the unborn child

H370 Causes damage to organs

H401 Toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P311 Call a POISON CENTER or doctor/physician.

P391 Collect spillage. Hazardous to the aquatic environment

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P370+P378 In case of fire: Use ... for extinction.

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

Response

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P317 Get medical help.

P391 Collect spillage.

Storage

none

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards

no data available

Substance

Product name	: 4-Chlorotoluene
Synonyms	: 4-chlorotoluene, 1-chloro-4-methylbenzene
CAS	: 106-43-4
EC number	: 203-397-0
MF	: C7H7Cl
MW	: 126.58

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Fresh air, rest.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Do NOT induce vomiting. Refer for medical attention .

Most important symptoms and effects, both acute and delayed

no data available

Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

Extinguishing media

If material on fire or involved in fire: Do not extinguish fire unless flow can be stopped or safely confined. Use water in flooding quantities as fog. Solid streams of water may spread fire. Cool all affected containers with flooding quantities of water. Apply water from as far a distance as possible. Use foam, dry chemical, or carbon dioxide. Chlorotoluenes

Specific Hazards Arising from the Chemical


Flammable. Gives off irritating or toxic fumes (or gases) in a fire. Above 49°C explosive vapour/air mixtures may be formed.

Advice for firefighters

Use powder, AFFF, foam, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

NFPA 704





- HEALTH** 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)
-
- FIRE** 2 Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, [sulfur](#))
-
- REACT** 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N₂](#))
-
- SPEC.**
- HAZ.**
-

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Ventilation. Remove all ignition sources. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer.

Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Ventilation. Remove all ignition sources. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer.

Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames, NO sparks and NO smoking. Above 49°C use a closed system, ventilation and explosion-proof electrical equipment. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

Component	4-chlorotoluene			
CAS No.	106-43-4			
	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
Finland	50	260	75 (1)	390 (1)
	Remarks			
Finland	(1) 15 minutes average value			

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

Individual protection measures

Eye/face protection

Wear safety spectacles.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state	Liquid
Colour	Clear
Odour	no data available
Melting point/freezing point	7.5 °C.
Boiling point or initial boiling point and boiling range	162 °C. Atm. press.:1 013 hPa.
Flammability	Flammable. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit	0.7-12.2%(V)
Flash point	49 °C.

Auto-ignition temperature	570 °C.
Decomposition temperature	no data available
pH	7.4 (H ₂ O)(saturated aqueous solution)
Kinematic viscosity	dynamic viscosity (in mPa s) = 0.892. Temperature:20°C.
Solubility	0.040g/l
Partition coefficient n-octanol/water	log Pow = 3.33.
Vapour pressure	10 mm Hg (45 °C)
Density and/or relative density	1.07. Temperature:20 °C.
Relative vapour density	4.38 (vs air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

On combustion, forms toxic gases including carbon monoxide, hydrogen chloride and possibly phosgene. Reacts with strong oxidants.

Chemical stability

no data available

Possibility of hazardous reactions

Slight, when exposed to heat or flame.

Conditions to avoid

no data available

Incompatible materials

Acids, alkalis, oxidizers, reducing materials, water.

Hazardous decomposition products

no data available

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 - rat (male) - ca. 2 273 mg/kg bw.
- Inhalation: LC50 - rat (male) - ca. 21.5 mg/L air.
- Dermal: LD50 - rat (female) - > 5 000 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

If this liquid is swallowed, aspiration into the lungs may result in chemical pneumonitis.

STOT-repeated exposure

The substance defats the skin, which may cause dryness or cracking.

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: LC50 - *Poecilia reticulata* - 5.92 mg/L - 14 d.

Toxicity to daphnia and other aquatic invertebrates: EC50 - *Ceriodaphnia dubia* - 1.7 mg/L - 48 h.

Toxicity to algae: EC50 - *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*) - 6.1 mg/L - 72 h.

Toxicity to microorganisms: EC10 - *Pseudomonas putida* - > 25 mg/L - 18 h.

Persistence and degradability

In the Japanese MITI test, using an initial concn of 100 ppm 4-chlorotoluene, <30% of the theoretical BOD was reached in 14 days using an activated sludge inoculum(1,2). In the modified MITI test, using an initial concentration of 100 ppm 4-chlorotoluene, 0% of the theoretical BOD was reached in 14 days(3). A microbial blend of 10 different bacteria and 2 fungi was used to degrade 4-chlorotoluene at a concentration of 200 mg/l; complete biodegradation occurred in 3 days(4). Using the cultivation method, 4-chlorotoluene at 20 mg/l was 44% and 64% biodegraded in three days using a river water and a seawater inoculum, respectively(5). An isolated strain of *Pseudomonas putida* 39/D oxidized 4-chlorotoluene to (+)-cis-4-chloro-2,3-dihydroxy-1-methylcyclohexa-4,6-diene (6). 4-Chlorotoluene is metabolized via cis-dihydrodiol to its respective catechol which is resistant to further degradation(7).

Bioaccumulative potential

Carp exposed to 4-chlorotoluene at 0.03 and 0.3 mg/L had measured BCF values of 14-101.6 and 21.9-76.5, respectively(1). An estimated BCF value of 200 was calculated for 4-chlorotoluene(SRC), using a measured log Kow of 3.33(2) and a recommended regression-derived equation(3). According to a recommended classification scheme(4), these BCF values suggest that some bioconcentration in aquatic

organisms will occur(SRC).

Mobility in soil

The Koc of 4-chlorotoluene is estimated as approximately 340(SRC), using an experimental water solubility of 106 mg/l at 20 deg C(1,SRC) and a regression-derived equation(2,SRC). According to a recommended classification scheme(3), this estimated Koc value suggests that 4-chlorotoluene will have moderate mobility in soil(SRC).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN2238 (For reference only, please check.)

IMDG: UN2238 (For reference only, please check.)

IATA: UN2238 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: CHLOROTOLUENES (For reference only, please check.)

IMDG: CHLOROTOLUENES (For reference only, please check.)

IATA: CHLOROTOLUENES (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.)

IMDG: 3 (For reference only, please check.)

IATA: 3 (For reference only, please check.)

Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

PICCS

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC

Listed.

Korea Existing Chemicals List (KECL)

Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Insufficient data are available on the effect of this substance on human health, therefore utmost care must be taken.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.