

## Chemical Safety Data Sheet MSDS / SDS

## 4-Fluorophenol

Revision Date:2024-03-09 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier**

Product name : 4-Fluorophenol  
CBnumber : CB9672628  
CAS : 371-41-5  
EINECS Number : 206-736-0  
Synonyms : 4-fluorophenol, Fluorophenol

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Warning

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continuerinsing.  
P405 Store locked up.

**Hazard statements**

H302 Harmful if swallowed  
H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H315 Causes skin irritation

H318 Causes serious eye damage

H319 Causes serious eye irritation

H332 Harmful if inhaled

H335 May cause respiratory irritation

---

## SECTION 3: Composition/information on ingredients

### Substance

|              |                                    |
|--------------|------------------------------------|
| Product name | : 4-Fluorophenol                   |
| Synonyms     | : 4-fluorophenol, Fluorophenol     |
| CAS          | : 371-41-5                         |
| EC number    | : 206-736-0                        |
| MF           | : C <sub>6</sub> H <sub>5</sub> FO |
| MW           | : 112.1                            |

---

## SECTION 4: First aid measures

### Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Hydrogen fluoride Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.


### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

FIRE 2 Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, [sulfur](#))

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N2](#))

SPEC.

HAZ.

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

## **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## **Reference to other sections**

For disposal see section 13.

---

# SECTION 7: Handling and storage

## **Precautions for safe handling**

## **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## **Conditions for safe storage, including any incompatibilities**

## **Storage conditions**

Tightly closed. Dry.

## **Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

# SECTION 8: Exposure controls/personal protection

## **control parameter**

## **Hazard composition and occupational exposure limits**

Does not contain substances with occupational exposure limits.

## **Exposure controls**

### **Personal protective equipment**

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril? L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril? L

#### Body Protection

Flame retardant antistatic protective clothing.

#### Respiratory protection

Recommended Filter type: Filter B-(P3)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

|  |   |
|--|---|
| Appearance                                   | solid   |
| Odour  | No data available   |
| Odour Threshold                              | No data available   |
| pH   | 5.4 (H <sub>2</sub> O, 20°C)(saturated aqueous solution)                      |
| Melting point/freezing point                 | Melting point/range: 43 - 46 °C - lit.  |
| Initial boiling point and boiling range      | 185 °C - lit.   |
| Flash point                                  | 68 °C - c.c.  |
| Evaporation rate                             | No data available   |
| Flammability (solid, gas)                    | No data available   |
| Upper/lower flammability or explosive limits | No data available   |
| Vapour pressure                              | No data available   |
| Vapour density                               | No data available   |
| Relative density                             | No data available   |
| Water solubility                             | 80g/l   |
| Partition coefficient: n-octanol/water       | No data available   |
| Autoignition temperature                     | No data available   |
| Decomposition temperature                    | No data available   |
| Viscosity                                    | Viscosity, kinematic: No data available Viscosity, dynamic: No data available |
| Explosive properties                         | No data available   |

Oxidizing properties

No data available

---

### **Other safety information**

No data available

---

## **SECTION 10: Stability and reactivity**

### **Reactivity**

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### **Possibility of hazardous reactions**

Violent reactions possible with:

Oxidizing agents strong alkalis Strong acids

Acid anhydrides acid halides

### **Conditions to avoid**

Strong heating.

### **Incompatible materials**

No data available

### **Hazardous decomposition products**

In the event of fire: see section 5

---

## **SECTION 11: Toxicological information**

### **Information on toxicological effects**

#### **Acute toxicity**

LD50 Oral - Rat - 340 mg/kg

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Remarks: (External MSDS)absorption

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:., damage of respiratory tract

#### **Skin corrosion/irritation**

#### **Serious eye damage/eye irritation Respiratory or skin sensitization**

#### **Germ cell mutagenicity**

#### **Carcinogenicity**

No data available

**Reproductive toxicity**

**Specific target organ toxicity - single exposure**

May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure Aspiration hazard**

---

## SECTION 12: Ecological information

### Toxicity

**Toxicity to daphnia and other aquatic invertebrates**

EC50 - Tetrahymen pyriformis - 107 mg/l - 48 h Remarks: (ECOTOX Database)

**Toxicity to bacteria**

microtox test EC50 - Photobacterium phosphoreum - 19,5 mg/l - 30 min

Remarks: (Lit.)

### Persistence and degradability

### Bioaccumulative potential

### Mobility in soil

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

Discharge into the environment must be avoided.

---

## SECTION 13: Disposal considerations

### Waste treatment methods

### Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### UN number

ADR/RID: - IMDG: - IATA: -

### UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

### **Transport hazard class(es)**

ADR/RID: - IMDG: - IATA: -

### **Packaging group**

ADR/RID: - IMDG: - IATA: -

### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### **Special precautions for user**

### **Further information**

Not classified as dangerous in the meaning of transport regulations.

---

## **SECTION 15: Regulatory information**

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Not Listed. website: <https://www.mem.gov.cn/>

#### **Measures for Environmental Management of New Chemical Substances**

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

---

## **SECTION 16: Other information**

### **Abbreviations and acronyms**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit



TWA: Time Weighted Average

## References

- 【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- 【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- 【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>
- 【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- 【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- 【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- 【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- 【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- 【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- 【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.