Chemical Safety Data Sheet MSDS / SDS

CADMIUM

Revision Date:2025-02-01 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: CADMIUM
CBnumber	: CB8339050
CAS	: 7440-43-9
EINECS Number	: 231-152-8
Synonyms	: Cadmium,cadmium powder
Relevant identified uses of the s	ubstance or mixture and uses advised against
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.
Uses advised against	: none
Company Identification	
Company	: Chemicalbook
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone	: 010-86108875

SECTION 2: Hazards identification

Classification of the substance or mixture

Acute toxicity - Category 2, Inhalation Germ cell mutagenicity, Category 2 Carcinogenicity, Category 1B Specific target organ toxicity – repeated exposure, Category 1 Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1 Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1 Reproductive toxicity, Category 2

Label elements

Pictogram(s)

Signal word

Danger

Hazard statement(s) H228 Flammable solid

H300 Fatal if swallowed

1

H310 Fatal in contact with skin H330 Fatal if inhaled H341 Suspected of causing genetic defects H350 May cause cancer H361 Suspected of damaging fertility or the unborn child H372 Causes damage to organs through prolonged or repeated exposure H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects Precautionary statement(s) P201 Obtain special instructions before use. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P284 Wear respiratory protection. P320 Specific treatment is urgent (see ... on this label). P361 Remove/Take off immediately all contaminated clothing. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing. P308+P313 IF exposed or concerned: Get medical advice/attention. P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. Prevention P260 Do not breathe dust/fume/gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P284 [In case of inadequate ventilation] wear respiratory protection. P203 Obtain, read and follow all safety instructions before use. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P264 Wash ... thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment.

Response

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P316 Get emergency medical help immediately.

P320 Specific treatment is urgent (see ... on this label).

P318 IF exposed or concerned, get medical advice.

P319 Get medical help if you feel unwell.

P391 Collect spillage.

Storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

Product name	: CADMIUM
Synonyms	: Cadmium,cadmium powder
CAS	: 7440-43-9
EC number	: 231-152-8
MF	: Cd
MW	: 112.41

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rest. Refer for medical attention .

Most important symptoms and effects, both acute and delayed

Exposure Routes: inhalation, ingestion Symptoms: Pulmonary edema, dyspnea (breathing difficulty), cough, chest tightness, substernal (occurring beneath the sternum) pain; headache; chills, muscle aches; nausea, vomiting, diarrhea; anosmia (loss of the sense of smell), emphysema, proteinuria, mild anemia; [potential occupational carcinogen] Target Organs: respiratory system, kidneys, prostate, blood (NIOSH, 2016)

Indication of any immediate medical attention and special treatment needed

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Cadmium and Related Compounds

SECTION 5: Firefighting measures

Extinguishing media

Fire fighting: /Wear/ self-contained breathing apparatus with a full facepiece operated in pressure-demand, or other positive mode. Cadmium dust (as cadmium)

Specific Hazards Arising from the Chemical

Flammable in powder form. Combustible. (NTP, 1992)

Advice for firefighters

Use dry sand. Use special powder. NO other agents.

NFPA 704

3		0
HEALTH	3	Short exposure could cause serious temporary or moderate residual injury (e.g. <u>liquid hydrogen, sulfuric acid</u> , <u>calcium</u> <u>hypochlorite</u> , hexafluorosilicic acid)
FIRE	0	Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)
REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)
SPEC. HAZ.		

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate danger area! Personal protection: chemical protection suit including self-contained breathing apparatus. Remove all ignition sources. Sweep spilled substance into covered containers. Carefully collect remainder. Then store and dispose of according to local regulations.

Environmental precautions

Evacuate danger area! Personal protection: chemical protection suit including self-contained breathing apparatus. Remove all ignition sources. Sweep spilled substance into covered containers. Carefully collect remainder. Then store and dispose of according to local regulations.

Methods and materials for containment and cleaning up

1) remove all ignition sources. 2) ventilate area of release. 3) collect released material in the most convenient and safe manner for reclamation or for disposal. ... cadmium dust

SECTION 7: Handling and storage

Precautions for safe handling

NO open flames, NO sparks and NO smoking. NO contact with heat or acids. Closed system, dust explosion-proof electrical equipment and lighting. Prevent deposition of dust. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Fireproof. Dry. Keep under inert gas. Separated from ignition sources, oxidants, acids and food and feedstuffs. Keep containers closed and protect against physical damage.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

TLV: 0.01 mg/m3, as TWA; A2 (suspected human carcinogen); BEI issued.MAK: (including its inorganic compounds, inhalable fraction): skin absorption (H); carcinogen category: 1; germ cell mutagen group: 3A

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

Individual protection measures

Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection.

Skin protection

Protective gloves.

Respiratory protection

Use local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state	wire
Colour	Silvery white
Odour	Odorless

Boiling point or initial boiling point and 765°C(lit.) boiling range Metal: Noncombustible Solid in bulk form, but will burn in powder form. Lower and upper explosion no data available limit/flammability limit no data available Flash point no data available Auto-ignition temperature 250 deg C, (482 F) layer /Cadmium metal dust/ Decomposition temperature no data available pH no data available Kinematic viscosity no data available Solubility 8.2mg/l insoluble Partition coefficient n-octanol/water no data available Vapour pressure 1.3 hPa (394 °C) Density and/or relative density 8.642 Relative vapour density 8.642 Particle characteristics no data available	Melting point/freezing point	321°C
billing range Flammability Metal: Noncombustible Solid in bulk form, but will burn in powder form. Lower and upper explosion no data available limit/flammability limit Initiation temperature Flash point no data available Auto-ignition temperature 250 deg C, (482 F) layer /Cadmium metal dust/ Decomposition temperature no data available pH no data available Kinematic viscosity no data available Solubility 8.2mg/l insoluble Partition coefficient n-octanol/water no data available Vapour pressure 1.3 hPa (394 °C) Density and/or relative density 8.642 Relative vapour density 8.642	Boiling point or initial boiling point and	765°C(lit.)
Flammability Metal: Noncombustible Solid in bulk form, but will burn in powder form. Lower and upper explosion no data available limit/flammability limit	boiling range	
Lower and upper explosion no data available limit/flammability limit no data available Flash point no data available Auto-ignition temperature 250 deg C, (482 F) layer /Cadmium metal dust/ Decomposition temperature no data available pH no data available Kinematic viscosity no data available Solubility 8.2mg/l insoluble Partition coefficient n-octanol/water no data available Vapour pressure 1.3 hPa (394 °C) Density and/or relative density 8.642 Relative vapour density 8.642	Flammability	Metal: Noncombustible Solid in bulk form, but will burn in powder form.
Iinit/flammability limit Flash point no data available Auto-ignition temperature 250 deg C, (482 F) layer /Cadmium metal dust/ Decomposition temperature no data available pH no data available Kinematic viscosity no data available Solubility 8.2mg/l insoluble Partition coefficient n-octanol/water no data available Vapour pressure 1.3 hPa (394 °C) Density and/or relative density 8.642 Relative vapour density 8.642	Lower and upper explosion	no data available
Flash pointno data availableAuto-ignition temperature250 deg C, (482 F) layer /Cadmium metal dust/Decomposition temperatureno data availablepHno data availableKinematic viscosityno data availableSolubility8.2mg/l insolublePartition coefficient n-octanol/waterno data availableVapour pressure1.3 hPa (394 °C)Density and/or relative density8.642Relative vapour densityno data available	limit/flammability limit	
Auto-ignition temperature250 deg C, (482 F) layer /Cadmium metal dust/Decomposition temperatureno data availablepHno data availableKinematic viscosityno data availableSolubility8.2mg/l insolublePartition coefficient n-octanol/waterno data availableVapour pressure1.3 hPa (394 °C)Density and/or relative density8.642Relative vapour density8.642Particle characteristicsno data available	Flash point	no data available
Decomposition temperatureno data availablepHno data availableKinematic viscosityno data availableSolubility8.2mg/l insolublePartition coefficient n-octanol/waterno data availableVapour pressure1.3 hPa (394 °C)Density and/or relative density8.642Relative vapour density8.642Particle characteristicsno data available	Auto-ignition temperature	250 deg C, (482 F) layer /Cadmium metal dust/
pHno data availableKinematic viscosityno data availableSolubility8.2mg/l insolublePartition coefficient n-octanol/waterno data availableVapour pressure1.3 hPa (394 °C)Density and/or relative density8.642Relative vapour density8.642Particle characteristicsno data available	Decomposition temperature	no data available
Kinematic viscosityno data availableSolubility8.2mg/l insolublePartition coefficient n-octanol/waterno data availableVapour pressure1.3 hPa (394 °C)Density and/or relative density8.642Relative vapour density8.642Particle characteristicsno data available	рН	no data available
Solubility8.2mg/l insolublePartition coefficient n-octanol/waterno data availableVapour pressure1.3 hPa (394 °C)Density and/or relative density8.642Relative vapour density8.642Particle characteristicsno data available	Kinematic viscosity	no data available
Partition coefficient n-octanol/water no data available Vapour pressure 1.3 hPa (394 °C) Density and/or relative density 8.642 Relative vapour density 8.642 Particle characteristics no data available	Solubility	8.2mg/l insoluble
Vapour pressure 1.3 hPa (394 °C) Density and/or relative density 8.642 Relative vapour density 8.642 Particle characteristics no data available	Partition coefficient n-octanol/water	no data available
Density and/or relative density 8.642 Relative vapour density 8.642 Particle characteristics no data available	Vapour pressure	1.3 hPa (394 °C)
Relative vapour density 8.642 Particle characteristics no data available	Density and/or relative density	8.642
Particle characteristics no data available	Relative vapour density	8.642
	Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

Reacts with acids. This produces flammable/explosive gas (hydrogen - see ICSC 0001). The dust reacts with oxidants, hydrogen azide, zinc, selenium and tellurium. This generates fire and explosion hazard.

Chemical stability

Slowly oxidized by moist air to form cadmium oxide.

Possibility of hazardous reactions

Powdered cadmium is flammable.Dust explosion possible if in powder or granular form, mixed with air.A violent explosion occurred 30 minutes after placement of a CADMIUM rod into hydrazoic acid [Mellor 8 Supp. 2:50 1967]. Fused ammonium nitrate with powdered metal often produces a violent explosive reaction. Reactivity similar to zinc. May be incompatible with oxidants.

Conditions to avoid

no data available

Incompatible materials

The dust ignites spontaneously in air and is flammable and explosive when exposed to heat, flame, or by chemical reaction with oxidizing agents, metals, ammonia, zinc, selenium, and tellurium.

Hazardous decomposition products

When heated to a high temperature it emits toxic fumes of cadmium.

Acute toxicity

- Oral: LD50 Rat oral 225 mg/kg
- Inhalation: LC50 Rat inhalation 25 mg/cu m/30 minutes
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

NTP: Known to be a human carcinogen. EPA: Probable human carcinogen. IARC: Carcinogenic to humans

Reproductive toxicity

Limited evidence exists for an association between inhalation exposure and a reduction in sperm number and viability in humans. Human developmental studies on cadmium are limited, although there is some evidence to suggest that maternal cadmium exposure may result in decreased birthweights. Animal studies provide evidence that cadmium has developmental effects, such as low fetal weight, skeletal malformations, interference with fetal metabolism, and impaired neurological development, via inhalation and oral exposure. Limited animal data are available, although some reproductive effects, such as decreased reproduction and testicular damage, have been noted following oral exposures.

STOT-single exposure

The fume is irritating to the respiratory tract. Inhalation of fumes may cause lung oedema. See Notes. Inhalation of fumes may cause metal fume fever. The effects may be delayed. Medical observation is indicated.

STOT-repeated exposure

Repeated or prolonged inhalation of dust particles may cause effects on the lungs. The substance may have effects on the kidneys. This may result in kidney impairment. This substance is carcinogenic to humans.

Aspiration hazard

A harmful concentration of airborne particles can be reached quickly when dispersed, especially if powdered.

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Toxics Screening Level

The initial risk screening level (IRSL) for cadmium is 0.0006 µg/m3 (annual averaging time) based on the Environmental Protection Agency's (EPA's) inhalation unit risk, 0.0018 per µg/m3 (EPA 1992, MDNR 1992).

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sever systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN1383 (For reference only, please check.) IMDG: UN1383 (For reference only, please check.) IATA: UN1383 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: PYROPHORIC METAL, N.O.S. or PYROPHORIC ALLOY, N.O.S. (For reference only, please check.) IMDG: PYROPHORIC METAL, N.O.S. or PYROPHORIC ALLOY, N.O.S. (For reference only, please check.) IATA: PYROPHORIC METAL, N.O.S. or PYROPHORIC ALLOY, N.O.S. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 4.2 (For reference only, please check.) IMDG: 4.2 (For reference only, please check.) IATA: 4.2 (For reference only, please check.)

Packing group, if applicable

ADR/RID: I (For reference only, please check.) IMDG: I (For reference only, please check.) IATA: I (For reference only, please check.)

Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS) Listed. **EC Inventory** Listed. United States Toxic Substances Control Act (TSCA) Inventory Listed. China Catalog of Hazardous chemicals 2015 Listed. New Zealand Inventory of Chemicals (NZIoC) Listed. PICCS Listed. **Vietnam National Chemical Inventory** Listed. IECSC Listed. Korea Existing Chemicals List (KECL) Listed. Chemical Book

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index? pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Other Information

Reacts violently with fire extinguishing agents such as water, foam, carbon dioxide and halons.Depending on the degree of exposure, periodic medical examination is suggested. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential.Do NOT take working clothes home.Cadmium also exists in a pyrophoric form (EC No. 048-011-00-X), which bears the additional EU labelling symbol F, R phrase 17, and S phrases 7/8 and 43.UN numbers and packing group will vary according to the physical form of the substance.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.