

Chemical Safety Data Sheet MSDS / SDS

HATU

Revision Date:2026-05-09 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : HATU
CBnumber : CB0122630
CAS : 148893-10-1
EINECS Number : 604-662-7
Synonyms : 2-(7-Aza-1H-Benzotriazole-1-yl)-1,1,3,3-Tetramethyluronium Hexafluorophosphate,O-(7-Azabenzotriazol-1-yl)-N,N,N',N'-tetramethyluronium hexafluorophosphate

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P284 Wear respiratory protection.
P302+P352 IF ON SKIN: wash with plenty of soap and water.

Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
H317 May cause an allergic skin reaction

SECTION 3: Composition/information on ingredients

Substance

Product name	: HATU
Synonyms	: 2-(7-Aza-1H-Benzotriazole-1-yl)-1,1,3,3-Tetramethyluronium Hexafluorophosphate,O-(7-Azabenzotriazol-1-yl)-N,N,N',N'-tetramethyluronium hexafluorophosphate
CAS	: 148893-10-1
EC number	: 604-662-7
MF	: C10H15F6N6OP
MW	: 380.24

SECTION 4: First aid measures

General advice

First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Combustible. Avoid shock and friction. In the event of decomposition: danger of explosion! Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products

Carbon oxides Nitrogen oxides (NOx) Oxides of phosphorus Hydrogen fluoride


Specific extinguishing methods

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

NFPA 704



HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

FIRE 2 Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, [sulfur](#))

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N₂](#))

SPEC.

HAZ.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: Handling and storage

Handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Storage

Further information on storage conditions

Keep locked up or in an area accessible only to qualified or authorised persons. Tightly closed and away from sources of ignition and heat.

Observe national regulations.

Storage class

4.1A, Other explosive hazardous materials

Recommended storage temperature

2 - 8 °C

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection

protective clothing

Hand protection

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Full contact

Manufacturer

KCL 741 L

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Splash contact

Manufacturer

KCL 741 L

Remarks

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

crystalline

Color

light brown

Odor

No data available

Odor Threshold

No data available

pH

No data available

Melting point/ range

183 - 185 °C

Method: lit.

Boiling point/boiling range

No data available

Flash point

Not applicable

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Relative density

No data available

Density

No data available

Water solubility

Soluble in acetonitrile. Insoluble in water.

Partition coefficient: n-octanol/water

No data available

Autoignition temperature

No data available

Decomposition temperature

No data available

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

Risk of explosion if heated under confinement.

Oxidizing properties

none

Molecular weight

380.23 g/mol

Particle characteristics Particle size

No data available

Solubility

>16mg/mL in DMSO

Physical state

powder to crystalline

SECTION 10: Stability and reactivity

Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed. Risk of explosion if heated under confinement. The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Violent reactions possible with: strong oxidising agents

Conditions to avoid

Strong heating (decomposition). no information available

Incompatible materials

No data available

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 2,000 mg/kg

Remarks: (RTECS)

Symptoms: Asthmatic appearance, Shortness of breath

Dermal: No data available

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: No skin irritation (OECD Test Guideline 439)

Remarks: (Lit.)

Skin - In vitro study

Result: Not corrosive (in vitro skin corrosion test)

Remarks: (Lit.)

Serious eye damage/eye irritation

Eyes - Bovine cornea

Result: No eye irritation (OECD Test Guideline 437)

Remarks: (Lit.)

Respiratory or skin sensitization

May cause allergic respiratory and skin reactions

Local lymph node assay (LLNA) - Mouse

Result: positive (OECD Test Guideline 429)

Remarks: May cause sensitisation by skin contact.

(Lit.)

Germ cell mutagenicity

Classified based on available data. For more details, see section 2

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

Salivation, Nausea, Abdominal pain, Vomiting, Fever, Rapid respiration, Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

The following applies to azo dyes in general: azo dyes containing a carcinogenic ar- yl amine component are suspected of possessing a carcinogenic potential. It is therefore recommended that the substance be handled as if it possessed the prop- erties of the basic amine.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : UN 1325

Proper shipping name : Flammable solid, organic, n.o.s.

(O-(7-azobenzotriazol-1-yl)-1,1,3,3-tetramethyluronium hexa fluorophosphate)

Class : 4.1

Packing group : III

Labels : Division 4.1 - Flammable solids

Packing instruction (cargo aircraft) : 449

Packing instruction (passenger aircraft) : 446

IMDG-Code

UN number : UN 1325

Proper shipping name : FLAMMABLE SOLID, ORGANIC, N.O.S.

(O-(7-azobenzotriazol-1-yl)-1,1,3,3-tetramethyluronium hexa fluorophosphate)

Class : 4.1

Packing group : III

Labels : 4.1

EmS Code : F-A, S-G

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : UN 1325

Proper shipping name : FLAMMABLE SOLID, ORGANIC, N.O.S.

(O-(7-azobenzotriazol-1-yl)-1,1,3,3-tetramethyluronium hexa fluorophosphate)

Class : 4.1

Packing group : III

Labels : 4.1

Environmentally hazardous : no

Special precautions for user

Remarks : This substance is related to self-reactive substances according to ADR 2.2.41.1.19, IMDG-Code 2.4.2.4.2 and IATA-DGR 3.4.1.3.2.

Additional packaging restrictions apply as derived from UN Test Series 6.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Hazardous Chemicals for Priority Management

Not applicable under SAWS

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not applicable

Measures on the Environmental Administration of New Chemical Substances Registration

Registration/Notification number

B1A122214043

SECTION 16: Other information

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals

ANTT - National Agency for Transport by Land of Brazil

ASTM - American Society for the Testing of Materials

bw - Body weight

CMR - Carcinogen, Mutagen or Reproductive Toxicant

DIN - Standard of the German Institute for Standardisation

DSL - Domestic Substances List (Canada)

EC_x - Concentration associated with x% response

EL_x - Loading rate associated with x% response

EmS - Emergency Schedule

ENCS - Existing and New Chemical Substances (Japan)

ErC_x - Concentration associated with x% growth rate response

ERG - Emergency Response Guide

GHS - Globally Harmonised System

GLP - Good Laboratory Practice

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC₅₀ - Half maximal inhibitory concentration

ICAO - International Civil Aviation Organization

IECSC - Inventory of Existing Chemical Substances in China

IMDG - International Maritime Dangerous Goods
IMO - International Maritime Organisation
ISHL - Industrial Safety and Health Law (Japan)
ISO - International Organisation for Standardisation
KECI - Korea Existing Chemicals Inventory
LC50 - Lethal Concentration to 50 % of a test population
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL - International Convention for the Prevention of Pollution from Ships
MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods
n.o.s. - Not Otherwise Specified
Nch - Chilean Norm
NO(A)EC - No Observed (Adverse) Effect Concentration
NO(A)EL - No Observed (Adverse) Effect Level
NOELR - No Observable Effect Loading Rate
NOM - Official Mexican Norm
NTP - National Toxicology Program
NZIoC - New Zealand Inventory of Chemicals
OECD - Organisation for Economic Co-operation and Development
OPPTS - Office of Chemical Safety and Pollution Prevention
PBT - Persistent, Bioaccumulative and Toxic substance
PICCS - Philippines Inventory of Chemicals and Chemical Substances
(Q)SAR - (Quantitative) Structure Activity Relationship
REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SADT - Self-Accelerating Decomposition Temperature
SDS - Safety Data Sheet
TCSI - Taiwan Chemical Substance Inventory
TDG - Transportation of Dangerous Goods
TECI - Thailand Existing Chemicals Inventory
TSCA - Toxic Substances Control Act (United States)
UN - United Nations
UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods
vPvB - Very Persistent and Very Bioaccumulative
WHMIS - Workplace Hazardous Materials Information System

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.