

Chemical Safety Data Sheet MSDS / SDS

Sodium bromate

Revision Date:2026-06-06 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Sodium bromate
CBnumber : CB6181002
CAS : 7789-38-0
EINECS Number : 232-160-4
Synonyms : Sodium Bromate,bromide

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P220 Keep/Store away from clothing/.../combustible materials.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302+P352 IF ON SKIN: wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

Hazard statements

H271 May cause fire or explosion; strong oxidiser

H301 Toxic if swallowed

H315 Causes skin irritation
H319 Causes serious eye irritation
H335 May cause respiratory irritation

SECTION 3: Composition/information on ingredients

Substance

Product name : Sodium bromate
Synonyms : Sodium Bromate,bromide
CAS : 7789-38-0
EC number : 232-160-4
MF : BrNaO3
MW : 150.89

SECTION 4: First aid measures

General advice

Show this safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

Protection of first-aiders

For personal protection see section 8.

Notes to physician

No data available

SECTION 5: Firefighting measures

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting

Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

Hazardous combustion products

Hydrogen bromide gas Sodium oxides


Specific extinguishing methods

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

NFPA 704



<input checked="" type="checkbox"/>	HEALTH	1	Exposure would cause irritation with only minor residual injury (e.g. acetone , sodium bromate, potassium chloride)
<input checked="" type="checkbox"/>	FIRE	1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil , ammonia)
<input checked="" type="checkbox"/>	REACT	2	Undergoes violent chemical change at elevated temperatures and pressures, reacts violently with water, or may form explosive mixtures with water (e.g. white phosphorus, potassium , sodium)
<input type="checkbox"/>	SPEC. HAZ.	OX	

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7: Handling and storage

Handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Storage

Further information on storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorised persons. Separately or together with other oxidising substances only and away from sources of ignition and heat. Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them.

Storage class

5.1A, Strongly oxidizing hazardous materials

Recommended storage temperature

Recommended storage temperature see product label.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

No data available

Personal protective equipment

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type

Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection

protective clothing

Hand protection**Material**

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Full contact

Manufacturer

KCL 741 L

Material

Nitrile rubber

Break through time

480 min

Glove thickness

0.11 mm

Protective index

Splash contact

Manufacturer

KCL 741 L

Remarks

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D- 36124 Eichenzell, Internet: www.kcl.de).

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

crystalline

Color

colourless

Odor

odourless

Odor Threshold

Not applicable

pH

neutral Aqueous solution

Melting point/ range

381 °C

Decomposition (decomposition): yes

Boiling point/boiling range

1390 °C

Flash point

Not applicable

Evaporation rate

No data available

Flammability (solid, gas)

The product is not flammable.

Flammability (liquids)

No data available

Burning rate

No data available

Upper explosion limit / Upper flammability limit

Not applicable

Lower explosion limit / Lower flammability limit

Not applicable

Vapor pressure

1 mm Hg (806 °C)

Relative vapor density

No data available

Relative density

3.339 g/mL at 25 °C (lit.)

Density

3.339 g/cm³ (25 °C)

Method: lit.

Water solubility

364 g/l (20 °C)

Partition coefficient: n-octanol/water

Not applicable for inorganic substances

Autoignition temperature

Not applicable

Decomposition temperature

≥ 381 °C

Viscosity, dynamic

No data available

Viscosity, kinematic

No data available

Flow time

No data available

Explosive properties

Not classified as explosive.

Oxidizing properties

May cause fire or explosion; strong oxidizer.

Molecular weight

150.89 g/mol

Particle characteristics Particle size

No data available

Solubility

H₂O: 1 M at 20 °C, clear, colorless

Physical state

Powder/Solid

SECTION 10: Stability and reactivity**Reactivity**

No data available

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Violent reactions possible with: Reducing agents combustible substances Aluminium ammonium compounds Fluorine carbon Powdered metals sulfur phosphorus arsenic sulfuric acid Sulphides Copper

Conditions to avoid

no information available

Incompatible materials

No data available

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 157 mg/kg (OECD Test Guideline 401)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: Causes skin irritation.

Serious eye damage/eye irritation

Eyes - Mammal

Result: Irritating to eyes.

(OECD Test Guideline 437)

Respiratory or skin sensitization

Human experience

Result: negative

Remarks: (Lit.)

Germ cell mutagenicity

Test Type: Ames test

Result: negative

Remarks: (HSDB)

Carcinogenicity

Classified based on available data. For more details, see section 2

Reproductive toxicity

Classified based on available data. For more details, see section 2

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

Aspiration hazard

Classified based on available data. For more details, see section 2

11.2 Additional Information

RTECS: EF8750000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

We have no description of any toxic symptoms.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

Ecotoxicity

Components:

sodium bromate:

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: Regulation (EC) No. 440/2008, Annex, C.2 GLP: yes

Toxicity to algae/aquatic plants

NOEC (Desmodesmus subspicatus (green algae)): 31.6 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method:

OECD Test Guideline 201 GLP: yes

Persistence and degradability

Components:

sodium bromate:

Biodegradability

Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

Components:

sodium bromate:

Partition coefficient: octanol/water

Remarks: Not applicable for inorganic substances

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13: Disposal considerations

Disposal methods

Waste from residues

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

International Regulations

IATA-DGR

UN/ID No. : UN 1494

Proper shipping name : Sodium bromate

Class : 5.1

Packing group : II

Labels : Division 5.1 - Oxidizing substances

Packing instruction (cargo aircraft) : 562

Packing instruction (passenger aircraft) : 558

IMDG-Code

UN number : UN 1494

Proper shipping name : SODIUM BROMATE

Class : 5.1

Packing group : II

Labels : 5.1

EmS Code : F-H, S-Q

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

JT/T 617

UN number : UN 1494

Proper shipping name : SODIUM BROMATE

Class : 5.1

Packing group : II

Labels : 5.1

Environmentally hazardous : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

National regulatory information

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals

Listed

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code Chemical name / Category Threshold quantity

W9.2 Oxidising solids and liquids 200 t

Hazardous Chemicals for Priority Management

Not listed under SAWS

Catalogue of Specially Controlled Hazardous

Not listed Chemicals

List of Explosive Precursors

Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals

Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export

Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals

Not listed

Regulations on the Administration of Controlled Chemicals

List of Controlled Chemicals

Not listed

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances

Not listed

List of Controlled Ozone Depleting Substances Import and Export

Not listed

Environmental Protection Law

List of Priority Controlled Chemicals

Not listed

List of Key Controlled New Pollutants

Not listed

SECTION 16: Other information

Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals

ANTT - National Agency for Transport by Land of Brazil

ASTM - American Society for the Testing of Materials

bw - Body weight

CMR - Carcinogen, Mutagen or Reproductive Toxicant

DIN - Standard of the German Institute for Standardisation

DSL - Domestic Substances List (Canada)

EC_x - Concentration associated with x% response

EL_x - Loading rate associated with x% response

EmS - Emergency Schedule

ENCS - Existing and New Chemical Substances (Japan)

ErC_x - Concentration associated with x% growth rate response

ERG - Emergency Response Guide

GHS - Globally Harmonised System

GLP - Good Laboratory Practice

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC50 - Half maximal inhibitory concentration

ICAO - International Civil Aviation Organization

IECSC - Inventory of Existing Chemical Substances in China

IMDG - International Maritime Dangerous Goods

IMO - International Maritime Organisation

ISHL - Industrial Safety and Health Law (Japan)

ISO - International Organisation for Standardisation

KECI - Korea Existing Chemicals Inventory

LC50 - Lethal Concentration to 50 % of a test population

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)

MARPOL - International Convention for the Prevention of Pollution from Ships

MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods

n.o.s. - Not Otherwise Specified

Nch - Chilean Norm

NO(A)EC - No Observed (Adverse) Effect Concentration

NO(A)EL - No Observed (Adverse) Effect Level

NOELR - No Observable Effect Loading Rate

NOM - Official Mexican Norm

NTP - National Toxicology Program

NZIoC - New Zealand Inventory of Chemicals

OECD - Organisation for Economic Co-operation and Development

OPPTS - Office of Chemical Safety and Pollution Prevention

PBT - Persistent, Bioaccumulative and Toxic substance

PICCS - Philippines Inventory of Chemicals and Chemical Substances

(Q)SAR - (Quantitative) Structure Activity Relationship

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

SADT - Self-Accelerating Decomposition Temperature

SDS - Safety Data Sheet

TCSI - Taiwan Chemical Substance Inventory

TDG - Transportation of Dangerous Goods

TECI - Thailand Existing Chemicals Inventory

TSCA - Toxic Substances Control Act (United States)

UN - United Nations

UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

vPvB - Very Persistent and Very Bioaccumulative

WHMIS - Workplace Hazardous Materials Information System

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.

