Chemical Safety Data Sheet MSDS / SDS

Aluminum

Revision Date:2024-02-24 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: Aluminum
CBnumber	: CB6227696
CAS	: 7429-90-5
EINECS Number	: 231-072-3
Synonyms	: Al,Aluminum
Relevant identified uses of the	substance or mixture and uses advised against
Relevant identified uses of the Relevant identified uses	substance or mixture and uses advised against : For R&D use only. Not for medicinal, household or other use.
	-
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.

Company	: Chemicalbook
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone	: 400-158-6606

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

Precautionary statements

P501 Dispose of contents/container to.....

P422 Store contents under ...

P391 Collect spillage. Hazardous to the aquatic environment

P370+P378 In case of fire: Use ... for extinction.

P335+P334 Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.

P240 Ground/bond container and receiving equipment.

P231+P232 Handle under inert gas. Protect from moisture.

1

P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire.

P222 Do not allow contact with air.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Hazard statements

H410 Very toxic to aquatic life with long lasting effects

H400 Very toxic to aquatic life

H261 In contact with water releases flammable gas

H250 Catches fire spontaneously if exposed to air

H228 Flammable solid

SECTION 3: Composition/information on ingredients

Substance

Product name	: Aluminum
Synonyms	: Al,Aluminum
CAS	: 7429-90-5
EC number	: 231-072-3
MF	: Al
MW	: 26.98

SECTION 4: First aid measures

Description of first aid measures

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

Notes to physician

No data available

Extinguishing media

Suitable extinguishing media

Sand Special powder against metal fire Cement

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture


Aluminum oxide Not combustible.

Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704



HEALTH	0	Poses no health hazard, no precautions necessary and would offer no hazard beyond that of ordinary combustible materials
FIRE	3	Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, <u>acetone</u>)
REACT	1	Normally stable, but can become unstable at elevated temperatures and pressures (e.g. propene)
SPEC. HAZ.		

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

No data available

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril? L Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril? L

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other

Control of environmental exposure

Do not let product enter drains.

Exposure limits

TLV-TWA 10 mg/m³ (Al dust), 5 mg/m³ (pyrophoric Al powder and welding fumes), 2 mg/m³ (soluble Al salts and alkyls) (ACGIH).

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Appearance	Foil
Odour	No data available
Odour Threshold	No data available
рН	0.5 (H2O, 20°C)
Melting point/freezing point	Melting point/freezing point: 660 °C
Initial boiling point and boiling range	2,327 °C
Flash point	400°C
Evaporation rate	No data available
Flammability (solid, gas)	The product is not flammable.
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	No data available
Vapour density	No data available
Relative density	2.7
Water solubility	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available
resistivity	2.6548 μΩ-cm

Other safety information

No data available

SECTION 10: Stability and reactivity

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

No data available

Conditions to avoid

no information available

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation

Acute toxicity

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Toxicity

An element that is abundant (about 8%) in the crust of the earth. Aluminum appears to have no biological function and, from the point of view of acute toxicity, is essentially non-toxic. Because it is primarily eliminated by excretion, people with compromised kidney function may accumulate the metal. In kidney dialysis patients, this is a particular problem because the dialyzing solution may contain high concentrations of aluminum. This condition (dialysis encephalopathy or dialysis dementia) has symptoms that include impaired memory, EEG changes, dementia, aphasia, ataxia, and convulsions.One possible mechanism of toxicity may be inhibition of hexokinases in the brain. The chelating agent deferoxamine has been used successfully in treating this condition.Aluminum is one of the primary toxicants leached into surface water (and, therefore, water supplies) by acid deposition. The connection between aluminum and Alzheimers disease is controversial and many Chemical Book

SECTION 12: Ecological information

Toxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Incompatibilities

Aluminum powder forms an explosive mixture with air and is a strong reducing agent that reacts violently with oxidizers, strong bases; strong

acids; somehalogenated hydrocarbons; nitrates, sulfates, metal oxides and many other substances. Keep away from combustible materials.

Waste Disposal

Aluminum powder may be recovered and sold as scrap. Recycling and recovery is a viable option to disposal for aluminum metal and aluminum fluoride (A-57).

SECTION 14: Transport information

UN number

ADR/RID: IMDG: IATA-DGR:

UN proper shipping name

ADR/RID: IMDG:

IATA-DGR:

Transport hazard class(es)

ADR/RID: IMDG: IATA-DGR:

Packaging group

ADR/RID: IMDG: IATA-DGR:

Environmental hazards

ADR/RID: IMDG Marine pollutant: IATA-DGR:

Special precautions for user

Based on chemical properties, choose appropriate tools and conditions of transport. Transporting tools shall be equipped with appropriate and sufficient firefighting equipment and emergency leaking installations. If transporting by road, please go along the specified route.

Incompatible materials

Strong oxidizing agents

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

SECTION 16: Other information

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Other Information

Other UN number: UN1309 Aluminium powder, coated, Hazard class 4.1, Pack group II.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.