

## Chemical Safety Data Sheet MSDS / SDS

**Bis(2-ethylhexyl)amine**

Revision Date:2024-04-20 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : Bis(2-ethylhexyl)amine  
CBnumber : CB7202470  
CAS : 106-20-7  
EINECS Number : 203-372-4  
Synonyms : Bis(2-Ethylhexyl)Amine,D2H

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Danger

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P405 Store locked up.

P501 Dispose of contents/container to.....

#### **Hazard statements**

H302 Harmful if swallowed

H311 Toxic in contact with skin

H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H331 Toxic if inhaled

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Bis(2-ethylhexyl)amine
Synonyms	: Bis(2-Ethylhexyl)Amine,D2H
CAS	: 106-20-7
EC number	: 203-372-4
MF	: C16H35N
MW	: 241.46

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

First aider needs to protect himself. Show this material safety data sheet to the doctor in attendance.

#### **If inhaled**

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Pulmonary failure possible after aspiration of vomit. Call a physician immediately. Do not attempt to neutralise.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **Indication of any immediate medical attention and special treatment needed**

No data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>) Foam Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NO<sub>x</sub>) Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.


### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



HEALTH 2 Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. [diethyl ether](#), ammonium phosphate, iodine)

FIRE 1 Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. [mineral oil](#), ammonia)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N<sub>2</sub>](#))

SPEC.

HAZ.

---

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains.

### **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g.

Chemizorb?). Dispose of properly. Clean up affected area.

### **Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### **Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### **Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **control parameter**

#### **Hazard composition and occupational exposure limits**

Does not contain substances with occupational exposure limits.

#### **Exposure controls**

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested: Butoject? (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact Material: Viton?

Minimum layer thickness: 0,7 mm Break through time: 120 min

Material tested: Vitoject? (KCL 890 / Aldrich Z677698, Size M)

#### Body Protection

protective clothing

#### Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	clear liquid
Odour	No data available
Odour Threshold	No data available
pH	9 at 0,01 g/l at 25 °C - DIN 19268
Melting point/freezing point	Melting point: < -20 °C
Initial boiling point and boiling range	123 °C at 7 hPa - lit.
Flash point	130 °C - Pensky-Martens closed cup - ISO 2719
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	Upper explosion limit: 3,7 %(V) Lower explosion limit: 0,6 %(V)
Vapour pressure	0,002 hPa at 20 °C - OECD Test Guideline 104
Vapour density	No data available
Relative density	0,805 g/cm <sup>3</sup> at 25 °C - lit.

Water solubility	0,014 g/l at 20 °C - OECD Test Guideline 105- slightly soluble
Partition coefficient: n-octanol/water	log Pow: 7,3 at 25 °C - OECD Test Guideline 117 - Bioaccumulation is not expected.
Autoignition temperature	245 °C at 1.001 hPa - DIN 51794
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: 4,58 mm <sup>2</sup> /s at 20 °C - ASTM D 4452,79 mm <sup>2</sup> /s at 40 °C - ASTM D 445 Viscosity, dynamic: 3,68 mPa.s at 20 °C - ASTM D 445
Explosive properties	No data available
Oxidizing properties	No data available

### Other safety information

Surface tension 48 mN/m at 0,013g/l at 20 °C

- OECD Test Guideline 115 Dissociation constant ca.10,59 at 25 °C

---

## SECTION 10: Stability and reactivity

### Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Exothermic reaction with:

acids

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

### Conditions to avoid

Strong heating.

### Incompatible materials

no information available

### Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 1.008 mg/kg

(OECD Test Guideline 401)

Symptoms: After swallowing: burns in mouth, throat, oesophagus and gastrointestinal tract.

LC50 Inhalation - Rat - male and female - 4 h - 0,91 mg/l (OECD Test Guideline 403)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

LD50 Dermal - Rabbit - 956 mg/kg Remarks: (Lit.)

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: Causes burns. - 3 min - 1 h Remarks: (ECHA)

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Severe irritations Remarks: Causes eye burns. Causes serious eye damage.

#### **Respiratory or skin sensitization**

No data available

#### **Germ cell mutagenicity**

Ames test

Salmonella typhimurium Result: negative

In vitro mammalian cell gene mutation test Chinese hamster lung cells

Result: negative Micronucleus test

Chinese hamster lung cells Result: negative

#### **Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure**

No data available

Acute oral toxicity - After swallowing: burns in mouth, throat, oesophagus and gastrointestinal tract.

Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

#### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

#### **Toxicity**

LD50 orally in Rabbit: 1008 mg/kg LD50 dermal Rabbit 956 mg/kg

---

## SECTION 12: Ecological information

### **Toxicity**

#### **Toxicity to fish**

static test LC50 - Leuciscus idus (Golden orfe) - 1,5 - 2,2 mg/l - 96 h

(DIN 38412 part 15)

#### **Toxicity to daphnia and other aquatic invertebrates**

static test EC50 - Daphnia magna (Water flea) - 2,2 mg/l - 48 h (Directive 67/548/EEC, Annex V, C.2.)

### **Toxicity to algae**

static test ErC50 - *Desmodesmus subspicatus* (green algae) - 1,55

mg/l - 72 h (DIN 38412)

### **Toxicity to bacteria**

static test EC50 - activated sludge - 89 mg/l - 3 h (OECD Test Guideline 209)

### **Persistence and degradability**

Biodegradability aerobic - Exposure time 39 d

Result: 40 - 50 % - Not readily biodegradable. (OECD Test Guideline 301B)

### **Bioaccumulative potential**

No data available

### **Mobility in soil**

No data available

### **Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Other adverse effects**

Discharge into the environment must be avoided.

---

## SECTION 13: Disposal considerations

### **Waste treatment methods**

### **Product**

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### **UN number**

ADR/RID: 2922 IMDG: 2922 IATA: 2922

### **UN proper shipping name**

ADR/RID: CORROSIVE LIQUID, TOXIC, N.O.S. (2-Ethyl-N-(2-ethylhexyl)-1-hexanamine) IMDG: CORROSIVE LIQUID, TOXIC, N.O.S. (2-Ethyl-N-(2-ethylhexyl)-1-hexanamine) IATA: Corrosive liquid, toxic, n.o.s. (2-Ethyl-N-(2-ethylhexyl)-1-hexanamine)

### **Transport hazard class(es)**

ADR/RID: 8 (6.1) IMDG: 8 (6.1) IATA: 8 (6.1)

### **Packaging group**

ADR/RID: II IMDG: II IATA: II



## Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

## Special precautions for user

No data available

---

# SECTION 15: Regulatory information

## Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: <https://www.mem.gov.cn/>

### Measures for Environmental Management of New Chemical Substances

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: <https://echa.europa.eu/>

Korea Existing Chemicals List (KECL):Listed. website: <http://ncis.nier.go.kr>

EC Inventory:Listed.

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: <https://www.epa.gov/>

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

---

# SECTION 16: Other information

## Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

## References

**[1]** CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

**[2]** ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

**[3]** ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

**[4]** eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

- 【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- 【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- 【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- 【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- 【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- 【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.