Chemical Safety Data Sheet MSDS / SDS

Cyanuric chloride

Revision Date:2025-02-01 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: Cyanuric chloride
CBnumber	: CB9852761
CAS	: 108-77-0
EINECS Number	: 203-614-9
Synonyms	: Cyanuric chloride,TCT

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.
Uses advised against	: none
Company Identification	
Company	: Chemicalbook
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone	: 010-86108875

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word

Danger

Precautionary statements

P501 Dispose of contents/container to.....

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P320 Specific treatment is urgent (see ... on this label).

P307+P311 IF exposed: call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P284 Wear respiratory protection.

P272 Contaminated work clothing should not be allowed out of the workplace. P271 Use only outdoors or in a well-ventilated area. P270 Do not eat, drink or smoke when using this product. P264 Wash skin thouroughly after handling. P264 Wash hands thoroughly after handling. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P202 Do not handle until all safety precautions have been read and understood. P201 Obtain special instructions before use. Hazard statements H372 Causes damage to organs through prolonged or repeated exposure H370 Causes damage to organs H311 Suspected of damaging fertility or the unborn child H314 Suspected of causing genetic defects H330 Fatal if inhaled H318 Causes serious eye damage H317 May cause an allergic skin reaction
P270 Do not eat, drink or smoke when using this product. P264 Wash skin thouroughly after handling. P264 Wash hands thoroughly after handling. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P202 Do not handle until all safety precautions have been read and understood. P201 Obtain special instructions before use. Hazard statements H372 Causes damage to organs through prolonged or repeated exposure H370 Causes damage to organs H361 Suspected of damaging fertility or the unborn child H341 Suspected of causing genetic defects H336 May cause drowsiness or dizziness H330 Fatal if inhaled H38 Causes serious eye damage
P264 Wash skin thouroughly after handling. P264 Wash hands thoroughly after handling. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P202 Do not handle until all safety precautions have been read and understood. P201 Obtain special instructions before use. Hazard statements H372 Causes damage to organs through prolonged or repeated exposure H370 Causes damage to organs H361 Suspected of damaging fertility or the unborn child H341 Suspected of causing genetic defects H336 May cause drowsiness or dizziness H330 Fatal if inhaled H318 Causes serious eye damage
P264 Wash hands thoroughly after handling. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P202 Do not handle until all safety precautions have been read and understood. P201 Obtain special instructions before use. Hazard statements H372 Causes damage to organs through prolonged or repeated exposure H370 Causes damage to organs H361 Suspected of damaging fertility or the unborn child H341 Suspected of causing genetic defects H336 May cause drowsiness or dizziness H330 Fatal if inhaled H318 Causes serious eye damage
P260 Do not breathe dust/fume/gas/mist/vapours/spray. P202 Do not handle until all safety precautions have been read and understood. P201 Obtain special instructions before use. Hazard statements H372 Causes damage to organs through prolonged or repeated exposure H370 Causes damage to organs H361 Suspected of damaging fertility or the unborn child H341 Suspected of causing genetic defects H336 May cause drowsiness or dizziness H330 Fatal if inhaled H318 Causes serious eye damage
P202 Do not handle until all safety precautions have been read and understood. P201 Obtain special instructions before use. Hazard statements H372 Causes damage to organs through prolonged or repeated exposure H370 Causes damage to organs H361 Suspected of damaging fertility or the unborn child H341 Suspected of causing genetic defects H336 May cause drowsiness or dizziness H330 Fatal if inhaled H318 Causes serious eye damage
P201 Obtain special instructions before use. Hazard statements H372 Causes damage to organs through prolonged or repeated exposure H370 Causes damage to organs H361 Suspected of damaging fertility or the unborn child H341 Suspected of causing genetic defects H336 May cause drowsiness or dizziness H330 Fatal if inhaled H318 Causes serious eye damage
Hazard statements H372 Causes damage to organs through prolonged or repeated exposure H370 Causes damage to organs H361 Suspected of damaging fertility or the unborn child H341 Suspected of causing genetic defects H336 May cause drowsiness or dizziness H330 Fatal if inhaled H318 Causes serious eye damage
H372 Causes damage to organs through prolonged or repeated exposure H370 Causes damage to organs H361 Suspected of damaging fertility or the unborn child H341 Suspected of causing genetic defects H336 May cause drowsiness or dizziness H330 Fatal if inhaled H318 Causes serious eye damage
H370 Causes damage to organs H361 Suspected of damaging fertility or the unborn child H341 Suspected of causing genetic defects H336 May cause drowsiness or dizziness H330 Fatal if inhaled H318 Causes serious eye damage
H361 Suspected of damaging fertility or the unborn child H341 Suspected of causing genetic defects H336 May cause drowsiness or dizziness H330 Fatal if inhaled H318 Causes serious eye damage
H341 Suspected of causing genetic defects H336 May cause drowsiness or dizziness H330 Fatal if inhaled H318 Causes serious eye damage
H336 May cause drowsiness or dizziness H330 Fatal if inhaled H318 Causes serious eye damage
H330 Fatal if inhaled H318 Causes serious eye damage
H318 Causes serious eye damage
H317 May cause an allergic skin reaction
H315 Causes skin irritation
H314 Causes severe skin burns and eye damage
H302 Harmful if swallowed
H301 Toxic if swalloed

SECTION 3: Composition/information on ingredients

Substance

Product name	: Cyanuric chloride
Synonyms	: Cyanuric chloride,TCT
CAS	: 108-77-0
EC number	: 203-614-9
MF	: C3Cl3N3
MW	: 184.41

SECTION 4: First aid measures

Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a

physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas


Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

NFPA 704





SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Store in cool place. Never allow product to get in contact with water during storage.

Storage stability

Recommended storage temperature

2 - 8 °C

Air and moisture sensitive. Handle and store under inert gas.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and

approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific

situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Appearance	white powder
Odour	pungent
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/range: 145 - 147 °C - lit.
Initial boiling point and boiling range	190 °C - lit.
Flash point	>200 °C - closed cup - ISO 3679
Evaporation rate	No data available
Flammability (solid, gas)	The product is not flammable Flammability (solids)
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	0,6 hPa at 20 °C - OECD Test Guideline 104
Vapour density	6,37 - (Air = 1.0)
Relative density	ca.1,904 at 21,6 °C - OECD Test Guideline 109
Water solubility	No data available
Partition coefficient: n-octanol/water	log Pow: 0,512 Bioaccumulation is not expected.
Autoignition temperature	>433 °C - Relative self-ignition temperature for solidsdoes not ignite
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

Other safety information

Bulk density 1.920 kg/m3 Relative vapor density 6,37 - (Air = 1.0)

SECTION 10: Stability and reactivity

Reactivity

Reacts violently with water.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Reacts violently with water.

Conditions to avoid

Exposure to moisture.

Incompatible materials

Strong oxidizing agents, Strong acids, Alcohols, Dimethylformamide, Amines, Dimethyl sulfoxide. (DMSO)

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 315 mg/kg (OECD Test Guideline 401) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. LC50 Inhalation - Rat - male and female - 4 h - 0,15 mg/l (OECD Test Guideline 403) Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, After a latency period:, Lung edema, Pneumonia LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg (OECD Test Guideline 402) Skin corrosion/irritation Skin - Rabbit Result: Causes burns. - 24 h (OECD Test Guideline 404) Remarks: Necrosis Serious eye damage/eye irritation Eyes - Rabbit Result: Severe irritations (OECD Test Guideline 405) Remarks: (Regulation (EC) No 1272/2008, Annex VI) Causes serious eye damage. Respiratory or skin sensitization (OECD Test Guideline 406) Germ cell mutagenicity Ames test Escherichia coli/Salmonella typhimurium Result: negative In vitro mammalian cell gene mutation test mouse lymphoma cells Result: negative **OECD** Test Guideline 474 Mouse - male and female - Bone marrow Result: negative Carcinogenicity IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **Reproductive toxicity** No data available Specific target organ toxicity - single exposure

May cause respiratory irritation.

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, After a latency period:, Lung edema, Pneumonia **Specific target organ toxicity - repeated exposure** No data available **Aspiration hazard** No data available **Toxicity** LD50 orally in Rabbit: 315 mg/kg LD50 dermal Rabbit > 2000 mg/kg

SECTION 12: Ecological information

Toxicity

Toxicity to fish

static test LC50 - Poecilia reticulata (guppy) - > 1.000 mg/l - 96 h (OECD Test Guideline 203)

Remarks: (in analogy to similar products)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 1.000 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to algae

static test ErC50 - Selenastrum capricornutum (green algae) - 620 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: (in analogy to similar products)

Toxicity to bacteria

NOEC - activated sludge - 576 mg/l - 5 Days Remarks: (ECHA)

Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 8 % - Not readily biodegradable. (OECD Test Guideline 301E) Remarks: (in analogy to similar compounds)

Bioaccumulative potential

Does not bioaccumulate.

Mobility in soil

No data available

Results of PBT and vPvB assessment

very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

Possible decomposition products in case of hydrolyzis are:

Hydrogen chloride gas

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

Product

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

UN number

ADR/RID: 2670 IMDG: 2670 IATA: 2670

UN proper shipping name

ADR/RID: CYANURIC CHLORIDE IMDG: CYANURIC CHLORIDE

IATA: Cyanuric chloride

14.3	Transport hazard class(es)		
	ADR/RID: 8 IMDG: 8	IATA: 8	
14.4	Packaging group		
	Adr/Rid: II IMDG: II	IATA: II	
14.5	Environmental hazards		
	ADR/RID: no IMDG Marine pollutant: no	IATA: no	
14.6	Special precautions for user		
	No data available		

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/ Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/ New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/ Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/ Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/ United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/ EC Inventory:Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Other Information

The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort.Rest and medical observation are therefore essential.Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered.Anyone who has shown symptoms of asthma due to this substance should avoid all further contact.The symptoms of asthma often do not become manifest until a few hours have passed and they are aggravated by physical effort.Rest Chemical Book

and medical observation are therefore essential. Reacts violently with fire extinguishing agents such as water.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.