## Chemical Safety Data Sheet MSDS / SDS

### Cyclohexyl mercaptan

Revision Date:2023-11-29 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **Product identifier**

Product name	: Cyclohexyl mercaptan				
CBnumber	: CB8853150				
CAS	: 1569-69-3				
EINECS Number	: 216-378-7				
Synonyms	: Cyclohexanethiol,cyclohexyl mercaptan				
Relevant identified uses of the substance or mixture and uses advised against					
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.				
Uses advised against	: none				
Company Identification					
Company	: Chemicalbook				
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing				
Telephone	: 400-158-6606				

### SECTION 2: Hazards identification

### GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Warning

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P501 Dispose of contents/container to.....

P403+P235 Store in a well-ventilated place. Keep cool.

P370+P378 In case of fire: Use ... for extinction.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P271 Use only outdoors or in a well-ventilated area.

P270 Do not eat, drink or smoke when using this product.

1

P264 Wash skin thouroughly after handling.

P264 Wash hands thoroughly after handling.

### Hazard statements

H332 Harmful if inhaled

H319 Causes serious eye irritation

H315 Causes skin irritation

H302 Harmful if swallowed

H226 Flammable liquid and vapour

### SECTION 3: Composition/information on ingredients

### Substance

Product name	: Cyclohexyl mercaptan
Synonyms	: Cyclohexanethiol,cyclohexyl mercaptan
CAS	: 1569-69-3
EC number	: 216-378-7
MF	: C6H12S
MW	: 116.22

### SECTION 4: First aid measures

### Description of first aid measures

### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### **Extinguishing media**

### Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Carbon oxides Sulfur oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **Further information**

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **NFPA 704**

2	2 <	0
HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u> , ammonium phosphate, iodine)
FIRE	2	Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, <u>sulfur</u> )
REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <u>N2</u> )
SPEC. HAZ.		

### SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains. Risk of explosion.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquidabsorbent material (e.g.

Chemizorb?). Dispose of properly. Clean up affected area.

#### **Reference to other sections**

For disposal see section 13.

### SECTION 7: Handling and storage

### Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

#### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

### control parameter

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### Exposure controls

### Personal protective equipment

Eye/face protection

#### Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested: Butoject? (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 120 min

Material tested:Camatril? (KCL 730 / Aldrich Z677442, Size M)

**Body Protection** 

Flame retardant antistatic protective clothing.

**Respiratory protection** 

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other

accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

### SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	colorless liquid
Odour	malodorous
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point:< -20 °C at 1.013 hPa
Initial boiling point and boiling range	158 - 160 °C - lit.
Flash point	43 °C - Pensky-Martens closed cup - ISO 2719
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Lower explosion limit: 1,1 %(V)
limits	

Vapour pressure	5 hPa at 20 °C
Vapour density	4 (vs air)
Relative density	No data available
Water solubility	0,05 g/l at 20 °C - OECD Test Guideline 105- slightly soluble
Partition coefficient: n-octanol/water	log Pow: 3,7 at 25 °C - Potential bioaccumulation
Autoignition temperature	262 °C at 1.009 hPa - Tested according to Annex V of Directive 67/548/EEC.
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

### Other safety information

No data available

### SECTION 10: Stability and reactivity

### Reactivity

Vapor/air-mixtures are explosive at intense warming.

### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Violent reactions possible with: Oxidizing agents Bases Reducing agents Alkali metals

### Conditions to avoid

Heating.

### Incompatible materials

No data available

### Hazardous decomposition products

In the event of fire: see section 5

### SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 1.220 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 5,6 - 13,3 mg/l (OECD Test Guideline 403) Chemical Book LD50 Dermal - Rabbit - male and female - 7.820 mg/kg (OECD Test Guideline 402)

### Skin corrosion/irritation

Skin - Rabbit

Result: Severe irritations (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: slight irritation (OECD Test Guideline 405)

#### Respiratory or skin sensitization

Sensitisation test: - Mouse Result: positive

(OECD Test Guideline 429)

### Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

4/1

Result: negative

Carcinogenicity

No data available

### **Reproductive toxicity**

Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard

### **SECTION 12: Ecological information**

### Toxicity

#### Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 0,71 mg/l - 48 h (OECD Test Guideline 202)

#### Toxicity to algae

static test EC50 - Desmodesmus subspicatus (green algae) - 0,28 mg/l - 72 h

(OECD Test Guideline 201)

### Persistence and degradability

Biodegradability aerobic - Exposure time 28 d (OECD Test Guideline 301F)

### Bioaccumulative potential

### Mobility in soil

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

Discharge into the environment must be avoided.

### SECTION 13: Disposal considerations

### Waste treatment methods

### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14: Transport information**

### **UN number**

ADR/RID: 3054 IMDG: 3054 IATA: 3054

### UN proper shipping name

### ADR/RID: CYCLOHEXYL MERCAPTAN IMDG: CYCLOHEXYL MERCAPTAN

### IATA: Cyclohexyl mercaptan

14.3	Transport hazard class(es)	
14.5	ADR/RID: 3 IMDG: 3	IATA: 3
14.4	Packaging group	
14.4	ADR/RID: III IMDG: III	IATA: III
14.5	Environmental hazards	
14.5	ADR/RID: no IMDG Marine pollutant: no	IATA: no
14.6	Special precautions for user	
14.0	No data available	

### SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Regulations on the Safety Management of Hazardous Chemicals**

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/ EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Vietnam National Chemical Inventory:Not Listed. website: https://chemicaldata.gov.vn/

### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

#### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

### **Other Information**

The auto-ignition temperature is unknown in the literature. Explosive limits are unknown in literature, although the substance is combustible

and has a flash point < 61°C.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.