Chemical Safety Data Sheet MSDS / SDS

D-(+)-ALLOSE

Revision Date:2024-04-27 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: D-(+)-ALLOSE	
CBnumber	: CB6416942	
CAS	: 2595-97-3	
EINECS Number	: 219-994-4	
Synonyms	: D-Allose,(2R,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexanal	
Relevant identified uses of the substance or mixture and uses advised against		
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.	
Uses advised against	: none	
Company Identification		
Company	: Chemicalbook	
Address	: Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing	
Telephone	: 400-158-6606	

SECTION 2: Hazards identification

Classification of the substance or mixture

no data available

Label elements

Pictogram(s)Signal wordno data availableHazard statement(s)no data availablePrecautionary statement(s)Preventionno data availableResponseno data availableStorageno data availableDisposal

1

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

Product name	: D-(+)-ALLOSE
Synonyms	: D-Allose,(2R,3R,4R,5R)-2,3,4,5,6-pentahydroxyhexanal
CAS	: 2595-97-3
EC number	: 219-994-4
MF	: C6H12O6
MW	: 180.16

SECTION 4: First aid measures

Description of first aid measures

lf inhaled

Fresh air, rest.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth.

Most important symptoms and effects, both acute and delayed

No toxicity (USCG, 1999)

Indication of any immediate medical attention and special treatment needed

Pancreatic beta cells are highly sensitive to oxidative stress, which might play an important role in beta cell death in diabetes. The protective effect of 6,6'-bieckol, a phlorotannin polyphenol compound purified from Ecklonia cava, against high glucose-induced glucotoxicity was investigated in rat insulinoma cells. High glucose (30 mM) treatment induced the death of rat insulinoma cells, but treatment with 10 or 50 ug/mL 6,6'-bieckol significantly inhibited the high glucose-induced glucotoxicity. Furthermore, treatment with 6,6'-bieckol dose-dependently reduced the level of thiobarbituric acid reactive substances, generation of intracellular reactive oxygen species, and the level of nitric oxide, all of which were increased by high glucose concentration. In addition, 6,6'-bieckol protected rat insulinoma cells from apoptosis under high-glucose conditions. These effects were associated with increased expression of the anti-apoptotic protein Bcl-2 and reduced expression of the pro-apoptotic protein Bax. These findings indicate that 6,6'-bieckol could be used as a potential nutraceutical agent offering protection against the glucotoxicity caused by hyperglycemia-induced oxidative stress associated with diabetes.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.


Specific Hazards Arising from the Chemical

no data available

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Sweep spilled substance into covered containers. Wash away remainder with plenty of water.

Methods and materials for containment and cleaning up

ACCIDENTAL RELEASE MEASURES: Personal precautions, protective equipment and emergency procedures: Avoid dust formation. Avoid breathing vapors, mist or gas; Environmental precautions: No special environmental precautions required; Methods and materials for containment and cleaning up: Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Separated from strong oxidants. Well closed.Keep container tightly closed in a dry and well-ventilated place. Hygroscopic. Keep in a dry place.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

Individual protection measures

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The

selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state	Solid
Colour	White
Odour	Odorless
Melting point/freezing point	268°C(lit.)

Boiling point or initial boiling point and 87°C/0.1mmHg(lit.)

boiling range

Flammability	Combustible.
Lower and upper explosion	no data available
limit/flammability limit	
Flash point	65°C(lit.)
Auto-ignition temperature	Not flammable (USCG, 1999)
Decomposition temperature	no data available
рН	pH of 0.5 molar aqueous solution = 5.9 /alpha-glucose/
Kinematic viscosity	no data available
Solubility	DMSO (Slightly), Methanol (Slightly), Water (Slightly)
Partition coefficient n-octanol/water	no data available
Vapour pressure	1.83E-08mmHg at 25°C
Density and/or relative density	1.732 g/cm3
Relative vapour density	no data available
Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

Reacts violently with strong oxidants.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Dust explosion possible if in powder or granular form, mixed with air.A weak reducing agent.

Conditions to avoid

no data available

Incompatible materials

Incompatible materials: Strong oxidizing agents

Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Rat oral 25,800 mg/kg
- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available Toxicity to daphnia and other aquatic invertebrates: no data available Toxicity to algae: no data available Toxicity to microorganisms: no data available

Persistence and degradability

AEROBIC: D(+)-Glucose, present at 1000 mg/L, reached >90% of its theoretical BOD in 2 days using a non-adapted activated sludge inoculum at 1 g/L (dry matter) in a Zahn-Wellens static test(1). The biodegradation half-life of D(+)-glucose in aerobic aquifer material (not heavily polluted), including Ontario loam and sand, South Carolina sand and Holland sand, is reported to range from 0.6-1.1 days(2). Using an electrolytic respirometry method with a 100 mg/L compound concentration and an activated sludge inoculum, D(+)-glucose was easily biodegraded with a 46-56% theoretical BOD in 100-110 hours(3). Using standard and seawater dilution methods, the 5-day BOD of D(+)-glucose was determined as 74.8 and 75.2% respectively(4). D(+)-Glucose was readily biodegradable in batch tests using adapted activated sludge with a biodegradation rate of 180.0 mg COD/g-hour(5). Biodegradation of D(+)-glucose in various samples of aquifer, saturated zone, and surface soils was found to occur rapidly with somewhat slower rates in till soil samples(6); based on measured rate constants(6), the

biodegradation half-life ranged from 0.25 to 19 days.

Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for D(+)-glucose(SRC), using a log Kow of -3.00(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of D(+)-glucose can be estimated to be 10(SRC). According to a classification scheme(2), this estimated Koc value suggests that D(+)-glucose is expected to have very high mobility in soil.

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN3439 (For reference only, please check.) IMDG: UN3439 (For reference only, please check.) IATA: UN3439 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: NITRILES, SOLID, TOXIC, N.O.S. (For reference only, please check.) IMDG: NITRILES, SOLID, TOXIC, N.O.S. (For reference only, please check.) IATA: NITRILES, SOLID, TOXIC, N.O.S. (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.) IMDG: 6.1 (For reference only, please check.) IATA: 6.1 (For reference only, please check.)

Packing group, if applicable

ADR/RID: I (For reference only, please check.)

IMDG: I (For reference only, please check.)

IATA: I (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS) Listed. **EC** Inventory Listed. United States Toxic Substances Control Act (TSCA) Inventory Not Listed. China Catalog of Hazardous chemicals 2015 Not Listed. New Zealand Inventory of Chemicals (NZIoC) Listed. PICCS Not Listed. **Vietnam National Chemical Inventory** Not Listed. IECSC Not Listed. Korea Existing Chemicals List (KECL) Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?

pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.