# Chemical Safety Data Sheet MSDS / SDS

# **Furfural**

Revision Date:2025-09-27 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **Product identifier**

Product name : Furfural

CBnumber : CB9182277

CAS : 98-01-1

EINECS Number : 202-627-7

Synonyms : furfural,furan-2-carbaldehyde

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

# **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

| Symbol(GHS) |        |  |  |
|-------------|--------|--|--|
| Signal word | Danger |  |  |

### Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thouroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 Wear respiratory protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P307+P311 IF exposed: call a POISON CENTER or doctor/physician.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### Hazard statements

H226 Flammable liquid and vapour

H301 Toxic if swalloed

H312 Harmful in contact with skin

H315 Causes skin irritation

H319 Causes serious eye irritation

H330 Fatal if inhaled

H331 Toxic if inhaled

H335 May cause respiratory irritation

H351 Suspected of causing cancer

H370 Causes damage to organs

H372 Causes damage to organs through prolonged or repeated exposure

H373 May cause damage to organs through prolonged or repeated exposure

H412 Harmful to aquatic life with long lasting effects

# SECTION 3: Composition/information on ingredients

# **Substance**

Product name : Furfural

Synonyms : furfural,furan-2-carbaldehyde

CAS : 98-01-1
EC number : 202-627-7
MF : C5H4O2
MW : 96.08

# SECTION 4: First aid measures

# Description of first aid measures

### General advice

First aider needs to protect himself. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **Further information**

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **NFPA 704**

2

3 1

|   | HEALTH        | 3 | Short exposure could cause serious temporary or moderate residual injury (e.g. <u>liquid hydrogen, sulfuric acid, calcium</u> <u>hypochlorite</u> , hexafluorosilicic acid)   |
|---|---------------|---|---|
| • | FIRE          | 2 | Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, <u>sulfur</u> ) |
|   | REACT         | 1 | Normally stable, but can become unstable at elevated temperatures and pressures (e.g. <u>propene</u> )  |
|   | SPEC.<br>HAZ. |   |   |

# SECTION 6: Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains.

# Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g.

Chemizorb?). Dispose of properly. Clean up affected area.

### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

For precautions see section 2.2.

# Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

# Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

### control parameter

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### **Exposure controls**

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject? (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Viton?

Minimum layer thickness: 0,7 mm Break through time: 120 min Material tested:Vitoject? (KCL 890 / Aldrich Z677698, Size M)

**Body Protection** 

protective clothing

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards:

DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

### **Exposure limits**

NIOSH REL: IDLH 100 ppm; OSHA PEL: TWA 5 ppm (20 mg/m<sup>3</sup>); ACGIH TLV: TWA 2 ppm (adopted).

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

| Appearance      | light brown clear, viscous, liquid |
|-----------------|------------------------------------|
| Odour           | No data available                  |
| Odour Threshold | 0,024 ppm                          |

| рН                                      | >=3.0 (50g/l, 25°C)   |
|---|---|
| Melting point/freezing point            | Melting point/range: -36 °C - lit.  |
| Initial boiling point and boiling range | 162 °C - lit.   |
| Flash point                             | 61,7 °C - closed cup  |
| Evaporation rate                        | No data available   |
| Flammability (solid, gas)               | No data available   |
| Upper/lower flammability or explosive   | Upper explosion limit: 19,3 %(V) Lower explosion limit: 2,1 %(V)  |
| limits                                  |   |
| Vapour pressure                         | 2,3 hPa at 20 °C  |
| Vapour density                          | 3,32 - (Air = 1.0)  |
| Relative density                        | 1,16 g/cm3 at 25 °C   |
| Water solubility                        | soluble   |
| Partition coefficient: n-octanol/water  | log Pow: 0,41 - Bioaccumulation is not expected.  |
| Autoignition temperature                | No data available   |
| Decomposition temperature               | No data available   |
| Viscosity                               | No data available   |
| Explosive properties                    | No data available   |
| Oxidizing properties                    | No data available   |
| Henry's Law Constant                    | 1.52(x 10 <sup>-6</sup> atm?m <sup>3</sup> /mol) at 20 °C (approximate - calculated from water solubility and vapor pressure) |

# Other safety information

Surface tension 43,5 mN/m at 20 °C

Relative vapor density

3,32 - (Air = 1.0)

# SECTION 10: Stability and reactivity

# Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

# **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

# Possibility of hazardous reactions

No data available

# **Conditions to avoid**

Air Avoid moisture. Light. Strong heating.

# Incompatible materials

Oxidizing agents, Strong acids

# Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - male and female - 108 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 0,54 - < 1,63 mg/l (OECD Test Guideline 403)

### Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h (OECD Test Guideline 404)

(Regulation (EC) No 1272/2008, Annex VI)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation. - 24 h (OECD Test Guideline 405)

(Regulation (EC) No 1272/2008, Annex VI)

### Respiratory or skin sensitization

(OECD Test Guideline 406)

### Germ cell mutagenicity

Ames test

Salmonella typhimurium Result: negative

In vitro mammalian cell gene mutation test mouse lymphoma cells

Result: positive

Chromosome aberration test in vitro Chinese hamster ovary cells

Result: positive

OECD Test Guideline 486

Mouse - male and female - Liver cells Result: negative

US-EPA

Mouse - male - Liver cells Result: negative

OECD Test Guideline 475 Mouse - male - Bone marrow Result: negative

OECD Test Guideline 486 Rat - male - Liver cells Result: negative

# Carcinogenicity

Suspected of causing cancer.

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - nasal cavity

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### Specific target organ toxicity - repeated exposure

No data available

### Aspiration hazard

No data available

### **Additional Information**

Repeated dose toxicity - Rat - male - 13 Weeks - NOAEL (No observed adverse effect level)

- 53 mg/kg RTECS: LT7000000

Central nervous system depression, Headache, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **Toxicity**

LD50 orally in rats: 127 mg/kg (Jenner)

# SECTION 12: Ecological information

# **Toxicity**

### Toxicity to fish

LC50 - Pimephales promelas (fathead minnow) - 16,79 - 26,35 mg/l

- 96 h

Remarks: (ECOTOX Database)

### Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 10 - 56 mg/l - 48 h Remarks: (ECOTOX Database)

### Toxicity to bacteria

static test EC50 - activated sludge - 760 mg/l - 30 min (OECD Test Guideline 209)

# Persistence and degradability

Biodegradability aerobic - Exposure time 14 d

Result: 100 % - Readily biodegradable. (OECD Test Guideline 301C)

# Bioaccumulative potential

No data available

# Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Toxics Screening Level**

The initial risk screening level (IRSL) is 0.06  $\mu g/m3$  with an annual averaging time.

# Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

### Waste treatment methods

# **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### Incompatibilities

May form explosive mixture with air. Acids and bases can cause polymerization, causing fire or explosion hazard. Reacts violently with oxidants. Incompatible with strong acids; caustics, ammonia, ali phatic amines; alkanolamines, alromatic amines; oxidizers. Attacks many plastics.

#### Waste Disposal

Dissolve or mix the material with a combustible solvent and burn in a chemical incinera tor equipped with an afterburner and scrubber. All federal, state, and local environmental regulations must be observed. Consult with environmental regulatory agencies for guidance on acceptable disposal practices.

# **SECTION 14: Transport information**

### **UN** number

ADR/RID: 1199 IMDG: 1199 IATA: 1199

# **UN proper shipping name**

ADR/RID: FURALDEHYDES IMDG: FURALDEHYDES IATA: Furaldehydes

# Transport hazard class(es)

ADR/RID: 6.1 (3) IMDG: 6.1 (3) IATA: 6.1 (3)

# Packaging group

ADR/RID: II IMDG: II IATA: II

### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### Special precautions for user

No data available

# SECTION 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

# Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

### Measures for Environmental Management of New Chemical Substances

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

# **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit TWA: Time Weighted Average

# References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

[5] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

[6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

[7] HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

[8] IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

【10】 Sigma-Aldrich, website: https://www.sigmaaldrich.com/

# Other Information

Refer for medical attention if breathing difficulties and/or fever develop.

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.