

## Chemical Safety Data Sheet MSDS / SDS

## Gabapentin-D10

Revision Date:2026-05-31 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Gabapentin-D10  
CBnumber : CB62558765  
CAS : 1126623-20-8  
EINECS Number : 200-659-6  
Synonyms : Gabapentin-D10

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P311 Call a POISON CENTER or doctor/physician.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

## Hazard statements

H370 Causes damage to organs  
H225 Highly Flammable liquid and vapour

## SECTION 3: Composition/information on ingredients

## Substance

Product name	: Gabapentin-D10
Synonyms	: Gabapentin-D10
CAS	: 1126623-20-8
EC number	: 200-659-6
MF	: C9H7D10NO2
MW	: 181.298

---

## SECTION 4: First aid measures

### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: fresh air. Make victim drink ethanol (e.g. 1 drinking glass of a 40% alcoholic beverage). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour).

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### Protection of first-aiders

For personal protection see section 8.

### Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Specific hazards during fire fighting

Pay attention to flashback. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at ambient temperatures.

### **Hazardous combustion products**

Carbon oxides

### **Specific extinguishing methods**

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **Special protective equipment for fire-fighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

---

## SECTION 6: Accidental release measures

### **Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains. Risk of explosion.

### **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material. Dispose of properly. Clean up affected area.

---

## SECTION 7: Handling and storage

### **Handling**

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Avoidance of contact**

Acids Oxidizing agents Alkali metals Strong oxidizing agents Strong acids Acid chlorides Acid anhydrides Reducing agents Strong reducing agents Phosphorus halides

### **Storage**

#### **Further information on storage conditions**

Keep container tightly closed in a dry and wellventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

**Storage class**

3, Flammable liquids

**Recommended storage temperature**

-20 °C

---

## SECTION 8: Exposure controls/personal protection

**Ingredients with workplace control parameters**

Biological occupational exposure limits

Methanol 67-56-1 Methanol Urine End of 15 mg/l ACGIH shift BEI (As soon as possible after exposure ceases)

**Engineering measures**

No data available

**Personal protective equipment****Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

**Recommended Filter type**

Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses

**Skin and body protection**

Flame retardant antistatic protective clothing.

**Hand protection****Material**

butyl-rubber

**Break through time**

480 min

**Glove thickness**

0.3 mm

**Protective index**

Full contact

**Manufacturer**

Butoject® (KCL 897 / Aldrich Z677647, Size M)

**Material**

Nitrile rubber

**Break through time**

30 min

**Glove thickness**

0.4 mm

**Protective index**

Splash contact

**Manufacturer**

Camatril® (KCL 730 / Aldrich Z677442, Size M)

**Manufacturer**

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

**Remarks**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9: Physical and chemical properties

**Information on basic physicochemical properties**

liquid

---

**Color**

White to Off-White

**Odor**

No data available

**Odor Threshold**

No data available

**pH**

No data available

**Melting point/ range**

No data available

**Boiling point/boiling range**

64 - 65 °C (1.013 hPa) Flash point: 9.7 °C

Method: closed cup

**Evaporation rate**

No data available

**Flammability (solid, gas)**

No data available

**Flammability (liquids)**

No data available

**Burning rate**

No data available

**Upper explosion limit / Upper flammability limit**

36 %(V)

**Lower explosion limit / Lower flammability limit**

6 %(V)

**Vapor pressure**

No data available

**Relative vapor density**

No data available

**Relative density**

No data available

**Density**

0.791 g/cm<sup>3</sup> (20 °C)

**Water solubility**

No data available

**Partition coefficient: n-octanol/water**

No data available

**Autoignition temperature**

No data available

**Decomposition temperature**

No data available

**Viscosity, dynamic**

No data available

**Viscosity, kinematic**

No data available

**Flow time**

No data available

**Explosive properties**

Not classified as explosive.

**Oxidizing properties**

none

**Particle characteristics Particle size**

No data available

**Flash point**

9°C

**Solubility**

Methanol (Slightly), Water (Slightly)

**Physical state**

Solid

---

**SECTION 10: Stability and reactivity****Reactivity**

Vapors may form explosive mixture with air.

**Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

**Possibility of hazardous reactions**

No data available

**Conditions to avoid**

Warming.

**Incompatible materials**

Acids Oxidizing agents Alkali metals Strong oxidizing agents Strong acids Acid chlorides Acid anhydrides Reducing agents Strong reducing agents Phosphorus halides

**Hazardous decomposition products**

In the event of fire: see section 5

---

**SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

### Mixture Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

### Skin corrosion/irritation

Classified based on available data. For more details, see section 2

### Serious eye damage/eye irritation

Classified based on available data. For more details, see section 2

### Respiratory or skin sensitization

Classified based on available data. For more details, see section 2

### Germ cell mutagenicity

Classified based on available data. For more details, see section 2

### Carcinogenicity

Classified based on available data. For more details, see section 2

### Reproductive toxicity

Classified based on available data. For more details, see section 2

### Specific target organ toxicity - single exposure

Mixture causes damage to organs. - Eyes, Central nervous system

### Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

### Aspiration hazard

Classified based on available data. For more details, see section 2

## 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non- poisonous., Effects due to ingestion may include:, Nausea, Headache, Vomiting,

Gastrointestinal disturbance, Dizziness, Weakness, Confusion.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

### Components Methanol

#### Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg (Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Symptoms: Nausea, Vomiting

Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapor (Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Symptoms: Irritation symptoms in the respiratory tract.

Acute toxicity estimate Dermal - 300.1 mg/kg (Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Remarks: (ECHA)

Remarks: Drying-out effect resulting in rough and chapped skin.

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation

Remarks: (ECHA)

#### **Respiratory or skin sensitization**

Sensitisation test: - Guinea pig

Result: negative (OECD Test Guideline 406)

#### **Germ cell mutagenicity**

Based on available data the classification criteria are not met.

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow

Result: negative

#### **Carcinogenicity**

Did not show carcinogenic effects in animal experiments.

#### **Reproductive toxicity**

Based on available data the classification criteria are not met.

#### **Specific target organ toxicity - single exposure**

Causes damage to organs. - Eyes, Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute oral toxicity - Nausea, Vomiting

Acute inhalation toxicity - Irritation symptoms in the respiratory tract.

#### **Specific target organ toxicity - repeated exposure**

Classified based on available data. For more details, see section 2

#### **Aspiration hazard**

Classified based on available data. For more details, see section 2

---

## SECTION 12: Ecological information

### **Ecotoxicity**

### **Components:**

### **Methanol:**

### **Toxicity to fish**

LC50 (Lepomis macrochirus (Bluegill)): 15,400.0 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Method: US-EPA

#### **Toxicity to daphnia and other aquatic invertebrates**

EC50 (Daphnia magna (Water flea)): 18,260 mg/l End point: Immobilization Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 202

#### **Toxicity to algae/aquatic plants**

ErC50 (Pseudokirchneriella subcapitata (green algae)): ca. 22,000.0 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 201

#### **Toxicity to fish (Chronic toxicity)**

NOEC (Oryzias latipes (Orange-red killifish)): 7,900 mg/l Exposure time: 200 h Remarks: (External MSDS)

#### **Toxicity to microorgan- isms**

IC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 209

### **Persistence and degradability**

#### **Components:**

##### **Methanol:**

##### **Biodegradability**

Result: Readily biodegradable. Biodegradation: 99 % Exposure time: 30 d Method: OECD Test Guideline 301D

##### **Biochemical Oxygen Demand (BOD)**

600 - 1,120 mg/g Incubation time: 5 d Remarks: (IUCLID)

##### **Chemical Oxygen Demand (COD)**

1,420 mg/g Remarks: (IUCLID)

##### **ThOD**

1,500 mg/g Remarks: (Lit.)

##### **BOD/ThOD**

76 % Remarks: Closed Bottle test (IUCLID)

##### **Stability in water**

Hydrolysis: 83 - 91 % at 19 °C(72 h) Remarks: Hydrolyzes on contact with water. Hydrolyzes readily. Degradation half life: 2.2 yr Remarks: reaction with hydroxyl radicals (IUCLID)

##### **Photodegradation**

Degradation (direct photolysis): 50 % Degradation half life: 17.2 d

### **Bioaccumulative potential**

#### **Components:**

##### **Methanol:**

##### **Bioaccumulation**

Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 1.0 Exposure time: 72 d Temperature: 20 °C Concentration: 5 mg/l

##### **Partition coefficient: n- octanol/water**

log Pow: -0.77 (25 °C) Method: (experimental) Remarks: (HSDB) Bioaccumulation is not expected.

##### **Mobility in soil**

**Components:****Methanol:****Stability in soil**

Remarks: Will not adsorb on soil.

**Other adverse effects****Components:****Methanol:****Results of PBT and vPvB assessment**

Substance is not persistent, bioaccumulative, and toxic (PBT).

**Additional ecological information**

Avoid release to the environment.

---

## SECTION 13: Disposal considerations

**Disposal methods****Waste from residues**

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## SECTION 14: Transport information

**International Regulations****IATA-DGR**

UN/ID No. : UN 1230

Proper shipping name : Methanol solution

Class : 3

Subsidiary risk : 6.1

Packing group : II

Labels : Class 3 - Flammable liquids, Division 6.1 - Toxic substances

Packing instruction (cargo aircraft) : 364

Packing instruction (passenger aircraft) : 352

**IMDG-Code**

UN number : UN 1230

Proper shipping name : METHANOL SOLUTION

Class : 3

Subsidiary risk : 6.1

Packing group : II

Labels : 3 (6.1)

EmS Code : F-E, S-D

Marine pollutant : no

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

National regulation GB 6944/12268

UN number : UN 1230

Proper shipping name : METHANOL

Class : 3

Subsidiary risk : 6.1

Packing group : II

Labels : 3 (6.1)

### **Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## **SECTION 15: Regulatory information**

Downstream users need to comply with the conditions of safe use of the chemical, understand the environmental and health hazard and risk management measures identified on the SDS as well as the local/national regulations concerning the chemical.

### **National regulatory information**

#### **Law on the Prevention and Control of Occupational Diseases**

#### **Regulations on Safety Management of Hazardous Chemicals**

#### **Catalogue of Hazardous Chemicals**

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

#### **No. / Code Chemical name / Category Threshold quantity**

#### **W5.3 Flammable liquids 1,000 t**

#### **Hazardous Chemicals for Priority Management**

Not applicable under SAWS

#### **Catalogue of Specially Controlled Hazardous**

Listed Chemicals

#### **List of Explosive Precursors**

Not listed

## **Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals**

### **China Severely Restricted Toxic Chemicals for Import and Export**

Not applicable

### **Measures on the Environmental Administration of New Chemical Substances Registration**

#### **Registration/Notification number**

B1A222220172

### **Regulation on the Administration of Precursor Chemicals**

#### **Catalogue and Classification of Precursor Chemicals**

Not listed

### **Regulations on the Administration of Controlled Chemicals**

#### **List of Controlled Chemicals**

Not listed

### **Regulations of Ozone Depleting Substances Management**

#### **List of Controlled Ozone Depleting Substances**

Not listed

#### **List of Controlled Ozone Depleting Substances Import and Export**

Not listed

### **Environmental Protection Law**

#### **List of Priority Controlled Chemicals**

Not listed

#### **List of Key Controlled New Pollutants**

Not listed

---

## SECTION 16: Other information

### **Full text of other abbreviations**

#### **ACGIH**

USA. ACGIH Threshold Limit Values (TLV)

#### **ACGIH BEI**

ACGIH - Biological Exposure Indices (BEI)

#### **GBZ 2.1-2007**

Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

#### **ACGIH / TWA**

8-hour, time-weighted average

#### **ACGIH / STEL**

Short-term exposure limit

#### **GBZ 2.1-2007 / PC-TWA**

Permissible concentration - time weighted average

**GBZ 2.1-2007 / PC-STEL** AIIIC - Australian Invent Transport by Land of Bra bw - Body weight; **CMR** Standard of the German List (Canada); **ECx** - Conc associated with x%respo Chemical Substances (Jap response; **ERG** - Emerge **GLP** - Good Laboratory P cer; **IATA** - International Construction and Equipm Half maximal inhibitory c tion; **IECSC** - Inventory o tional Maritime Dangerou **Industrial Safety and H Standardization**; **KECI** - K tration to 50 % of a test (Median Lethal Dose); **MA lution from Ships**; **n.o.s.** No **Observed (Adverse) E fect Level**; **NOELR** - No Norm; **NTP** - National Toxi icals; **OECD** - Organizatio fice of Chemical Safety a and **Toxic substance**; **PIC stances**; **(Q)SAR** - (Quant (EC) No 1907/2006 of th Registration, Evaluation, Accelerating Decompositi **Chemical Substance Inve Thailand Existing Chemica States**); **UN** - United Nat Transport of Dangerous **WHMIS** - Workplace Hazar  
Permissible concentration - short term exposure limit ry of Industrial Chemicals

**ANTT** - National Agency for il

**ASTM** - American Society for the Testing of Materials

- Carcinogen, Mutagen or Reproductive Toxicant

**DIN** nstitute for Standardisation

**DSL** - Domestic Substances ntration associated with x% response

**ELx** - Loading rate se

**EmS** - Emergency Schedule

**ENCS** - Existing and New n)

**ErCx** - Concentration associated with x% growth rate cy Response Guide

**GHS** - Globally Harmonized System

actice

**IARC** - International Agency for Research on Canir Transport Association

**IBC** - International Code for the nt of Ships carrying Dangerous Chemicals in Bulk

**IC50** ncentration

**ICAO** - International Civil Aviation Organiza- Existing Chemical Substances in China

**IMDG** - Interna- Goods

**IMO** - International Maritime Organization

**ISHL** alth Law (Japan)

**ISO** - International Organisation for rea Existing Chemicals Inventory

**LC50** - Lethal Concenopulation

**LD50** - Lethal Dose to 50% of a test population **POL** - International Convention for the Prevention of Pol- Not Otherwise Specified

**Nch** - Chilean Norm

**NO(A)EC** fect Concentration

**NO(A)EL** - No Observed (Adverse) Efbserveable Effect Loading Rate

**NOM** - Official Mexican ology Program

**NZIoC** - New Zealand Inventory of Chemfor Economic Co-operation and Development

**OPPTS** - Ofd Pollution Prevention

**PBT** - Persistent, Bioaccumulative S - Philippines Inventory of Chemicals and Chemical Subtative) Structure Activity Relationship

**REACH** - Regulation European Parliament and of the Council concerning the uthorisation and Restriction of Chemicals

SADT - Selfn Temperature

SDS - Safety Data Sheet

TCSI - Taiwan tory

TDG - Transportation of Dangerous Goods

TECI s Inventory

TSCA - Toxic Substances Control Act (United ons

UNRTDG - United Nations Recommendations on the oods

vPvB - Very Persistent and Very Bioaccumulative

ous Materials Information System

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.