

## Chemical Safety Data Sheet MSDS / SDS

## Imazalil

Revision Date:2024-04-13 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Imazalil  
CBnumber : CB4251497  
CAS : 35554-44-0  
EINECS Number : 252-615-0  
Synonyms : imazalil,Enilconazole

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

## Classification of the substance or mixture

Acute toxicity - Category 3, Oral  
Serious eye damage, Category 1  
Acute toxicity - Category 4, Inhalation  
Carcinogenicity, Category 2  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

## Label elements

## Pictogram(s)

□□□□

Signal word : Danger

## Hazard statement(s)

H301 Toxic if swallowed  
H318 Causes serious eye damage  
H332 Harmful if inhaled  
H410 Very toxic to aquatic life with long lasting effects

### Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container to.....

### Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P203 Obtain, read and follow all safety instructions before use.

P273 Avoid release to the environment.

### Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P317 Get medical help.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P318 IF exposed or concerned, get medical advice.

P391 Collect spillage.

### Storage

P405 Store locked up.

### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### Other hazards

no data available

---

## SECTION 3: Composition/information on ingredients

### Substance

Product name	: Imazalil
Synonyms	: imazalil, Enilconazole
CAS	: 35554-44-0
EC number	: 252-615-0
MF	: C <sub>14</sub> H <sub>14</sub> Cl <sub>2</sub> N <sub>2</sub> O

---

## SECTION 4: First aid measures

### Description of first aid measures

#### If inhaled

Fresh air, rest.

#### Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

#### Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### Following ingestion

Rinse mouth. Refer for medical attention .

### Most important symptoms and effects, both acute and delayed

Excerpt from ERG Guide 154 [Substances - Toxic and/or Corrosive (Non-Combustible)]: TOXIC; inhalation, ingestion or skin contact with material may cause severe injury or death. Contact with molten substance may cause severe burns to skin and eyes. Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. (ERG, 2016)

### Indication of any immediate medical attention and special treatment needed

Basic treatment: Establish a patent airway (oropharyngeal or nasopharyngeal airway, if needed). Suction if necessary. Watch for signs of respiratory insufficiency and assist ventilations if needed. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Monitor for pulmonary edema and treat if necessary . Monitor for shock and treat if necessary . Anticipate seizures and treat if necessary . For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with 0.9% saline (NS) during transport . Do not use emetics. For ingestion, rinse mouth and administer 5 ml/kg up to 200 ml of water for dilution if the patient can swallow, has a strong gag reflex, and does not drool . Cover skin burns with dry sterile dressings after decontamination . Poisons A and B

---

## SECTION 5: Firefighting measures

### Extinguishing media

To fight fire use/ powder, water spray, foam, carbon dioxide.


### Specific Hazards Arising from the Chemical

Excerpt from ERG Guide 154 [Substances - Toxic and/or Corrosive (Non-Combustible)]: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Some are oxidizers and may ignite combustibles (wood, paper, oil, clothing, etc.). Contact with metals may evolve flammable hydrogen gas. Containers may explode when heated. For electric vehicles or equipment, ERG Guide 147 (lithium ion batteries) or ERG Guide 138 (sodium batteries) should also be consulted. (ERG, 2016)

### Advice for firefighters

Use water spray, powder, foam, carbon dioxide.

### NFPA 704



■ HEALTH 3 Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

■ FIRE 0 Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

□ SPEC.  
□ HAZ.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal protection: chemical protection suit including self-contained breathing apparatus. Sweep spilled substance into covered sealable containers. Carefully collect remainder. Then store and dispose of according to local regulations.

### Environmental precautions

Sweep spilled substance into covered sealable containers. Carefully collect remainder. Then store and dispose of according to local regulations. Personal protection: chemical protection suit including self-contained breathing apparatus.

### Methods and materials for containment and cleaning up

Sweep spilled substance into sealable containers. Carefully collect remainder, then remove to safe place.

## SECTION 7: Handling and storage

### Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Provision to contain effluent from fire extinguishing. Separated from food and feedstuffs. Well closed. Keep in a well-ventilated room. Provision to contain effluent from fire extinguishing. Separated from food and feedstuffs. Well closed. Keep in a well-ventilated room.

## SECTION 8: Exposure controls/personal protection

## Control parameters

### Occupational Exposure limit values

MAK: (inhalable fraction): 2 mg/m<sup>3</sup>; peak limitation category: I(2); skin absorption (H); pregnancy risk group: C

### Biological limit values

no data available

## Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

## Individual protection measures

### Eye/face protection

Wear safety goggles.

### Skin protection

Protective gloves.

### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical state	neat
Colour	Slightly yellow to brown crystalline mass.
Odour	no data available
Melting point/freezing point	52.7°C
Boiling point or initial boiling point and boiling range	>340°C
Flammability	Combustible. Liquid formulations containing organic solvents may be flammable. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit	no data available
Flash point	225.1°C
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available
Solubility	In acetone, dichloromethane, ethanol, methanol, isopropanol, xylene, toluene, benzene > 500g/L at 20 deg C. In hexane 19 g/L at 20 deg C. Also soluble in heptane and petroleum ether.
Partition coefficient n-octanol/water	log Kow = 3.82 (pH 9.2 buffer)
Vapour pressure	1.58 x 10 <sup>-4</sup> Pa (20 °C)

---

Density and/or relative density	1.348
Relative vapour density	no data available
Particle characteristics	no data available

---

## SECTION 10: Stability and reactivity

### Reactivity

Decomposes on distillation or on burning. This produces toxic fumes of nitrogen oxides and chloride.

### Chemical stability

Very stable to hydrolysis in dilute acids and alkalis at room temperature, in the absence of light. Stable to temperatures up to 285 deg C. Stable to light under normal storage conditions.

### Possibility of hazardous reactions

Combustible. Liquid formulations containing organic solvents may be flammable. IMAZALIL is an imidazole derivative.

### Conditions to avoid

no data available

### Incompatible materials

Incompatible with alkaline materials.

### Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /hydrogen chloride and nitrogen oxides/.

---

## SECTION 11: Toxicological information

### Acute toxicity

- Oral: LD50 Rat oral 227 mg/kg
- Inhalation: LC50 Rat inhalation 16 g/ cu m/4 hr
- Dermal: no data available

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

### Respiratory or skin sensitization

no data available

### Germ cell mutagenicity

no data available

## Carcinogenicity

Cancer Classification: Likely to be Carcinogenic to Humans

## Reproductive toxicity

no data available

## STOT-single exposure

The substance is severely irritating to the eyes.

## STOT-repeated exposure

The substance may have effects on the liver. This may result in impaired functions and tissue lesions.

## Aspiration hazard

Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly on spraying.

---

## SECTION 12: Ecological information

### Toxicity

Toxicity to fish: LC50 *Lepomis macrochirus* (Bluegill sunfish, weight 2.1 g) 3.99 ppm/96 hr (95% confidence limit: 2.7-5.7 ppm); static renewal /97.6% AI formulated product/[USEPA, Office of Pesticide Programs; Pesticide Ecotoxicity Database (2000) on 1-

Toxicity to daphnia and other aquatic invertebrates: EC50 *Daphnia magna* (Water flea, <24 hr old; intoxication, immobilization) 3.54 ppm/48 hr (95% confidence limit: 2.6-4.7 ppm); static /97.6 % AI formulated product/[USEPA, Office of Pesticide Programs; Pesticide Ecotoxicity Database (2000) on 1-

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### Persistence and degradability

AEROBIC: The biodegradation half-life of imazalil in loam soil under aerobic conditions was 166 days with 2-(2,4-dichlorophenyl)-2-hydroxyethyl-1H-imidazole identified as a degradation product(1).

### Bioaccumulative potential

An estimated BCF of 170 was calculated for imazalil(SRC), using a measured log Kow of 3.82(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is high(SRC).

### Mobility in soil

Soil adsorption coefficient Kd values of 182, 209, and 68 were reported in clay loam, sandy loam, and sandy soil, respectively(1). The Koc of imazalil was shown to range from 2,081 to 6,918 in 8 soils (average Koc 4,324)(2). The mobility of C-14 labeled (at 2-ethyl carbon) imazalil was also evaluated in a soil column leaching study(2). Imazalil was found to be immobile in loam and sandy soils. The majority of imazalil remained in the top soil zone (95.7% of the applied was detected in the 0-2.5 cm zone for the loam soil column whereas 84.5% was detected in the same zone for the sand soil column). According to a classification scheme(3), these Koc values suggests that imazalil is expected to have slight to no mobility in soil(SRC).

### Other adverse effects

no data available

---

## SECTION 13: Disposal considerations

### Disposal methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### UN Number

ADR/RID: no data available

IMDG: no data available

IATA: no data available

### UN Proper Shipping Name

ADR/RID: no data available

IMDG: no data available

IATA: no data available

### Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: III (For reference only, please check.)

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please check.)

### Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

### Special precautions for user

no data available

### Transport in bulk according to IMO instruments



no data available

---

## SECTION 15: Regulatory information

### **Safety, health and environmental regulations specific for the product in question**

#### **European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

#### **EC Inventory**

Listed.

#### **United States Toxic Substances Control Act (TSCA) Inventory**

Not Listed.

#### **China Catalog of Hazardous chemicals 2015**

Not Listed.

#### **New Zealand Inventory of Chemicals (NZIoC)**

Listed.

#### **PICCS**

Not Listed.

#### **Vietnam National Chemical Inventory**

Listed.

#### **IECSC**

Not Listed.

#### **Korea Existing Chemicals List (KECL)**

Not Listed.

---

## SECTION 16: Other information

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### **References**

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pagenID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pagenID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

## **Other Information**

If the substance is formulated with solvent(s) also consult the card(s) (ICSC) of the solvent(s). Carrier solvents used in commercial formulations may change physical and toxicological properties.

### **Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.