# Chemical Safety Data Sheet MSDS / SDS

# **LEAD TITANIUM OXIDE**

Revision Date: 2025-02-01 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : LEAD TITANIUM OXIDE

CBnumber : CB1365007

CAS : 12060-00-3

EINECS Number : 235-038-9

Synonyms : Lead titanium trioxide, LEAD TITANATE

#### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

## **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

#### Precautionary statements

P405 Store locked up.

P391 Collect spillage. Hazardous to the aquatic environment

P308+P313 IF exposed or concerned: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P201 Obtain special instructions before use.

#### Hazard statements

H410 Very toxic to aquatic life with long lasting effects

H400 Very toxic to aquatic life

H373 May cause damage to organs through prolonged or repeated exposure

H360 May damage fertility or the unborn child

H332 Harmful if inhaled

H319 Causes serious eye irritation

H302 Harmful if swallowed

H300 Fatal if swallowed

H225 Highly Flammable liquid and vapour

# SECTION 3: Composition/information on ingredients

#### **Substance**

Product name : LEAD TITANIUM OXIDE

Synonyms : Lead titanium trioxide,LEAD TITANATE

CAS : 12060-00-3
EC number : 235-038-9
MF : O3PbTi
MW : 303.07

## SECTION 4: First aid measures

### Description of first aid measures

#### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

# SECTION 5: Firefighting measures

## **Extinguishing media**

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special hazards arising from the substance or mixture

Titanium/titanium oxides Lead oxides


#### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

No data available

#### **NFPA 704**



Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u>

HEALTH 2

ether, ammonium phosphate, iodine)

Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature

3 conditions . Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, <u>acetone</u>)

SPEC.

FIRE

# SECTION 6: Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

## **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Advice on safe handling

Avoid exposure - obtain special instructions before use.

#### Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

#### Conditions for safe storage, including any incompatibilities

#### Storage conditions

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

# control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

# **Exposure controls**

## Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# SECTION 9: Physical and chemical properties

#### Information on basic physicochemical properties

Appearance	beige powder
Odour	No data available
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	Melting point/freezing point: ca.1.756 °C - OECD Test Guideline 102
Initial boiling point and boiling range	No data available
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	No data available
Vapour density	No data available
Relative density	7,52 g/cm3 at 25 °C - lit. 8,149 at 20,6 °C - OECD Test Guideline 109
Water solubility	0,00008 g/l at 25 °C - insoluble
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

## Other safety information

No data available

# SECTION 10: Stability and reactivity

### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

No data available

#### Conditions to avoid

No data available

#### Incompatible materials

Strong oxidizing agents

### Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## Information on toxicological effects

#### **Acute toxicity**

Acute toxicity estimate Oral - 500,1 mg/kg (Expert judgment)

Oral

Acute toxicity estimate Inhalation - 4 h - 1,6 mg/l (Expert judgment)

LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: lead(IV) oxide

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Remarks: (in analogy to similar products) Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: lead(IV) oxide

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h (OECD Test Guideline 405)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: lead(IV) oxide

#### Respiratory or skin sensitization

(OECD Test Guideline 406)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: lead(IV) oxide

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

May damage the unborn child. Positive evidence from human epidemiological studies.

### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. Remarks: Classified according to Regulation (EU) 1272/2008, Annex

VI (Table 3.1/3.2)

#### Aspiration hazard

No data available

# **SECTION 12: Ecological information**

### **Toxicity**

#### Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) - 0,004 - 3,59 mg/l - 96 h

(US-EPA)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Lead(II) nitrate

#### Toxicity to daphnia and other aquatic invertebrates

static test LC50 - Ceriodaphnia dubia (water flea) - 0,03 - 3,1 mg/l - 48 h

(US-EPA)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Lead

# Toxicity to algae

static test NOEC - Skeletonema costatum - 0,02 mg/l - 96 h Remarks: (in analogy to similar products)

(ECHA

The value is given in analogy to the following substances: Lead(II) nitrate

## Persistence and degradability

No data available

# Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Other adverse effects

Very toxic to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

#### Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

#### **UN** number

ADR/RID: 3077 IMDG: 3077 IATA: 3077

#### **UN proper shipping name**

 $ADR/RID: ENVIRONMENTALLY\ HAZARDOUS\ SUBSTANCE,\ SOLID,\ N.O.S.\ (Lead\ titanate)\ IMDG:\ ENVIRONMENTALLY\ HAZARDOUS\ ADRIVED ADRIVE$ 

SUBSTANCE, SOLID, N.O.S. (Lead titanate)

IATA: Environmentally hazardous substance, solid, n.o.s. (Lead titanate)

#### Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

## **Packaging group**

ADR/RID: III IMDG: III IATA: III

#### **Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

#### Special precautions for user

## **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids. Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Chemical Book

8

# **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

#### Measures for Environmental Management of New Chemical Substances

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

EC Inventory:Listed.

Vietnam National Chemical Inventory: Not Listed. website: https://chemicaldata.gov.vn/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Not Listed. website: https://emb.gov.ph/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

New Zealand Inventory of Chemicals (NZIoC):Not Listed. website: https://www.epa.govt.nz/

## **SECTION 16: Other information**

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- 【10】 Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.