Chemical Safety Data Sheet MSDS / SDS

LITHIUM DODECYL SULFATE

Revision Date:2025-02-01 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name	: LITHIUM DODECYL SULFATE				
CBnumber	: CB0150488				
CAS	: 2044-56-6				
EINECS Number	: 218-058-2				
Synonyms	: LDS,Lithium Dodecyl Sulfate				
Relevant identified uses of the substance or mixture and uses advised against					
	-				
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.				
Relevant identified uses Uses advised against	: For R&D use only. Not for medicinal, household or other use. : none				
	· · · ·				
Uses advised against	· · · ·				

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)

Telephone

: 010-86108875

Signal word

Danger

Precautionary statements

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Hazard statements

H335 May cause respiratory irritation

H318 Causes serious eye damage

H315 Causes skin irritation

1

SECTION 3: Composition/information on ingredients

Substance

: LITHIUM DODECYL SULFATE
: LDS, Lithium Dodecyl Sulfate
: 2044-56-6
: 218-058-2
: C12H25LiO4S
: 272.33

SECTION 4: First aid measures

Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Carbon oxides Sulfur oxides Lithium oxides Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704

2	1	0
HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u> , ammonium phosphate, iodine)
FIRE	1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. <u>mineral oil</u> , ammonia)
REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)
SPEC. HAZ.		

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

Environmental precautions

Do not let product enter drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

SECTION 7: Handling and storage

Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep away from heat and sources of ignition.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly

fitting safety goggles

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other

accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the

instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Appearance	solid
Odour	No data available
Odour Threshold	No data available
рН	pH(0.25mol/l, 25℃) : 5.0~10.5
Melting point/freezing point	Melting point/range: 100 - 123 °C - OECD Test Guideline 102
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	The substance or mixture is a flammable solid with the category - Flammability (solids)
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	No data available
Vapour density	No data available
Relative density	H ₂ O: 0.1 M at 20 °C, clear, colorless
Water solubility	350 g/l at 20 °C - OECD Test Guideline 105
Partition coefficient: n-octanol/water	No data available
Partition coefficient: n-octanol/water Autoignition temperature	
	No data available
Autoignition temperature	No data available 366 °C - Relative self-ignition temperature for solids
Autoignition temperature Decomposition temperature	No data available 366 °C - Relative self-ignition temperature for solids ca.165 °C -
Autoignition temperature Decomposition temperature Viscosity	No data available 366 °C - Relative self-ignition temperature for solids ca.165 °C - Viscosity, kinematic: No data available Viscosity, dynamic: No data available

Other safety information

No data available

SECTION 10: Stability and reactivity

Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

No data available

Conditions to avoid

no information available

Incompatible materials

No data available

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 977 mg/kg (OECD Test Guideline 401) Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg (OECD Test Guideline 402) Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt Skin corrosion/irritation Skin - Rabbit Result: Irritations (OECD Test Guideline 404) Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt Serious eye damage/eye irritation Eyes - Rabbit Result: Irreversible effects on the eye (OECD Test Guideline 405) Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt Respiratory or skin sensitization Maximization Test Result: negative Remarks: (IUCLID) The value is given in analogy to the following substances: dodecyl sulphate sodium salt Germ cell mutagenicity Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium saltTest Type: Mutagenicity (mammal cell test): Test system: Mouse lymphoma test Method: OECD Test Guideline 476 Result: negative Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt No data available **Reproductive toxicity** No data available Specific target organ toxicity - single exposure May cause respiratory irritation. - Respiratory system

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) - 29 mg/l - 96 h (OECD Test Guideline 203)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

Toxicity to daphnia and other aquatic invertebrates

EC0 - E.sulcatum - 40 mg/l - 72 h Remarks: (Lit.)

The value is given in analogy to the following substances: dodecyl sulphate sodium salt

EC50 - Daphnia magna (Water flea) - 6 mg/l - 48 h Remarks: (IUCLID) The value is given in analogy to the following substances: dodecyl sulphate sodium salt

Toxicity to algae

static test EC50 - Desmodesmus subspicatus (green algae) - 53 mg/l

- 72 h

(DIN 38412)

Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

Toxicity to bacteria

EC50 - activated sludge - 130 mg/l - 3 h (OECD Test Guideline 209) Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 95 % - Readily biodegradable. (OECD Test Guideline 301B) Remarks: The value is given in analogy to the following substances: dodecyl sulphate sodium salt

Ratio BOD/ThBOD 99 % Remarks: (Lit.)

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

UN number

ADR/RID: 1325 IMDG: 1325 IATA: 1325

UN proper shipping name

ADR/RID: FLAMMABLE SOLID, ORGANIC, N.O.S. (lithium dodecyl sulphate) IMDG: FLAMMABLE SOLID, ORGANIC, N.O.S. (lithium dodecyl sulphate) IATA: Flammable solid, organic, n.o.s. (lithium dodecyl sulphate)

Transport hazard class(es)

ADR/RID: 4.1 IMDG: 4.1 IATA: 4.1

Packaging group

ADR/RID: II IMDG: II IATA: II

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

No data available

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Not Listed. website: https://emb.gov.ph/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

SECTION 16: Other information

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.