Chemical Safety Data Sheet MSDS / SDS

MAGNESIUM SILICIDE

Revision Date:2024-03-16 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

| Product name | : MAGNESIUM SILICIDE | |
|---|--|--|
| CBnumber | : CB3115750 | |
| CAS | : 22831-39-6 | |
| EINECS Number | : 245-254-5 | |
| Synonyms | : magnesium silicide,Magnesium silicide (99.5% Mg) (C < 1%) | |
| Relevant identified uses of the substance or mixture and uses advised against | | |
| Relevant identified uses | : For R&D use only. Not for medicinal, household or other use. | |
| Uses advised against | : none | |
| Company Identification | | |
| Company | : Chemicalbook | |
| Address | : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing | |
| Telephone | : 400-158-6606 | |

SECTION 2: Hazards identification

Classification of the substance or mixture

Substances and mixtures, which in contact with water, emit flammable gases, Category 2

Label elements

Pictogram(s)

Signal word

Danger

Hazard statement(s)

H261 In contact with water releases flammable gas

Precautionary statement(s)

P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire.

P231+P232 Handle under inert gas. Protect from moisture.

P422 Store contents under ...

P402+P404 Store in a dry place. Store in a closed container.

Prevention

P223 Do not allow contact with water.

1

P231+P232 Handle and store contents under inert gas/....Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

Response

P302+P335+P334 IF ON SKIN: Brush off loose particles from skin. Immerse in cool water [or wrap in wet bandages].

P370+P378 In case of fire: Use ... to extinguish.

Storage

P402+P404 Store in a dry place. Store in a closed container.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

| Product name | : MAGNESIUM SILICIDE |
|--------------|---|
| Synonyms | : magnesium silicide, Magnesium silicide (99.5% Mg) (C < 1%) |
| CAS | : 22831-39-6 |
| EC number | : 245-254-5 |
| MF | : Mg2Si |
| MW | : 76.7 |
| | |

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately.

Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

Excerpt from ERG Guide 138 [Substances - Water-Reactive (Emitting Flammable Gases)]: Inhalation or contact with vapors, substance or decomposition products may cause severe injury or death. May produce corrosive solutions on contact with water. Fire will produce irritating, corrosive and/or toxic gases. Runoff from fire control may cause pollution. (ERG, 2016)

Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

Extinguishing media

Excerpt from ERG Guide 138 [Substances - Water-Reactive (Emitting Flammable Gases)]: DO NOT USE WATER OR FOAM. SMALL FIRE: Dry chemical, soda ash, lime or sand. LARGE FIRE: DRY sand, dry chemical, soda ash or lime or withdraw from area and let fire burn. Move containers from fire area if you can do it without risk. FIRE INVOLVING METALS OR POWDERS (ALUMINUM, LITHIUM, MAGNESIUM, ETC.): Use dry chemical, DRY sand, sodium chloride powder, graphite powder or Met-L-X? powder; in addition, for Lithium you may use Lith-X? powder or copper powder. Also, see ERG Guide 170. FIRE INVOLVING TANKS OR CAR/TRAILER LOADS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Do not get water inside containers. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. (ERG, 2016)


Specific Hazards Arising from the Chemical

Excerpt from ERG Guide 138 [Substances - Water-Reactive (Emitting Flammable Gases)]: Produce flammable gases on contact with water. May ignite on contact with water or moist air. Some react vigorously or explosively on contact with water. May be ignited by heat, sparks or flames. May re-ignite after fire is extinguished. Some are transported in highly flammable liquids. Runoff may create fire or explosion hazard. (ERG, 2016)

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use sparkproof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

Individual protection measures

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The

selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

| Physical state | Powder |
|--|-------------------|
| Colour | Blue |
| Odour | no data available |
| Melting point/freezing point | 1102°C |
| Boiling point or initial boiling point and | no data available |
| boiling range | |
| Flammability | no data available |
| Lower and upper explosion | no data available |
| limit/flammability limit | |
| Flash point | no data available |
| Auto-ignition temperature | no data available |
| Decomposition temperature | no data available |
| pH | no data available |
| Kinematic viscosity | no data available |
| Solubility | no data available |
| Partition coefficient n-octanol/water | no data available |
| Vapour pressure | no data available |
| Density and/or relative density | 2. |
| Relative vapour density | 2. |
| Particle characteristics | no data available |
| | |

SECTION 10: Stability and reactivity

Reactivity

Contact with moisture under acidic condition generates silanes that ignite in air. Insoluble in water.

Chemical stability

no data available

Possibility of hazardous reactions

MAGNESIUM SILICIDE is a reducing agent. May react vigorously with oxidizing materials.

Conditions to avoid

no data available

Incompatible materials

no data available

Hazardous decomposition products

no data available

SECTION 11: Toxicological information

Acute toxicity

- Oral: no data available
- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available Toxicity to daphnia and other aquatic invertebrates: no data available Toxicity to algae: no data available Toxicity to microorganisms: no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN2624 (For reference only, please check.) IMDG: UN2624 (For reference only, please check.) IATA: UN2624 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: MAGNESIUM SILICIDE (For reference only, please check.) IMDG: MAGNESIUM SILICIDE (For reference only, please check.) IATA: MAGNESIUM SILICIDE (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 4.3 (For reference only, please check.)

IMDG: 4.3 (For reference only, please check.) IATA: 4.3 (For reference only, please check.)

Packing group, if applicable

ADR/RID: II (For reference only, please check.) IMDG: II (For reference only, please check.) IATA: II (For reference only, please check.)

Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed. **EC Inventory** Listed. United States Toxic Substances Control Act (TSCA) Inventory Listed. China Catalog of Hazardous chemicals 2015 Listed. New Zealand Inventory of Chemicals (NZIoC) Not Listed. PICCS Not Listed. **Vietnam National Chemical Inventory** Not Listed. IECSC Listed. Korea Existing Chemicals List (KECL) l isted

Abbreviations and acronyms

- CAS: Chemical Abstracts Service ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road RID: Regulation concerning the International Carriage of Dangerous Goods by Rail IMDG: International Maritime Dangerous Goods IATA: International Air Transportation Association TWA: Time Weighted Average STEL: Short term exposure limit LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50% EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

- HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- eChemPortal The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?

pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.