

## Chemical Safety Data Sheet MSDS / SDS

**MANGANESE (II) OXIDE**

Revision Date:2026-04-04 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : MANGANESE (II) OXIDE  
CBnumber : CB5159345  
CAS : 1344-43-0  
EINECS Number : 215-695-8  
Synonyms : MnO, MANGANESE (II) OXIDE

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 010-86108875

**SECTION 2: Hazards identification****GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Warning

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P405 Store locked up.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

**Hazard statements**

H335 May cause respiratory irritation

H319 Causes serious eye irritation

H315 Causes skin irritation

## SECTION 3: Composition/information on ingredients

### Substance

Product name	: MANGANESE (II) OXIDE
Synonyms	: MnO, MANGANESE (II) OXIDE
CAS	: 1344-43-0
EC number	: 215-695-8
MF	: MnO
MW	: 70.94

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 4.4 Notes to physician

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Manganese/manganese oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



<input checked="" type="checkbox"/>	HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <a href="#">diethyl ether</a> , ammonium phosphate, iodine)
<input checked="" type="checkbox"/>	FIRE	0	Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)
<input checked="" type="checkbox"/>	REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, <a href="#">N<sub>2</sub></a> )
<input type="checkbox"/>	SPEC.		
<input type="checkbox"/>	HAZ.		

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry.

#### Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

['Component', 'CAS-No.', 'Value', 'Control parameters', 'Basis']	['Manganese oxide', '1344-43-0', 'PC-TWA', '0.15 mg/m <sup>3</sup> ', 'Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.']
---	---

### 8.2 Exposure controls

#### Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 L

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 L

#### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

a) Physical state	powder
b) Color	light green, dark green
c) Odor	No data available
d) Melting point/freezing point	> 450 °C
e) Initial boiling point and boiling range	No data available
f) Flammability (solid, gas)	The product is not flammable.
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	Not applicable
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	Soluble in hydrochloric acid. Insoluble in water.
n) Partition coefficient n-octanol/water	No data available
o) Vapor pressure	No data available
p) Density	5.45 g/cm <sup>3</sup> at 25 °C - lit.
Relative density	5.28 at 21 °C
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available
Solubility	insoluble in H <sub>2</sub> O; soluble in acid solutions

### 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.2 Possibility of hazardous reactions

No data available

### 10.3 Conditions to avoid

no information available

### 10.4 Incompatible materials

Strong oxidizing agents

### 10.5 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - > 2,000 mg/kg (Fixed Dose Method)

LC50 Inhalation - Rat - male and female - 4 h - > 5.35 mg/l (OECD Test Guideline 403)

Dermal: No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

#### Respiratory or skin sensitization

- Mouse

Result: Does not cause skin sensitization.

#### Germ cell mutagenicity

Test Type: Mouse

Test system: lymphocyte

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: In vivo micronucleus test

Species: Mouse

Method: Mutagenicity (micronucleus test)

Result: negative

#### Carcinogenicity

Classified based on available data. For more details, see section 2

#### Reproductive toxicity

Classified based on available data. For more details, see section 2

#### Specific target organ toxicity - single exposure

Classified based on available data. For more details, see section 2

#### Specific target organ toxicity - repeated exposure

Classified based on available data. For more details, see section 2

#### **Aspiration hazard**

Classified based on available data. For more details, see section 2

### **11.2 Additional Information**

RTECS: OP0900000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Men exposed to manganese dusts showed a decrease in fertility. Chronic manganese poisoning primarily involves the central nervous system. Early symptoms include languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and a spastic gait with tendency to fall in walking are findings in more advanced cases. High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Toxicity to fish semi-static test LC50 - *Oncorhynchus mykiss* (rainbow trout) - > 1.2 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia static test EC50 - *Daphnia magna* (Water flea) - > 4 mg/l - 48 h and other aquatic (OECD Test Guideline 202)  
invertebrates

Toxicity to algae static test EC50 - *Desmodesmus subspicatus* (green algae) - > 1.3 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to bacteria EC50 - Sludge Treatment - > 1,000 mg/l - 3 h (OECD Test Guideline 209)

### **12.2 Persistence and degradability**

No data available

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **12.6 Endocrine disrupting properties**

No data available

### **12.7 Other adverse effects**

No data available

---

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: -

IMDG: -

IATA-DGR: -

### 14.2 UN proper shipping name

ADR/RID: Not dangerous goods

IMDG: Not dangerous goods

IATA-DGR: Not dangerous goods

### 14.3 Transport hazard class(es)

ADR/RID: -

IMDG: -

IATA-DGR: -

### 14.4 Packaging group

ADR/RID: -

IMDG: -

IATA-DGR: -

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA-DGR: no

### 14.6 Special precautions for user

### 14.7 Incompatible materials

Strong oxidizing agents

Further information: Not classified as dangerous in the meaning of transport regulations.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Occupational Labor Protection in the at workplaces where Toxic

Substances Are Used

Catalogue of Highly Toxic Chemicals : Listed

Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

TWA: Time-Weighted Average

STEL: Short-Term Exposure Limit

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50%

EC50: Effective Concentration 50%

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

IMDG: International Maritime Dangerous Goods Code

IATA: International Air Transport Association

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

DOT: US Department of Transportation

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.