# Chemical Safety Data Sheet MSDS / SDS

# PETROLEUM ETHER

Revision Date: 2025-02-01 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : PETROLEUM ETHER

CBnumber : CB9248175

CAS : 8032-32-4

EINECS Number : 232-453-7

Synonyms : hexanes,naphtha

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

### **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

# **SECTION 2: Hazards identification**

### Classification of the substance or mixture

Aspiration hazard, Category 1

Germ cell mutagenicity, Category 1B

Carcinogenicity, Category 1B

### Label elements

# Pictogram(s)

Signal word Danger

### Hazard statement(s)

H224 Extremely flammable liquid and vapour

H225 Highly Flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H336 May cause drowsiness or dizziness

H340 May cause genetic defects

, ,

H350 May cause cancer

H370 Causes damage to organs

H411 Toxic to aquatic life with long lasting effects

### Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P331 Do NOT induce vomiting.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P370+P378 In case of fire: Use ... for extinction.

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

#### Prevention

P203 Obtain, read and follow all safety instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

#### Response

P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P331 Do NOT induce vomiting.

P318 IF exposed or concerned, get medical advice.

### Storage

P405 Store locked up.

### Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

### Other hazards

no data available

# SECTION 3: Composition/information on ingredients

### **Substance**

Product name : PETROLEUM ETHER

Synonyms : hexanes,naphtha

CAS : 8032-32-4

EC number : 232-453-7

MF : unspecified

MW : 0

# SECTION 4: First aid measures

### Description of first aid measures

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### Most important symptoms and effects, both acute and delayed

no data available

### Indication of any immediate medical attention and special treatment needed

no data available

# SECTION 5: Firefighting measures

# **Extinguishing media**

Use dry chemical, carbon dioxide or alcohol-resistant foam.

### **Specific Hazards Arising from the Chemical**

no data available

### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **NFPA 704**

**FIRE** 



HEALTH 1 Exposure would cause irritation with only minor residual injury (e.g. acetone, sodium bromate, potassium chloride)

Will rapidly or completely vaporize at normal atmospheric pressure and temperature, or is readily dispersed in air and will

4 burn readily. Includes pyrophoric substances. Flash point below room temperature at 22.8 °C (73 °F). (e.g. acetylene, propane, <u>hydrogen gas</u>)

	REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)
	SPEC.		
	HAZ.		
	•		

# SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

# SECTION 7: Handling and storage

### Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

# SECTION 8: Exposure controls/personal protection

### **Control parameters**

### Occupational Exposure limit values

Component	Ligroine						
CAS No.	8032-32-4						
	Limit value - Eight	hours	Limit value - Sho	Limit value - Short term			
	ррт	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>			
Belgium	300	1390	?	?			
Canada - Ontario	(1)	?	?	?			
Latvia	?	300	?	?			

South Korea	300	1350	?	?	
USA - NIOSH	?	350	?	18	800 (1)
	Remarks				
Canada -	(1) See MOL document Determination of Occupational Exposure Limits for Certain Refined Hydrocarbon Solvent Vapour				
Ontario	Ontario Mixtures				
USA - NIOSH (1) Ceiling limit value (15 min)					

### **Biological limit values**

no data available

### **Exposure controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

### Individual protection measures

### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

### Thermal hazards

no data available

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Physical state	Liquid
Colour	APHA: ≤10
Odour	no data available
Melting point/freezing point	-40°C
Boiling point or initial boiling point and	30-60°C(lit.)
boiling range	
Flammability	no data available
Lower and upper explosion	8%
limit/flammability limit	
Flash point	<-30°C
Auto-ignition temperature	475°F
Decomposition temperature	no data available
рН	no data available
Kinematic viscosity	no data available
Solubility	no data available
Partition coefficient n-octanol/water	no data available

Vapour pressure	25.8 psi ( 55 °C)
Density and/or relative density	0.715 (20/4℃)
Relative vapour density	0.715 (20/4℃)
Particle characteristics	no data available
-	

# SECTION 10: Stability and reactivity

# Reactivity

no data available

# **Chemical stability**

no data available

# Possibility of hazardous reactions

no data available

### **Conditions to avoid**

no data available

# Incompatible materials

no data available

# Hazardous decomposition products

no data available

# SECTION 11: Toxicological information

# Acute toxicity

• Oral: no data available

• Inhalation: no data available

• Dermal: no data available

# Skin corrosion/irritation

no data available

# Serious eye damage/irritation

no data available

# Respiratory or skin sensitization

no data available

# Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

### Reproductive toxicity

no data available

### STOT-single exposure

no data available

# STOT-repeated exposure

no data available

### **Aspiration hazard**

no data available

# **SECTION 12: Ecological information**

# **Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### Persistence and degradability

no data available

### Bioaccumulative potential

no data available

# Mobility in soil

no data available

### **Toxics Screening Level**

Naphtha (petroleum) heavy straight-run may also have the ITSL of 3500 µg/m3, with eight hour averaging.

### Other adverse effects

no data available

# SECTION 13: Disposal considerations

# **Disposal methods**

# **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do Chemical Book

not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

# **SECTION 14: Transport information**

### **UN Number**

ADR/RID: UN1300 (For reference only, please check.)
IMDG: UN1300 (For reference only, please check.)
IATA: UN1300 (For reference only, please check.)

### **UN Proper Shipping Name**

ADR/RID: TURPENTINE SUBSTITUTE (For reference only, please check.)

IMDG: TURPENTINE SUBSTITUTE (For reference only, please check.)

IATA: TURPENTINE SUBSTITUTE (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.)
IMDG: 3 (For reference only, please check.)
IATA: 3 (For reference only, please check.)

# Packing group, if applicable

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

### **Environmental hazards**

ADR/RID: No IMDG: No IATA: No

### Special precautions for user

no data available

# Transport in bulk according to IMO instruments

no data available

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations specific for the product in question

Listed.

**EC Inventory** 

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Listed.

**PICCS** 

Listed.

**Vietnam National Chemical Inventory** 

Listed.

**IECSC** 

Listed.

Korea Existing Chemicals List (KECL)

Listed.

# SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

 $IPCS-The\ International\ Chemical\ Safety\ Cards\ (ICSC),\ website:\ http://www.ilo.org/dyn/icsc/showcard.home$ 

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.